WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:		(11) International Publication Number	wo 00/70528
G06F 19/00	A2	(43) International Publication Date:	23 November 2000 (23.11.00)

(21) International Application Number: PCT/US00/13154

(22) International Filing Date: 12 May 2000 (12.05.00)

(30) Priority Data: US 14 May 1999 (14.05.99) 09/310,879 US 14 May 1999 (14.05.99) 09/311,890 14 May 1999 (14.05.99) US 09/311,996 US 14 May 1999 (14.05.99) 60/134,104 US 26 April 2000 (26.04.00) Not furnished

(71) Applicant: CYTOKINETICS, INC. [US/US]; Suite 2, 280 East Grand Avenue, South San Francisco, CA 94080 (US).

(72) Inventors: SABRY, James, H.; 52 Buena Vista Terrace, San Francisco, CA 94117 (US). ADAMS, Cynthia, L.; 615 Georgia Avenue, Palo Alto, CA 94306 (US). VAISBERG, Eugeni, A.; 647 Pegasus Lane, Foster City, CA 94404 (US). CROMPTON, Anne, M.; 2 Bellair Place, San Francisco, CA 94133 (US). BLUM, Robert, I.; 17 Shoreview Avenue, San Francisco, CA 94121 (US). OESTREICHER, Donald, R.; 904 Old Town Court, Cupertino, CA 95014-4024 (US). SIGAL, Nolan, H.; 941 Berry Avenue, Los Altos, CA 94024 (US).

(74) Agent: LOUIE, Michael, L.; Beyer Weaver & Thomas, LLP, P.O. Box 130, Mountain View, CA 94042-0130 (US).

(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).


Published

Without international search report and to be republished upon receipt of that report.

(54) Title: METHOD AND APPARATUS FOR PREDICTIVE CELLULAR BIOINFORMATICS

(57) Abstract

Techniques for using information technology in therapeutics or drug discovery. In an exemplary embodiment, techniques for determining information about the properties of substances based upon information about structure of living or non-living cells exposed to substances are provided. A method according to the present invention enables researchers and/or scientists to identify promising candidates in the search for new and better medicines or treatments using, for example, a cellular informatics database. The present invention further teaches a system for acquiring knowledge from cellular information. The system has a database 1012 comprising a database management module ("DBMS"). The system also has a variety of modules, including a population module coupled to the DBMS for categorizing and storing a plurality of features (e.g., cell size, distance between cells, cell population, cell type) from an image acquisition device into the database. The system has a translation module coupled to the DBMS for defining a descriptor from a set of selected features from the plurality of features. In a specific embodiment, the descriptor is for a known or unknown compound, e.g., drug. A prediction module is coupled to the DBMS for selecting one of a plurality of descriptors from known and unknown compounds from the database based upon a selected descriptor from a selected compound. The selected compound may be one that is useful for treatment of human beings or the like.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Amienia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LY	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	ŬA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	υG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	บร	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Кепуа	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzsian	NO	Norway	ZW	Zimbabwe
CI	Côle d'Ivoire	KP	Deniocratic People's	NZ	New Zealand		
CM1	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Gemiany	LI	Liechtenstein	SD	Sudan		
DК	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

PATENT APPLICATION METHOD AND APPARATUS FOR PREDICTIVE CELLULAR BIOINFORMATICS

COPYRIGHT NOTICE

5

10

15

20

25

30

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever. The present description includes examples of computer codes, which may be used to implement aspects of the present invention. Assignee of the present invention reserves all rights with respect to these codes and provides notice herein. Notice is hereby given © Cytokinetics, Inc. 1999.

BACKGROUND OF THE INVENTION

The present invention provides techniques for information management using a database platform. More particularly, the present invention provides a system including computer code that couples to a database device. The system provides for image capturing of living, dead, or fixed cells or cell fractions used to identify information about substances used on the cells or information about the cells themselves. Accordingly, the present invention can enable researchers and scientists to identify promising candidates in the search for new and better medicines, for example, in drug discovery and development. The principles enumerated herein may, with equal facility, be applied to other applications, including but not limited to use in environmental applications such as determining chemical toxicities and other non-pharmaceutical toxicology uses.

For a long time, researchers in the pharmaceutical field have sought for better ways of searching for substances possessing properties that make them suitable as medicines. In the early days, researchers generally relied upon extracts from plants, dyes, and microbiological extracts for such substances. Examples of such substances include the pain reliever aspirin, the anti-cancer drug paclitaxel (brand name TaxolTM), and the heart medication called digoxin. The number of useful medicines has generally been limited.

Purified substances having desirable bio-active properties are also often difficult to discover. Advances in traditional organic chemistry and more recently the rapid chemical synthesis methods often referred to as combinatorial chemistry have increased the number of compounds that researchers test for biological activity. Originally, substances were often initially tested on animals or humans to determine their biological activity. While results from such tests may identify a good drug candidate, they are often time consuming and costly, thus a limited number of substances can be tested. Therefore, pharmaceutical companies have turned to testing their ever-increasing libraries of substances against isolated proteins (drug targets) in biochemical assays that can be carried out at high throughput and low cost. It should be noted that the substances need to be tested in numerous protein tests, each customized for a particular drug target. Therefore, although each protein test may be run at a high-throughput, the design of multiple protein tests can be time-consuming. Substances deemed promising based on results from the protein tests are then tested in lower throughput cellular and animal tests.

There have been some attempts to use image acquisition techniques to screen a large number of substances based upon biological cell information. One such attempt is described in International Application No. WO 98/38490 in the names of Dunlay, et al. Dunlay et al. generally describes a conventional image acquisition system. This conventional system collects and saves images based on certain criteria that are predefined, not on a fixed area of an imaging surface. Additionally, the conventional system has poor lighting design, which makes image processing for multiple cells difficult. Furthermore, the conventional system is not designed for capturing, populating and utilizing a large database design. The conventional system is designed for customized cellular assays, not as a tool for generation of a cellular informatics database. Without such database capabilities the conventional system cannot be used for screening, analyzing, and comparing large quantities of cells from multiple experiments on multiple days in a predictive, efficient and cost effective manner.

What is needed is a rapid assay to assess the activity of compounds against multiple drug targets simultaneously in a cellular context. What is also needed are techniques for finding the effects of substances on cell function based upon searching and analyzing cellular information.

SUMMARY OF THE INVENTION

According to at least one embodiment of the present invention, techniques for determining information about effects of potential substances on cells are provided. In another exemplary embodiment, the present invention provides a novel system including hardware, computer codes, user interfaces, and a database for acquiring, storing and retrieving cellular and substance information. The cells can include living, dead, or fixed cells or fractions of cells. The present invention enables, inter alia, researchers and/or scientists to identify promising candidates in the search for new and better medicines or treatments using, for example, a cellular informatics database.

10

15

20

25

30

According to the present invention, a computer program for identification and verification of biological properties of substances can include code that causes a sample of a substance to be administered to a cell. The code determines one or more features for two or more cell components, or markers, in the presence of the substance. The code can form one or more descriptors from the features.

Descriptors can be formed by combining features of two or more cell components as identified using the markers. The code can then search one or more descriptors obtained from prior administered substances upon cells in order to locate descriptors having a relationship to the descriptors noted for the substance under study. The code predicts properties of the administered substance based upon the properties of the prior administered substances using the relationship between the descriptors. The code can provide for identifying properties of substances based upon effects on cell characteristics. Candidate drug mechanisms of action, potency, specificity, pharmacodynamic, and pharmacokinetic parameters, toxicity, and the like can be used as substance properties.

In a specific embodiment, the present invention provides a system for acquiring knowledge from cellular information. The system has a database comprising a database management module ("DBMS"). The system also has a variety of other modules, including a population module that is coupled to the DBMS and serves to categorize and store a plurality of features (including but not limited to cell size, distance between cells, cell population, as well as sub-cellular features such as organelle location, protein location and sub-cellular constituent location and

movement) from an image acquisition device into the database. The system has a translation module coupled to the DBMS for defining a descriptor from a set of selected features from the plurality of features. In a specific embodiment, the descriptor is for a known or unknown compound, e.g., drug. A prediction module is coupled to the DBMS for selecting one of a plurality of a descriptors from known and unknown compounds from the database based upon a selected descriptor from a selected compound. The selected compound may be one that is useful for treatment of human beings or the like.

5

10

15

20

25

30

In a specific embodiment, the present invention provides a system for populating a database with cellular information. The system includes a cell holder (e.g., multi-well plate, chip, microfluidic assembly, or other cell chamber) comprising a plurality of sites in a spatial orientation. Each of the sites is capable of holding a plurality of cells to be imaged. Note – the light guide is one embodiment, but we don't want to be limited to it.

According to one embodiment, the present system also has an illumination apparatus including a liquid light guide operably coupled to the imaging device for highlighting the plurality of cells in a relatively even spatial manner for image capturing and measurement purposes. Still further, the liquid light guide allows sub-elements (e.g., filter, lamp) of the illumination apparatus to be placed at a remote location to prevent mechanical interference of the cell holder during image capturing. Alternative lighting methodologies may, with equal facility, be implemented.

The system also has an image-capturing device (e.g., charge coupled device camera, translation stage, shutter, microscope, software, shutter control) coupled to a computing device (e.g., computer, network computer, work station, analog computing device, on-board image-processor, and laptop). The image-capturing device is adapted to capture at least one image in at least one of the plurality of sites. One some embodiments, multiple images can be captured, where each image represents a different cell component (or portion). The image-capturing device can be adapted to convert the image into a digital representation, which highlights the feature or features of the one site.

A database storage device (e.g., relational database, object oriented database, mixed object oriented database) includes a database management element. The

database is coupled to the image capturing device. In a specific embodiment, the present system includes modules for feature extraction, generation of descriptions, and data preparation and analysis.

5

10

15

20

25

30

In a specific embodiment, the present invention provides a novel system for determining an effect of a manipulation of a cell using one or more image frames. The system has a plate comprising a plurality of sites in a spatial orientation. Each of the sites is capable of holding a plurality of cells to be imaged. The system also has an image capturing device to capture a plurality of images of at least one site from the plurality of sites. The image capturing device is coupled to the computing device. The system also has an image processing device to combine the plurality of images of at least one site or plurality of sites. The image processing device is operably coupled to the plate. An image processing device is also included. The image processing device can be adapted to form a digitized representation of the plurality of images from the site or plurality of sites. Furthermore, the system has a database storage device comprising a database management element. The database can be adapted to retrieve the descriptor or descriptors of the plurality of features from the computing processing device and storing them in a selected manner.

In a specific embodiment, the present invention provides a system for capturing cellular information. The system also has an image acquisition system comprising a charged coupled device camera adapted to capture an image of a plurality of manipulated cells in various stages of the cell cycle. The stages of the cell cycle are currently understood to include interphase, G0 phase, G1 phase, S phase, G2 phase, M phase, prophase, prometaphase, metaphase, anaphase, and telophase. The principles of the present invention specifically contemplate the application thereof on additional cell cycle stages when and if they are identified.

An optical source is coupled to the image acquisition system for highlighting the plurality of manipulated cells in the various stages of the cell cycle. The illumination apparatus provides for an acquisition of the image of the plurality of manipulated cells. In a specific embodiment, the illumination apparatus has a liquid light guide coupled to a light source at a remote location.

A variety of user interfaces are utile for accessing the several features of the present invention. Those having ordinary skill in the art will appreciate that different user interfaces may be required to support different research scenarios. The

5

10

15

20

present invention specifically contemplates the utilization of a wide variety of user interfaces.

Numerous benefits are achieved by way of the present invention over conventional techniques. The present invention can provide techniques for predictive cellular bioinformatics that can streamline a number of important decisions made in the drug discovery industry. The present invention can be implemented using off the shelf hardware including databases. In other aspects, the present invention can find useful information about substances as well as cells or portions of cells. Furthermore, the present invention can acquire more then one feature using more than one manipulation. Moreover, the present invention can provide information about a wide variety of cellular information that is not conventionally available. This information includes information about different cell components, e.g., nuclei and Golgi apparatus. Still further, the present invention provides an automated or semi-automated technique for acquiring images and populating a database. The present database can be combined with others such as genomics, and the like. Moreover, the present invention can be implemented to predict, *inter alia*, a mechanism of action, toxicity, target validation, and pre-clinical disease model.

A further understanding of the nature and advantages of the invention herein may be realized by reference to the remaining sections of the specification and the attached drawings.

BRIEF DESCRIPTION OF THE DRAWING

For more complete understanding of the present invention, reference is made to the accompanying Drawing in the following Detailed Description of the Invention. In the drawing:

- Fig. 1 is a simplified system diagram according to an embodiment according to the present invention;
- Figs. 1A-1B are more detailed diagrams of database systems according to embodiments of the present invention;
 - Fig. 2 is a simplified block diagram according to an alternative embodiment according to the present invention;
 - Figs. 3-6 are simplified diagrams of system elements according to embodiments of the present invention;
 - Figs. 7A-7K illustrate representative block diagrams of simplified process steps in a particular embodiment according to the present invention;

15

25

- Fig. 8A-8F illustrate representative quantified descriptors of effects of manipulations on images of cells in a particular experiment;
- Fig. 9 illustrates example images for different types of morphologies in a particular experiment;
 - Fig. 10 illustrates a distribution of various morphologies in a cell population responsive to drug concentration in a particular experiment;
 - Fig. 11 illustrates a graph of quantified features of effects of manipulations on cells in a particular experiment;
 - Fig. 12 illustrates effects of external agents on cells in a particular experiment;
 - Fig. 13 illustrates 4 panels for each marker for a plurality of A549 cells in a particular experiment;
- Fig. 14 illustrates 4 panels for each marker for a plurality of OVCAR-3 cells in a particular experiment;
 - Fig. 15 illustrates 4 panels for each marker for a plurality of OVCAR-3 cells at 20x in a particular experiment;

Fig. 16 illustrates 4 panels for each marker for a plurality of OVCAR-3 cells at 40x in a particular experiment;

Fig. 17 illustrates a representative input for a morphometric analysis program in a particular embodiment according to the present invention; and

Figs. 18-19 illustrate examples of the generation of pseudo-sequences and clustering in a particular embodiment according to the present invention.

Fig. 20 is a block diagram for a first research scenario;

Fig. 21 is a block diagram for a second research scenario; and

Fig. 22 is a block diagram for a third research scenario.

Reference numbers refer to the same or equivalent parts of the invention throughout the several figures of the Drawing.

5

10

DETAILED DESCRIPTION OF THE INVENTION

According to the present invention, techniques for determining information about manipulated cells or substances based upon living, fixed, or dead cell structures or portions of cells are provided. In an exemplary embodiment, the present invention provides a novel system including computer codes coupled to a database and user interfaces for acquiring, storing and retrieving such information. Other embodiments provide a novel image capturing system for providing digitized representations of live and dead cell structures or the like.

10

15

20

5

Fig. 1 is a simplified system diagram 10 of a cellular knowledge-based system according to an embodiment of the present invention. This diagram is merely an example and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. The present system 10 includes a variety of elements such as a computing device 13, which is coupled to an image processor 15 and is coupled to a database 21. The image processor receives information from an image capturing device 17, which image processor and image capturing device are collectively referred to as the imaging system herein. The image capturing device obtains information from a plate 19, which includes a plurality of sites for cells. These cells can be biological cells that are living, fixed, dead, cell fractions, cells in a tissue, and the like. The computing device retrieves the information, which has been digitized, from the image processing device and stores such information into the database. A user interface device 11, which can be a personal computer, a work station, a network computer, a personal digital assistant, or the like, is coupled to the computing device.

25

30

Fig. 1A is a simplified diagram of a database system 1000 according to an embodiment of the present invention. This diagram is merely an example and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize many other variations, modifications, and alternatives. Database system 1000 includes a variety of techniques for processing images from biological cells, e.g., fixed, living, and dead cells, and cell portions. As shown, images are acquired 1001. These images can be from a single frame or multiple frames. As merely an example, an image processing system may analyze such images. One example of

such an image processing system is described below, but should not be construed as limiting certain claims.

In a specific embodiment, cell samples are manipulated using a compound (e.g., substance, drug). The cell samples are imaged for a simple portion or portions, e.g., manipulated cell substructure, manipulated spatial feature of cell, cell density. Image processing techniques are used to extract 1003 the feature or features from the image or images. The features can be an independent or a dependent set of cell characteristics (which may be predominately visual) including, for example, count, area, perimeter, length, breadth, fiber length, fiber breadth, shape factor, elliptical form factor, inner radius, outer radius, mean radius, equivalent radius, equivalent sphere volume, equivalent prolate volume, equivalent oblate volume, equivalent sphere surface, average intensity, total intensity, optical density, radial dispersion, texture difference, and others. Each of these features corresponds to a similar manipulation by a compound. Each manipulation forms a new set of features, which are identifiable to the compound. Once each set of features has been extracted, the feature set is populated 1004 into a database 1012. Accordingly, the database includes many sets of features, where each set corresponds to a different manipulation for a selected cell. Each set of features corresponding to a manipulation provides a descriptor 1009, which is also stored 1019 in the database. The descriptor is a "finger print" including each feature for the manipulation. Each descriptor may be unique, or may have similarities to other descriptors or may even be the same as other descriptors for known and unknown manipulations.

10

15

20

25

30

The present system retrieves features, which we define as simple features herein, and forms composite features 1007 from them. More than one feature can be combined in a variety of different ways to form these composite features. In particular, the composite feature can be any function or combination of a simple feature and other composite features. The function can be algebraic, logical, sinusoidal, logarithmic, linear, hyperbolic, statistical, and the like. Alternatively, more than one simple feature can be combined in a functional manner (e.g., arithmetic, algebraic). As merely an example, the composite feature equals a sum of feature 1 and feature 2, where these features correspond to the same manipulation. Alternatively, the composite feature equals feature 1 divided by feature 2. Alternatively,

5

10

15

20

25

30

there are many ways that the composite feature can be defined. The present system also stores 1017 these features in the database. The composite features can also be further combined with simple features. Once these features are defined as descriptors, they are stored 1019 in the database.

Fig. 1B is a simplified diagram of a database system engine 2000 according to an embodiment of the present invention. This diagram is merely an example and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize many other variations, modifications, and alternatives. The engine can be implemented into the present database for populating, searching, and predicting compound or cell characteristics. As merely an example, engine 2001 includes an input/output module 2008. The input/output module is used to input and output information from the database. The information includes, among others, a plurality of feature sets, which correspond to many manipulations. Additionally, the information includes descriptors, which each corresponds to a set of features from the manipulation. The database also has a population module, which is used to configure the features based upon an entity relationship, which has been predetermined.

The database engine also has other modules. In particular, the database has a transcription module, which transfers a preselected set of features and creates a descriptor from them. The transcription module can be used to take a known compound, which has features, to transcribe them into a descriptor. Alternatively, the transcription module can be used to take an unknown compound, which has features, to transcribe them into a descriptor. These descriptors are provided into the database for subsequent use. Finally, the database engine has a prediction module, which can be used to potentially predict a property (e.g., mechanism of action) of an unknown compound. Here, the unknown compound is provided with a descriptor, but the property of the compound is unknown. In one embodiment, the prediction module compares a descriptor of an unknown compound with the many descriptors of known compounds, which were in the populated database. Depending upon the matching criteria, the prediction module will attempt to uncover one or more descriptors of known compounds. Once the prediction module finds the descriptors of the known compounds based upon the descriptor for the unknown compound, it identifies a potential property of such unknown compound for analysis and review. Here, it is

PCT/US00/13154 WO 00/70528

5

10

20

25

30

believed that certain features of the known compound, which are similar to those features of the unknown compound may uncover a property to the unknown compound. Details of the present software engine are described more fully below.

Fig. 2 is a simplified block diagram 20 of a cellular knowledge-based system according to an alternative embodiment of the present invention. This diagram is merely an example and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. Like reference numerals are used in the present diagram as the previous diagram for easy cross-referencing, but are not intended to be limiting in any manner. The present diagram 20 includes a variety of elements such as a processor 13 or computing device coupled to a database 11. The processor can be used for retrieving and storing information from the database. The system also includes a plurality of system elements, such as a cleaner 23, a dispenser 25, and an image capturing system 27, which are also coupled to the database in some embodiments. These elements can be coupled to each other through a network or the like. As merely an example, the 15 network can be a NetWare^{1M} network from Novell Corporation or an internet network or the Internet but can also be others and any combination thereof. The system also has an output device 31, which can be used to output information from the database, processor, or other system elements. Details of these elements are described more fully below in reference to the Figs.

Figs. 3-5 are simplified drawings of system elements according to embodiments of the present invention. These diagrams are merely examples and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. As merely an example, Fig. 3 is a simplified diagram of a processor or computing device 13. The computing device 13 includes a bus 112 which interconnects major subsystems such as a central processor 114, a system memory 116 (e.g., random access memory), an input/output ("I/O") controller 118, an external device such as a display screen 124 via a display adapter 126, a keyboard 132 and a mouse 146 via an I/O controller 118, a SCSI host adapter (not shown), and a floppy disk drive 136 operative to receive a floppy disk 138.

The computing device has other features. Storage Interface 134 may act as a storage interface to a fixed disk drive 144 or a CD-ROM player 140 operative

5

10

15

20

25

30

to receive a CD-ROM 142. Fixed disk 144 may be a part of computing device or may be separate and accessed through other interface systems. A network interface 148 may provide a direct connection to a remote server via a telephone link or to the Internet. Network interface 148 may also connect to a local area network ("LAN") or other network interconnecting many computer systems. Many other devices or subsystems (not shown) may be connected in a similar manner. Also, it is not necessary for all of the devices shown in Fig. 3 to be present to practice the present invention, as discussed below. The devices and subsystems may be interconnected in different ways from that shown in Fig. 3. The operation of a computer system such as that shown in Fig. 3 is readily known in the art and is not discussed in detail in this application. Computer code to implement the present invention, may be operably disposed or stored in computer-readable storage media such as system memory 116, fixed disk 144, CD-ROM 140, or floppy disk 138. The computer code can be organized in terms of processes or modules, depending upon the application. That is, the computer code can include a prediction module, a translation, module, or other modules to carryout the functionality described herein, as well as others.

Figs. 4 and 5 are simplified diagrams of an imaging system 200 according to an embodiment of the present invention. As shown, the imaging system 200 includes a variety of features such as housing 203, which holds a stage assembly 204. The stage assembly includes an x-stage movement element 206, which is along an x-direction, and a y-stage movement element 207, which is along a y-direction. The imaging system also includes a z-direction movement element, which is perpendicular to the x-y plane. The z-direction movement motor can be attached to the stage, or to the objective nosepiece by way of the microscope housing, or as an external motor between the objective and the microscope housing. The stage can align in any one of the directions to an accuracy of one micron and less, or one-half micron and less, or one-quarter micron and less, depending upon the embodiment.

The stage holds a plate 202 or cell holder, which houses one of a plurality of samples. The plate includes a spatial array 209 of process sites. Each of the process sites can include a plurality of cells and solutions depending upon the embodiment. Each of the sites can carry a sufficient amount of solution to prevent substantial evaporation of the sample during processing in some embodiments. In embodiments for large scale analysis, the plate includes at least 96 sites, or more than

or equal to 384 sites, or more than or equal to 1,536 sites. The plate bottom is transparent and thin, which allows light to pass through the sample. Additionally, the plate is made of a suitable chemical resistant material. As merely an example, the plate can be either a 96, or 384, or 1536 or other formats from places such as Becton Dickinson of Franklin Lakes, NJ, or Corning Science Products of Corning, NY. In a preferred embodiment, the plate is a Corning Costar black-walled 96 well plate catalog #3904 from Corning Science Products of Corning, NY, but should not be limited to these in some applications, but can be others.

Also shown is the condenser for the microscope 201, which can be used to collect phase, DIC, or bright field images of the cells. Images resulting from the illumination of the samples to fluorescence, phase, DIC, or bright field techniques are collected using an image capturing device 208, which captures an image or images of cells from the plate. In a specific embodiment, the microscope is an inverted configuration with the objectives on the bottom of the plate and the condenser disposed overlying an upper surface of the sites, while the image capturing device underlies the sites. Images captured by the imaging device, whether analogue or digital, are viewed by a monitor or other devices. The image capturing device can be any camera assembly such as a charge coupled device camera, which is known as a CCD camera, or other high resolution camera capable of capturing images from the sites. In a specific embodiment, the camera is an interline CCD camera which does not require an external shutter.

In a specific embodiment, the present imaging system can be any suitable unit that is flexible for automated image collection using multi-well plastic plates. The imaging system also should be adapted to collect high-resolution images of cells on plastic or glass plates, cell growth chambers, or coverslips. The system also can be used for imaging multiple cell markers in multiple imaging conditions. To accomplish this, the microscope system has a variety of elements such as a light source, a motorized excitation filter wheel and shutter, x-y-z-motorized stage, excitation and emission filters, Fluor phase and DIC objectives, motorized objective nosepiece, dichroic filters, motorized dichroic filter cubes, phase and DIC rings and prisms, CCD camera, and software control. As merely an example, the present imaging system can have components such as those listed in the Table below.

DESCRIPTION	MAKER	MODEL
Microscope	Zeiss	100M
(x-y) motorized stage	Prior	
Xenon lamp	Sutter	Lambda
Filter wheel	Sutter	Lambda-10
Microtitre Plate holder	Prior	500-H223R
Isolation Table	Kinetic Systems	9101-24-85
Objective Spacers	Polytec PI	P-721.90
Camera	Hamamatsu	C47-95
Computer	IBM	IntelliStation
Software	Metamorph	v.4
Objectives	Zeiss	Achroplan 10x/0.25
		LD-Achroplan 20x/0.4
		LD-Achroplan 40x/0.6

Table: Image Acquisition System Elements

In a specific embodiment, the present system has the following capabilities, which are not intended to be limiting.

Image acquisition

- 1) Ability to automatically acquire multi-wavelength images from multiple sites on one multi-well plate, to sequentially name image files, and to log any imaging parameter information with image files.
- 2) Ability to link images with a larger database/spreadsheet of information.
- 3) Ability to automatically collect multiple plates by interfacing the imaging system with a robotic arm.

X-Y control

10

15

1) Ability to place 96, 384, or 1536 well plates onto microscope stage and move to each well sequentially.

2) Ability to return to each well and collect another round of images (multi-site time-lapse) or ability to collect rapid time-lapse information at each well (time-lapse of many wells).

- 3) Ability to collect a low magnification image, automatically determine features which may be of interest, automatically change the objective to a higher magnification, and collect high magnification images of a fixed number of those identified cells in the sample.
 - 4) Ability to collect multiple frames in each site.

Z control

5

10

15

20

25

30

- 1. Ability to auto-focus with substantially minimal damage to biological specimen or fluorophore.
 - 2. Ability to auto-focus rapidly.

The present embodiment of the imaging system is shown by way of Figs. 5A and 5B. These diagrams are merely examples and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. The present imaging system 40 includes a variety of elements such as a microscope 41, which is preferably an epi-fluorescent microscope, but can be confocal, multiphoton, or hybrid types. The microscope includes elements 41A, the motorized Z-axis; 41B, the motorized dichroic filter cube holder; and 41C, the motorized objective nosepiece. In one embodiment, the microscope is a Model 100M made by Zeiss. The microscope communicates to computer 51 through control lines 73, 75, and 76. The imaging system also has camera 50 coupled to controller 50A and computing device 51, which oversees and controls operations of the elements of the imaging system.

The present microscope includes drivers for spatially moving a stage in two dimensions, including an x-direction, a y-direction, and moving the objective nosepiece in a z-direction in a Cartesian coordinate system. The z-direction movement is provided using a fast z-motor, which can make z-direction adjustments within a predetermined time. The z-direction movement generally provides for focusing of the sample to the camera. The focusing occurs within the predetermined time of preferably ten seconds and less, or five seconds and less, or one

second and less, depending upon the embodiment. As merely an example, the z-motor or positioner can be a model PIFOC objective nanopositioner made by a company called Physik Instrumente of Waldbronn, Germany, but also can be others. The z-motor couples to computer 51 through line 63, which may also include a controller. Depending upon the embodiment, a second z-motor 41A connected to the computer 51 by line 73 may be used to keep the z-motor 42 in the center of its travel. Alternatively, in other embodiments the stage could be provided with a z-motor allowing for movement of the stage in the z-direction.

5

10

15

20

25

30

The present stage also includes an x-y stage 43. The x-y stage moves plate 59, e.g., 96 site, 384 site, 1536 site. The x-y stage moves plate in an x-y spatial manner. The stage has an accuracy or repeatability of about 1 micron and less, or about 2 microns and less. The stage can move in a continuous manner or a stepped manner. The stage also can move up to 30 mm/sec. or faster. The stage also can move 1 mm/sec. and less, depending upon the embodiment. The stage can also step 0.1 micron and less or 1 micron and less, as well as other spatial dimensions. The stage can be one such as a Proscan Series made by Prior Scientific of Rockland, MA but can also be others. The stage is controlled via control line 61 through controller 43A, which couples to computer 51 through control line 65.

The stage includes plate holder 44. The plate holder can hold a single plate. In other embodiments, plate holder can also hold multiple plates. The plate holder can use mechanical, electrical, fluid, vacuum and other means for holding the plate or plates. The plate holder also is sufficiently stable for securing the plate. As merely an example, the plate holder is a Model 500-H223R made by Prior Scientific of Rockland, MA. In some embodiments, the plate holder may need adjustment in the z-direction to provide for a desirable focus of a sample on a plate. In these embodiments, the plate holder is supported by spacers 45 or a plurality of stage pins, which mechanically elevate the plate holder in the z-direction. These pins are generally made of a suitable material for supporting such plate holder and also are sufficiently resistant to chemicals and the like.

In some embodiments, the entire imaging system is placed on an isolation table 49. The isolation table is disposed between the microscope and support structure. The isolation table is designed to prevent excessive vibration of the plate. The isolation table is made of a suitable material such as steel and honeycomb but can

5

10

15

20

25

30

be others. The table has a thickness of about 8 inches or preferably less than about 24 inches. In one embodiment, the table is Model 9101-24-85 made by Kinetic Systems of Boston, MA.

The imaging system also has a lamp or illumination assembly 62. The lamp assembly provides for a light source (See reference letter B) to a plurality of elements in the imaging system. For easy reading, the light path is defined by the doted lines, which are not intended to be limiting. The lamp assembly has a variety of elements such as a Xenon lamp 46. The Xenon lamp provides light at about 320 to 700 nanometers (Prefocused). The Xenon lamp is 175 or 300 Watts. As merely an example, the lamp can be a Lambda Model made by Sutter Instrument Company of Novato, CA.

Referring to Fig. 5B, the lamp assembly also has a cold mirror 58, an excitation filter wheel 48, excitation filter(s) 55, and an excitation light shutter 57. As shown, light is derived from the Xenon lamp, reflects off of the cold mirror 58, traverses through the excitation filter or filters 55, and is controlled by the excitation light shutter 57. The lamp assembly has filter wheel 48, which houses one of a plurality of filters, including excitation filters. The shutter and filter wheel are controlled via control lines 67, which are coupled to a computer 51 or other type of computing device. The control lines 67 are coupled through controller 57A (for element 57) and controller 48A (for element 48) via control line 69 to computer 51.

Preferably, light traverses from the lamp assembly through a light guide 47 to illuminate features within the plate. The light guide is suitably selected to have a flexible member, which can be used to place lamp source at a remote location away from the imaging device. The flexible member substantially keeps any vibration from the lamp assembly away from the imaging device. In some embodiments, the member is at least 1 foot away from the imaging device. The light guide is a guide, which is a flexible hose-type sleeve. The sleeve is filled with a liquid such as an aqueous solution containing chloride or phosphate. A thin layer may be formed on the inside of the sleeve. The layer can be a containing tetrafluoroethylene and mexafluoropropylene, or containing tetrafluoroethylene and perfluoromethyl vinyl ether, or tetrafluoroethylene and perfluoropropyl vinyl ether. An example of such a light guide is described in International Application No. WO/98/38537 filed February 29, 1997, and assigned to NATH, Gunther. The liquid

5

10

15

20

25

30

light guide has less than about 30% transmission loss of the light at a remote location such as the imaging system.

Light is derived from the lamp assembly and directs off of filter 56, which directs the light upward. Filter 56 can be a dichroic and emission filter, as well as others. The light traverses through microscope nosepiece 41C, and traverses through objective spacers 54. An objective 53 magnifies the light toward a predetermined point on the plate 59. The objective can be, for example, made by Zeiss of Jena, Germany, as well as other companies. The objective can be one of a plurality including 1X, 10X, 20X, 40X, and others, depending upon the application. Magnification can be further expanded or contracted by intermediate optics between the objective and the camera. Selection of filter or filters is controlled by computer 51 via control line 75.

The camera 50 captures an image of cells from plate 59. The image is obtained from light scattering off of cells or portions of cells in the plate through objective 53, through objective spacers, through filters 56, which are captured at camera 50. In this preferred embodiment, the camera is a digital camera, but can be an analogue camera. The digital camera is a CCD camera, which has 1280 by 1024 pixels, or more or less. The pixels can be 6.7 microns in dimension or more or less. The camera preferably is substantially free from an external shutter to quickly capture a plurality of images of cells from the plate. The camera is controlled via control line 71 through controller 50A, which connects to computer 51 through control line 70. The present invention can also include other types of image acquisition devices selected from at least an epifluorescence, a confocal, a total-internal reflection, a phase, a Hoffman, a bright field, a dark field, a differential interference contrast, an interference reflection, or multi-photon illumination device.

The present imaging system stores images on a high density memory device 60. The high density memory device is preferably optical, but can also be magnetic. The high density memory device can be any suitable unit that is capable of storing a plurality of images from a plurality of sites in the plate. The memory device can be a compact disk, which would generally use a compact disk burner or the like. Depending upon the embodiment, the high density memory device is used to archive the images that are captured from the camera in the imaging system. Further details

of the imaging system can be found throughout the present specification, and more particularly below.

As merely an example, the present invention can be implemented using the following sequence of steps, which have been described in a journal entry form.

Here, images are opened and objects are identified based on a background value that has been edited in starting image acquisition. Information is maintained in a spreadsheet or other database format, which has the following information for each object:

Image Name	Image Plane	Image Date and
		Time
Elapsed Time	Object #	Total area
Pixel area	Area	Hole area
Relative hole	. Standard area count	Perimeter
area		
Length	Breadth	Fiber length
Fiber breadth	Shape factor	Ell. form factor
Inner radius	Outer radius	Mean radius
Average gray	Total gray value	Optical density
value		
Radial	Texture Difference	EFA Harmonic 2,
dispersion	Moment	Semi-Major Axis
EFA Harmonic	EFA Harmonic 2,	EFA Harmonic 2,
2, Semi-Minor	Semi-Major Axis	Ellipse Area
Axis	Angle	
EFA Harmonic	EFA Harmonic 3,	
2, Axial Ratio	Semi-Minor Axis	

10

After computations are done, the log file is saved. In particular, the file is saved in an appropriate place with an appropriate name.

In a specific embodiment, the present invention provides the following detailed example of journal entries, which should not limit the scope of the invention.

PCT/US00/13154

Set Up Sequential File Names	Interactive: user sets up prefix
	name and image storage directory
Open Data Log	Opens a DDE (Excel) File
Annotate Log File	Interactive: experimental
	information that will go into the
	first line of the log file of stage
	positions
Stage (Go to Origin)	Origin is set as the center of well
	A1
Stage (Move to Absolute Position)	Offset to upper left hand corner of
	well (1410, 1621)
Stage (Log Position)	
Stage (Scan Wells)	User picks wells to scan: runs 3x3
	image collection.jnl.

3X3 IMAGE COLLECTION.jnl

Stage (Scan)	Takes 9 images of well, -1600
	motor steps apart from left to right
	3 columns and 3 rows, runs
	FOCUS, COLLECT IMAGE,
	SAVE SEQUENTIAL FILE
	NAME.JNL.

5

FOCUS, COLLECT IMAGE, SAVE SEQUENTIAL FILE NAME.inl.

Stage (Log Position)	Logs stage position of each image
ADC – Focus	Opens up the manual focusing window with whatever focus time
	is current set
Show Message and Wait	Interactive: user hits enter to continue when done focusing

ADC-Acquire from Digital	Takes Hoechst image
Camera	
Save Using Sequential File Names	
Close	Closes image window

START IMAGE ANALYSIS.jnl

Low Pass	3x3 convolution of already
	opened image
Low Pass	3x3
Show Region Statistics	Interactive: Show entire image
	statistics. Calculate background
	subtraction value for step 4. by:
	INTENSITY Average +
	INTENSITY Std. Dev.
Arithmetic	Interactive: User inputs
	subtraction value from 3. into the
	constant Value field
Threshold image	Creates threshold 1 unit above 0
	to 4096
Integrated Morphometry – Load State	Loads Start Image Analysis.ima
	Classifier 100 < area < 200000
Integrated Morphometry – Measure	Interactive: Shows area summary
	information about all objects. The
	average number is used as the
	Standard Area in 8.
Object Standards - Set Object Standards	Interactive: User inputs average
	area value from 7. into Standard
	Area box to be used by automated
	IMA for all images

IMA OBJECTS.jnl

Low Pass	3x3 convolution
. Low Pass	3x3 convolution
Arithmetic	This background subtraction value
	needs to be manually entered into
	this journal from the value
	determined in START IMAGE
	ANALYSIS.jnl step 3
Threshold Image	1 unit above 0
Integrated Morphometry - Load	Hoecsht.IMA
State	Classifier 200 < area < 200000
Integrated Morphometry –	Measures statistical info for all
Measure	objects
Run Journal	Runs log obj and sum data.jnl

Log obj and sum data.jnl

Integrated Morphometry - Log	Logs object data into Sheet 1
Data	
Integrated Morphometry - Log	Log summary data into Sheet 2
Data	

5

COLLECT AUTOMATED IMA DATA INONE SPREADSHEET.jnl

Run Journal	Runs OPEN OBJECT LOG DDE
	FILE.JNL
Loop for all Images in a Directory	Loops IMA OBJECTS.jnl
Close Summary Log	
Close Object Log	User must manually save Excel
	spreadsheet

OPEN OBJECT LOG DDE FILE.jnl

Open Object	Opens a DDE object log into sheet 1 of an Excel
Log	spreadsheet
Open Summary	Opens a summary log into sheet 2
Log	

COLLECT AUTOMATED IMA DATA INONE SPREADSHEET 16 BIT IMAGES.jnl

Arithmetic	Interactive: Opens Arithmetic window for
	user to input background subtraction level
	from START IMAGE ANALYSIS.jnl step
	3
Run Journal	Runs OPEN OBJECT LOG DDE
	FILE.JNL
Loop for all Images in a	Interactive: Runs IMA OBJECTS 16
Directory	bit.jnl. User picks directory from which to
	choose.

5

IMA OBJECTS 16bit.jnl

Low Pass	3x3 convolution
Low Pass	3x3 convolution
Copy to 8-bit Image	No autoscale, to new untitled image
Save Using Sequential File	Saves 8bit image using previously
Name	defined Sequential File names.
Arithmetic	This background subtraction value
	needs to be manually entered into this
	journal from the value determined in
	START IMAGE ANALYSIS16 TO 8
	BIT.jnl step 5
Threshold Image	1 unit above 0 to 255

Integrated Morphometry -	Hoecsht.IMA
Load State	Classifier 200 < area < 200000
Integrated Morphometry –	Measures statistical info for all objects
Measure	
Run Journal	Runs log obj and sum data.jnl

START IMAGE ANALYSIS 16 to 8 BIT.jnl

Copy to 8-bit Image	No autoscale, to new untitled
:	image
Close	Closes 16 bit image
Low Pass	3x3 convolution
Low Pass	3x3 convolution
Show Region Statistics	Interactive: Show entire image
	statistics. Calculate background
	subtraction value for step 6. by:
	INTENSITY Average +
	INTENSITY Std. Dev.
Arithmetic	Interactive: User inputs
	subtraction value from 5. into the
	constant Value field
Threshold image	Creates threshold by 1 unit above
	0 to 255
Integrated Morphometry – Load State	Loads Start Image Analysis.ima
	Classifier 100 < area < 200000
Integrated Morphometry – Measure	Interactive: Shows area summary
	information about all objects. The
	average number is used as the
	Standard Area in 10.
Object Standards - Set Object Standards	Interactive: User inputs average
	area value from 9. into Standard
	Area box to be used by automated
	IMA for all images

IMA OBJECTS WITH NEW LOG FILE.jnl

Run Journal	OPEN OBJECT LOG DDE
	FILE.JNL
Run Journal	IMA OBJECTS.jnl
Close Summary Log	·
Close Object Log	User must manually save every
	Excel spreadsheet generated.

INTERACTIVE IMA OBJECTS.jnl

Threshold Image	User manually sets threshold
Integrated Morphometry –	Hoechst.IMA
Load State	Classifier 200 < area < 200000
Integrated Morphometry –	Objects
Measure	
Integrated Morphometry –	Into open object.log file
Log Data	

5

COLLECT INTERACTIVE IMA DATA.jnl

Close Object Lo g	
Open Object Log	Interactive
Annotate Log File	Interactive: experimental
	information that will go into the
	first line of the object log file
Loop for all Images in Directory	Runs INTERACTIVE IMA
	OBJECTS.jnl

CHANGE FILTER, COLLECT IMAGE, SAVE SEQUENTIAL FILE

NAME.jnl

Stage (Log Position)	
ADC-Focus	

Show Message and Wait	Interactive - user presses Enter
	when done focusing
ADC - Acquire from Digital	Hoechst
Camera	
Save Using Sequential File Name	
Close	Close open image

COLLECT HOECHST AND FITC.inl

Run Journal	FOCUS, COLLECT IMAGE,
	SAVE SEQUENTIAL FILE
	NAME.JNL
Run Journal	CHANGE FILTER, COLLECT
	IMAGE, SAVE SEQUENTIAL
	FILE NAME.jnl

3X3 IMAGE COLLECTION HOECHST FITC.jnl

Stage (Scan)	COLLECT HOECHST AND
	FITC.jnl

5

AUTOMATED 3X3 IMAGE COLLECTION HOECHST FITC.inl

Set Up Sequential File Names	Interactive: user sets up prefix name and image storage directory
Open Data Log	Excel DDL files
Annotate Log File	Interactive: experimental information that will go into the first line of the log file of stage positions
Stage (Go to Origin)	Origin is set as the center of well Al
Stage (Move to Absolute Position)	Offset to upper left hand comer of well (1410, 1621)

PCT/US00/13154

Stage (Log Position)	
Stage (Scan Wells)	Interactive: user picks wells to
	scan: runs 3X3 IMAGE
	COLLECTION HOECHST
	FITC.jnl

AUTOMATED IMAGE COLLECTION.jnl

Sct Up Sequential File Names	Interactive: user sets up prefix
	name and image storage directory
Open Data Log	Opens a DDE (Excel) File
Annotate Log File	Interactive: experimental
	information that will go into the
	first line of the log file of stage
	positions
Stage (Go to Origin)	Origin is set as the center of well
	A1
Stage (Log Position)	
Stage (Scan Wells)	Interactive: user picks wells to
	scan: runs FOCUS, COLLECT
	IMAGE, SAVE SEQUENTIAL
	FILE NAME.JNL. Well to well
	travel = (-9035, -9035)

5 <u>STARTUP.jnl</u>

WO 00/70528

Install and Configure Devices	Open Stage Meta Devices
Set Live Video Channel	

Preferences	Measure Objects: Draw failed
	classifier objects, Exclude objects
	that touch the edge of the image,
	Enable Elliptical Fourier
	Parameters, turn off Warn users
	when measurement data will be
	erased
	Image Saving: Save Tiff/stk using
	LZW compression
	Image Windows: Use transparent
	thresholds.
Configure Default Paths	C:\Metamorph Data
	C:\Metamorph Data\Commmon
	Settings
Load Journal Taskbar	Common.JTB

Nested Journals

5

10

15

Automated 3x3 Image Collection

Loop 3x3 image collection

Loop focus, collect image, save sequential file name

Automated 3x3 image collection Hoechst FITC

Loop 3x3 image collection Hoechst FITC

loop Collect Hoechst and FITC

focus, collect image, save sequential file name

change filter, collect image, save sequential file name

Automated image collection

Loop focus, collect image, save sequential file name

Collect automated IMA data in one Spreadsheet

Open object log DDE file

Loop IMA objects

Log obj and sum data

5

10

15

20

25

30

Collect automated IMA data in one spreadsheet 16 bit images

Open object log DDE file

Loop IMA objects 16 bit

Log obj and sum data

Although the above has been generally described in terms of a specific user interface and software code, other user interfaces and code can also be used. One of ordinary skill in the art would recognize many other variations, alternatives, and modifications.

Fig. 6 is a simplified diagram 600 of a cleaning and dispensing system according to an embodiment of the present invention. This system 600 includes a variety of elements such as a dispensing head 609, which is coupled to a plurality of pipettes 601. The pipettes input and output fluids or solutions from plate 603. The plate has a plurality of sites, each of which can be used to input cells or a combination of cells and solution. The system also has elements to house solutions 605, which are used to manipulate cell samples in the plate. The dispensing head is supported through a support member 607, which is sufficiently rigid to allow for movement of the head. The dispenser is coupled to the present system in a mechanical and electrical manner, which provides for a fully integrated system for providing cell samples to the imaging system according to the present invention.

Fig. 7A illustrates a representative block flow diagram of simplified process steps of a method for determining properties of a manipulation based upon effects of the manipulation on one or more portions of one or more cells in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. In step 700, one or more samples of cells can be provided. These cells can be live, dead, or fixed cells, or cell fractions. The cells also can be in one of many cell cycle stages, including G0, G1, S, G2 or M phase, M phase including the following cell cycle stages: interphase, prophase, prometaphase, metaphase, anaphase, and telophase.

Cell components tracked in presently preferable embodiments can include proteins, protein modifications, genetically manipulated proteins, exogenous proteins, enzymatic activities, nucleic acids, lipids, carbohydrates, organic and inorganic ion concentrations, sub-cellular structures, organelles, plasma membrane, adhesion complex, ion channels, ion pumps, integral membrane proteins, cell surface receptors, G-protein coupled receptors, tyrosine kinase receptors, nuclear membrane receptors, ECM binding complexes, endocytotic machinery, exocytotic machinery, lysosomes, peroxisomes, vacuoles, mitochondria, Golgi apparatus, cytoskeletal filament network, endoplasmic reticulum, nuclear membrane, proteosome apparatus, chromatin, nucleolus, cytoplasm, cytoplasmic signaling apparatus, microbe specializations and plant specializations.

5

10

15

The following table illustrates some markers and cell components commonly used by embodiments according to the present invention. Other markers can be used in various embodiments without departing from the scope of the invention.

Cell component	Marker	Disease State
Plasma membrane	Carbocyanine dyes	Apoptosis-Cancer
(including overall cell	Phosphatidylserine	Apoptosis-Neural
shape)	Various lipids	degenerative Ds
	Glycoproteins	
Adhesion complexes	Cadherins	Thrombosis
	Integrins	Metastasis
	Occludin	Wound healing
	Gap junction	Inflammatory Ds
	ERM proteins	Dermatologic Ds
	CAMs	
	Catenins	
	Desmosomes	
Ion Channels and Pumps	Na/K Atpase	Cystic fibrosis
	Calcium channels	Depression
	Serotonin reuptake pump	Congestive Heart Failure
	CFTR	Epilepsy

G coupled receptors	β adrenergic receptor	Hypertension
	Angiotensin receptor	Heart Failure
		Angina
Tyrosine kinase receptors	PDGF receptor	Cancer
	FGF receptor	Wound healing
	IGF receptor	Angiogenesis
		Cerebrovascular Ds
ECM binding complexes	Dystroglycan	Muscular Dystrophy
	Syndecan	
Endocytotic machinery	Clathrin	Alzheimer's Ds
	Adaptor proteins	
	COPs	
	Presenilins	
	Dynamin	
Exocytotic machinery	SNAREs	Epilepsy
	Vesicles	Tetanus
		Systemic Inflammation
		Allergic Reactions
Lysosomes	Acid phosphatase	Viral diseases
	Transferrin	
Peroxisomes/Vacuoles		Neural degenerative Ds
Mitochondria	Caspases	Apoptosis
	Apoptosis inducing factor	Neural degenerative Ds
	F1 ATPase	Mitochondrial Cytopathies
	Fluorescein	Inflammatory Ds
	Cyclo-oxygenase	
Golgi Apparatus	Lens Culinaris	
	DiOC6 carbocyanine dye	
	COPs	

lı K	Actin Intermediate Filaments Kinesin, dynein, myosin Microtubule associated	Neural degenerative Ds Inflammatory Ds Cardiovascular Ds
K	Kinesin, dynein, myosin Microtubule associated	
1	Microtubule associated	Cardiovascular Ds
l N		
1		Skin Ds
p	proteins	
A	Actin binding proteins	
R	Rac/Rho	
K	Keratins	
Endoplasmic Reticulum S	SNARE	Neural degenerative Ds
P	PDI	
R	Ribosomes	
Nuclear Membrane L	Lamins	Cancer
N	Nuclear Pore Complex	
Proteosome Apparatus U	Jbiquityl transferases	Cancer
Chromatin D	ONA	Cancer
H	Histone proteins	Aging
H	Histone deacetylases	
Т	Γelomerases	
Nucleolus P	Phase markers	
Cytoplasm Ir	ntermediary Metabolic	Cancer
E	Enzymes	
B	BRCA1	•
Cytoplasmic Signaling C	Calcium	Cardiovascular Ds
Apparatus	Camp	Migraine
P	PKC	Apoptosis
p	Н	Cancer
Microbe Specializations F	Flagella	Infectious Ds
c	Cilia	
c	Cell Wall components:	
	Chitin synthase	

5

10

15

20

25

30

Plant specializations	Choloroplast	Crop Protection
	Cell Wall components	

Then, in a step 702, one or more samples of the manipulation can be provided to the cells. Manipulations can comprise one or any combination of chemical, biological, mechanical, thermal, electromagnetic, gravitational, nuclear, or temporal factors, for example. For example, manipulations could include exposure to chemical compounds, including compounds of known biological activity such as therapeutics or drugs, or also compounds of unknown biological activity. Or exposure to biologics that may or may not be used as drugs such as hormones, growth factors, antibodies, or extracellular matrix components. Or exposure to biologics such as infective materials such as viruses that may be naturally occurring viruses or viruses engineered to express exogenous genes at various levels. Bioengineered viruses are one example of manipulations via gene transfer. Other means of gene transfer are well known in the art and include but are not limited to electroporation, calcium phosphate precipitation, and lipid-based transfection. Manipulations could also include delivery of antisense polynucleotides by similar means as gene transfection. Other genetic manipulations include gene knock-outs or gene mutations. Manipulations also could include cell fusion. Physical manipulations could include exposing cells to shear stress under different rates of fluid flow, exposure of cells to different temperatures, exposure of cells to vacuum or positive pressure, or exposure of cells to sonication. Manipulations could also include applying centrifugal force. Manipulations could also include changes in gravitational force, including subgravitation (the preferred embodiment in outer space). Manipulations could include application of a constant or pulsed electrical current. Manipulations could also include irradiation. Manipulations could also include photobleaching which in some embodiments may include prior addition of a substance that would specifically mark areas to be photobleached by subsequent light exposure. In addition, these types of manipulations may be varied as to time of exposure, or cells could be subjected to multiple manipulations in various combinations and orders of addition. Of course, the type of manipulation used depends upon the application.

Then, in a step 704, one or more descriptors of a state in the portions of the cells in the presence of the manipulation can be determined using the images

5

10

15

collected on the imaging system. Descriptors can comprise scalar or vector values, representing quantities such as area, perimeter, dimensions, intensity, gray level, aspect ratios, and the like. Other types of descriptors include, but are not limited to, one or any combination of characteristics such as a cell count, an area, a perimeter, a length, a breadth, a fiber length, a fiber breadth, a shape factor, a elliptical form factor, an inner radius, an outer radius, a mean radius, an equivalent radius, an equivalent sphere volume, an equivalent prolate volume, an equivalent oblate volume, an equivalent sphere surface area, an average intensity, a total intensity, and an optical density. These descriptors can be average or standard deviation values, or frequency statistics from the descriptors collected across a population of cells. These descriptors can be further reduced using other methods such as principal component analysis and the like. In some embodiments, the descriptors include features from different cell portions or cell types. That is, a first feature can be from a nuclei and a second feature is from another cell structure such as Golgi apparatus, mitochondria, spacing between cell structures or cells themselves, as well as many others.

A presently preserable embodiment uses descriptors selected from the following table. Other descriptors can also be used without departing from the scope of the invention.

Name of Parameter	Explanation/Comments
Count	Number of objects
Area	
Perimeter	
Length	X axis
Width	Y axis
Shape Factor	Measure of roundness of an object
Height	Z axis
Radius	
Distribution of Brightness	
Radius of Dispersion	Measure of how dispersed the marker is from its
	centroid
Centroid location	x-y position of center of mass
Number of holes in closed objects	Derivatives of this measurement might include, for

	example, Euler number (= number of objects -
	number of holes)
Elliptical Fourier Analysis (EFA)	Multiple frequencies that describe the shape of a
	closed object
Wavelet Analysis	As in EFA, but using wavelet transform
Interobject Orientation	Polar Coordinate analysis of relative location
Distribution Interobject Distances	Including statistical characteristics
Spectral Output	Measures the wavelength spectrum of the reporter
	dye. Includes FRET
Optical density	Absorbance of light
Phase density	Phase shifting of light
Reflection interference	Measure of the distance of the cell membrane from
	the surface of the substrate
1,2 and 3 dimensional Fourier	Spatial frequency analysis of non closed objects
Analysis	
1,2 and 3 dimensional Wavelet	Spatial frequency analysis of non closed objects
Analysis	
Eccentricity	The eccentricity of the ellipse that has the same
	second moments as the region.
	A measure of object elongation.
Long axis/Short Axis Length	Another measure of object elongation.
Convex perimeter	Perimeter of the smallest convex polygon
	surrounding an object
Convex area	Area of the smallest convex polygon surrounding an
	object
Solidity	Ratio of polygon bounding box area to object area.
Extent	proportion of pixels in the bounding box that are
	also in the region
Granularity	
Pattern matching	Significance of similarity to reference pattern
Volume measurements	As above, but adding a z axis

Then, in a step 705, a database of cell information can be provided. Next, in a step 706, a plurality of descriptors can be searched from a database of cell information in order to locate descriptors based upon one of the descriptors of the manipulation. Then, in a step 708, properties of the manipulation are predicted based upon the properties of the located descriptors. Properties can comprise toxicity, specificity against a subset of tumors, mechanisms of chemical activity, mechanisms of biological activity, structure, adverse biological effects, biological pathways, clinical effects, cellular availability, pharmacological availability, pharmacodynamic properties, clinical uses and indications, pharmacological properties, such as absorption, excretion, distribution, metabolism and the like.

5

10

15

20

25

30

In a particular embodiment, step 706 comprises determining matching descriptors in the database corresponding to a prior administration of the manipulation to the descriptors of the present administration of the manipulation. In a particular embodiment according to the present invention, combinations of measurements of scalar values can provide predictive information. A database can be provided having one or more "cellular fingerprints" comprised of descriptors of cellsubstance interactions of drugs having known mechanisms of action with cells. Such descriptors can be analyzed, classified, and compared using a plurality of techniques, such as statistical classification and clustering, heuristic classification techniques, a technique of creating "phylogenetic trees" based on various distance measures between descriptors from various drugs. In this embodiment, numeric values for the descriptors can be used by comparison techniques. A phylogenetic tree can be created that illustrates a statistical significance of the similarity between descriptors for the drugs in the database. Because the drugs used to build the initial database are of known mechanism, it can be determined whether a particular scalar value in a descriptor is statistically predictive. Finally, a compound descriptor with no known mechanism of action can be queried against the database and be statistically compared and classified among the drugs in the database that the compound most resembles.

In a particular embodiment, relationships between measured morphological properties of images and physiological conditions can be determined. Relationships can include, for example, treatment of different cell lines with chemical compounds, or comparing cells from a patient with control cells, and the like. In a presently preferable embodiment, comparisons can be performed on acquired image

features. Some embodiments can comprise statistical and neural network - based approaches to perform comparisons of various features. The foregoing is provided as merely an example, and is not intended to limit the scope of the present invention. Other techniques can be included for different types of data.

In some embodiments, classification, clustering and other types of predictive data analysis can be performed on features extracted from cell images. In a presently preferable embodiment, statistical procedures for comparisons, classification and clustering are performed on data obtained from imaging cells.

Fragments of data preparation and pre-formatting (S language):

```
>tmp.frame <- Generic.Summary
>names1 <- paste("Cell.line.5", tmp.names, sep=".")
> by.compound.matrix <- as.matrix(arranged.by.compound)</pre>
```

Example of the code for principal component analysis (data

preparation) using S language:

5

30

```
all.data.princomp <- menuPrincomp(data =
    by.compound.matrix, scores = T, cor = "Correlation",
    na.action = T, print.short = T, print.importance = T,
    print.loadings = T, cutoff.loadings = 0.1,
    plot.screeplot = T, plot.loadings = T, plot.biplot = T,
    plot.biplot.choices = c(1,2), predict.p = F)</pre>
```

Example of clustering using a divisive hierarchical clustering algorithm:

```
>> div.hier.2.manhattan.cluster$call
diana(x = tmp.sum.by.comp, diss = F, metric =
"manhattan",
stand = T, save.x = T, save.diss = T)
```

Another embodiment utilizes existing tools for biological sequence similarity searches, classification, and phylogenetic analysis. In a particular embodiment, numbers in a numerical descriptor can be substituted by one or more of nucleic acid or amino acid codes according to a one of several sets of rules. Once

converted into a corresponding nucleotide or amino acid sequence representation, the fingerprints can be analyzed and compared using software and algorithms known in the art for genetic and peptide sequence comparisons, such as GCG, a product of Genetics Computer Group, with company headquarters in Madison WI. Select embodiments comprising such approaches enable the use of a broad array of sophisticated algorithms to compare, analyze, and cluster gene and protein sequences. Many programs performing this task are known to those of ordinary skill in the art, such as for example, the PHYLIP (PHYlogeny Interference Package) a package of programs for inferring phylogenies (evolutionary trees) described in (Feldenstein, J. 1996 Methods Enzymol 266:418-427 and Feldenstein, J. 1981 J. Mol. Evol. 17(6):368-376).

Embodiments can perform such analysis based upon factors such as numerical value, statistical properties, relationships with other values, and the like. Further details of a step of manipulation are noted more particular below.

10

15

20

25

30

Fig. 7B illustrates a representative block flow diagram of simplified process steps for determining one or more descriptors of a state in the portions of the cells in the presence of the manipulation of step 704 of Fig. 7A in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. In a step 712, an image of a cell portion is obtained. In some embodiments, the cell portion is visualized with a fluorescently labeled marker that is specific for the portion or portions of interest. A cell portion can include, for example, one or more of the following: nuclei, Golgi apparatus, and other features. The cell portion may vary in select embodiments according to the invention. Then, in a step 714, a digitized representation of the image obtained in step 712 is determined. In some embodiments, steps 714 and step 712 can comprise a single step. These embodiments use a digital imaging means such as a digital camera, to obtain a digital image of the target directly. Next, in a step 716, the digital representation of the image is processed to obtain image features. Image features can include such quantities as area, perimeter, dimensions, intensity, aspect ratios, and the like. Then, in a step 718 descriptors can be determined from the image features. Descriptors can comprise scalar or vector quantities and can comprise the image features themselves, as well as

5

10

15

20

25

30

composed features, such as shape factor derived by a relationship 4π * area / perimeter, and the like. Descriptors can also comprise statistical quantities relating to feature characteristics across a population of cells, such as a standard deviation, and average, and the like.

In a preferred embodiment, cells can be placed onto a microscope, such as a Zeiss microscope, or its equivalent as known in the art. A starting point, named Site A01, is identified to the microscope. A plurality of exposure parameters can be optimized for automated image collection and analysis. The microscope can automatically move to a new well, automatically focus, collect one or more images, at one or more wavelengths, move to a next well, and repeat this process for all designated wells in a multiple well plate and for multiple plates. A file having a size and an intensity distribution measurement for each color and rank for each well can then be created for the images acquired. Based on this information, a user or a computer can revisit sites of interest to collect more data, if desired, or to verify automated analysis. In a presently preferred embodiment, image automatic focus and acquisition can be done using computer software controlling the internal Z-motor of the microscope. Images are taken using a 10x, 20x, or 40x air long working distance objectives. Sometimes multiple images are collected per well. Image exposure times can be optimized for each fluorescent marker and cell line. The same exposure time can be used for each cell line and fluorescent marker to acquire data.

Fig. 7C illustrates a representative block flow diagram of simplified process steps for obtaining images of cell portions of step 712 of Fig. 7B in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. The method is generally outlined by the steps below:

- (1). In a step 720, a sample is provided to the imaging device. Samples can be provided in 96 well plates and the like. The sample may be loaded into a microscope, such as a Zeiss microscope or equivalent.
- (2). In a step 722, a set of optical filters is selected to shine light of the appropriate wavelength to illuminate the first sample, which may be contained in a first well designated A01.

5

10

15

20

25

30

(3). In a step 724, an automatic focusing procedure is performed for the site. In a particular embodiment, the internal z-motor of the microscope which is attached to the objective nosepiece is used for automatic focusing of the microscope. In an alternative embodiments, the plate holding the samples is moved to perform automatic focusing of the microscope, or focusing can be performed by moving optical components attached to the microscope and the like.

- (4). In a step 726, images are collected for the site. Images can be collected for every color at every site. Present embodiments can provide images for up to four colors. However, embodiments are contemplated that can provide more colors by using either a monochromator coupled with excitation filters which are on a filter wheel, or by digitally separating overlapping fluorophores. Those knowledgeable in the field will know that given calibration images of single fluorophores, a look-up table can be devised which will allow for the digital removal of fluorescence bleed-though of fluorescence which may occur in optical channels other than the one for which that filter has been optimized in instances of using more than one fluorophore at once. Cell growth and density information is also collected. Cell density is determined by what percentage of the area being imaged is inhabited by cells. In some embodiments, imaging can be facilitated using one or more biosensors, molecules such as non-proteins, i.e., lipids and the like, that are luminscently tagged. However, some embodiments can also use fluorescence polarization and the like. Fluorescence polarization is a homogeneous fluorescence technology where the excited state of the molecule lasts much longer than in normal fluorescence, taking seconds to minutes to reach equilibrium, obliterating the need to wash away fluorescence markers that are not specifically bound to a marker. Further, embodiments can detect differences in spectral shifts of luminescent markers. Some fluorescence markers, such as Nile Red sold by Molecular Probes of Eugene, OR, will change its emission peak wavelength depending on its environment. One can detect these changes by monitoring the level of fluorescence at both wavelengths and reading out at ratio of the two.
- (5). In a step 728, a determination is made whether more fields of view need to be taken for a particular color. If this is so, then processing continues at step 726 at a new site. Otherwise, processing continues with a decisional step 730.

5

10

15

20

25

Images can now be taken by repeating step 726. In a preferred embodiment 4 to 9 images are collected at each site.

- (5). In a step 730, a determination is made whether more optical configurations need to be taken in order to obtain images for all differently-marked cell portions the sample. If this is so, then in a step 732 a new optical configuration is determined. Images for the new optical configuration can now be taken by repeating steps 726 and 728.
- (6). In a decisional step 734, after all optical configurations and images for fields of view in a sample have been obtained, a determination is made whether any further samples remain to be analyzed. If so, a new sample is brought into view and processing continues with step 720. Otherwise, image processing is complete. In a presently preferable embodiment, image data can be stored on a CD ROM using a CD ROM burner, such as CRW4416 made by Yamaha of Japan. However, other mass storage media can also be used.
- Fig. 7D illustrates a representative block flow diagram of simplified process steps for processing digitized representations of step 716 of Fig. 7B in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. The method is generally outlined by the steps below:
- (1). In a step 740, a digitized image input is preprocessed.

 Preprocessing might include, but is not limited to, such operations as background subtraction, thresholding, smoothing, adoptive filtering, edge enhancements, contrast enhancements, histogram equalization. A particular combination of preprocessing steps can be applied to images in successive steps or in parallel to copies of the image.

A simplified example of a smoothing and background subtraction procedure in a MatLab language is presented in computer code below:

function Isubtracted = cmBackgrSubtr1(I,k)

% cmBackgrSubtr1(I,k) - simple flat background (=modal*k)
subtraction

% Y = cmBackgrSubtr1(I, k) - image Y is generated by

```
% subtraction (with saturation) of modal pixel value of I
   multiplied by k
   % DEFAULT - k=1
   %
   if (nargin == 1)
      k=1;
   end
   if (size(k) \sim = 1)
      error('cmBackgrSubtrl: parameter k should be a number.
   Exiting...');
10
   end
    %modpixnum = floor(size(I(:),1)/2);
    %sortedval = sort( double(I(:)) );
   %modpixel = sortedval(modpixnum);
15
   modpixel = median(double(I(:)));
   bg = k*modpixel;
    Isubtracted = mmsubm( uint8(I), uint8(round(ones(
    size(I))*k*modpixel )) );
20
    An example of a procedure for thresholding in computer
    code (MatLab) is presented below:
    function thresh = GetThreshByPerim1(I, M)
    % GetThreshByPeriml(I) Finds optimal thresholding value
25
    for image I
    % N = GetThreshByPeriml(I) Finds thresholding value N for
    image I
    % N = GetThreshByPeriml(I, M) - tests threshold values up
    to M
30
    % DEFAULT M = maximum pixel value in I
    % note that GetThreshByArea is significantly faster
    % finds a threshold value that causes the maximal change
    in the
```

```
% total perimeter of the objects (Russ ????)
    % see Matlab_Auto_threshold1_1-23-99.doc for more details
    % Note: works somewhat better on SMOOTH images (i.e.
   medfilt2(I, [3 3]) two times
5
    if (nargin == 0)
       error (strcat ( mfilename, ' : at least one parameter
    required'));
    elseif (nargin == 1)
      M = double(max(I(:))); %test thresholds up to
10
   maximum pixel value in I
    elseif (nargin > 2)
       error (strcat (mfilename, ' : too many parameters'));
    end
15
    if (size(M) > 1)
       error (strcat(mfilename, ' : argument M should be a
    number'));
    end
20
    Minval = double( min(I(:)));
    step = 1;
    %generate vertical vector perims with total perimeters of
    objects at different
25
    %threshold values
    for i=Minval : step : M
         bwI = im2bw(I, i/255);
         prI = bwperim(bwI);
         pr = sum(prI(:));
30
         if (exist('perims', 'var') == 0) %perims is yet
    undefined
              perims = pr;
         else
```

Thresholding provides a specific intensity, such that pixels darker than the threshold are deemed black, and pixels lighter than the threshold are considered white. The thresholded image can be processed using binary image processing techniques in order to extract regions.

15

20

(2). In a step 742+744, the digitized image input is subjected to object identification. This can be accomplished by a variety of procedures, for example by thresholding or edge detection and subsequent morphological opening and closing. Edge detection can be accomplished by means of gradient-based or zero-crossing methods, such as Sobel, Canny, Laplassian, Perwitt, and other methods.

An example of object identification procedure based on Canny edge detection (in MatLab language) is presented below:

```
function Imask = cmMaskDNA1(I);
% cmMaskDNA1 - generates binary mask for cell nuclei
through edge detection
30 % Imask = cmMaskDNA1(I)
% PARAMETERS
% I - intensity image (grayscale)
% OUTPUT
% Imask - BW image with objects from I
```

```
욹
   % For more details see Notebook Matlab_DNA_maskingl_1-22-
   99.doc
    % Uses SDC Morphology Toolbox V0.7
5
    if (nargin ~= 1)
       error('Wrong number of input parameters');
    end
    if (nargout ~= 1)
       error('Wrong number of output parameters: one output
10
    argument should be provided');
    end
    Imask = edge(I, 'canny');
15
    Imask = mmdil(Imask, mmsecross(1));
    Imask = mmero ( mmclohole(Imask, mmsecross(1)));
    Imask = mmedgeoff(Imask, mmsecross(1));
    % note that mmedgeoff this command removed FILLED OBJECTS
    but not touching OUTLINES.
20
    % these outlines can be removed by filtering:
    Imask = medfilt2(Imask, [5 5]);
    %=====end cmMaskDNA1
25
    ______________________________
```

However, embodiments can also use other techniques, such as Fast Fourier Transforms (FFT) and the like as known in the art without departing from the scope of the present invention.

(3). In a step 746, a plurality of region features can be determined. For example, in a representative embodiment, image features can include such quantities as area, perimeter, dimensions, intensity, aspect ratios, and the like. Features not directly related to individual objects are also being extracted.

30

An example of a procedure for extraction of some of the features (MatLab language) is presented below:

```
function OData = cmGetObjectsData(I, Ilabel)
   % cmGetObjectsData returns array measurements of objects
5
    in image "I" masked by "Ilabel"
    % EV 2-3-99; 2-10-99
    % OData = cmGetObjectsData(I, Ilabel) returns an array of
    morphological and intensity measurements
         taken from a grayscale image "I". Objects are
10
    identified on a mask image Ilabel, usually
         created by bwlabel()
    % OUTPUT:
    % Each row in the output array OData represents
   individual object
15
    % columns contain the following measurements:
    왕
         1 - Index ("number" of an object); 8 -
    Solidity;
         2 - X coordinate of the center of mass; 9 - Extent;
20
                                               ; 10 - Total
         3 - Y coordinate
    Intensity;
                                                 11 - Avg.
         4 - Total Area (in pixels);
    Intensity;
                                                 12 - Median
         5 - Ratio of MajorAxis/MinorAxis;
25
    Intensity;
                                             13 - Intensity of
    % 6 - Eccentricity;
    20% bright pixel
                                             14 - Intensity of
         7 - EquivDiameter;
   80% bright pixel
30
    કૃ
    % For details on morphological parameters see information
    on MatLab imfeature();
```

```
% Intensity parameters are either obvious or are
   documented in comments in this file.
   if (nargin ~= 2)
      error ('function requires exactly 2 parameters');
   end
   if (nargout ~= 1)
      error ('function has 1 output argument (array X by
   14)');
   end
10
   % finished checking arguments
   % first collect morphological parameters in a structure
   array:
15
   ImStats = imfeature(Ilabel, 'Area', 'Centroid',
    'MajorAxisLength',...
       'MinorAxisLength', 'Eccentricity', 'EquivDiameter',
       'Solidity', 'Extent', 8 );
20
   % now convert it into array (matrix) while collecting
   intensity data for each object:
   %preallocate output array:
25
   numobjects = size(ImStats, 1);
   OData = zeros(numobjects, 14);
   %now convert ImStats into array and add intensity data to
   it
   for k=1:numobjects
30
        OData(k, 1) = k;
        OData(k, 2) = ImStats(k).Centroid(1);
        OData(k, 3) = ImStats(k).Centroid(2);
        OData(k, 4) = ImStats(k).Area;
```

```
OData(k, 5) = (ImStats(k).MajorAxisLength) /
    (ImStats(k).MinorAxisLength);
        OData(k, 6) = ImStats(k). Eccentricity;
        OData(k, 7) = ImStats(k).EquivDiameter;
        OData(k, 8) = ImStats(k).Solidity;
5
        OData(k, 9) = ImStats(k).Extent;
         % now collect and assign intensity parameters from
    image I
10
         object pixels = find( Ilabel == k);
         object area = size(object_pixels, 1); %same as total
    number of pixels in the object
         object_intensities = double(I(object_pixels)); %
    need to convert to double to do math
15
         sorted_intensities = sort(object_intensities); %
    will need to get median, 20% and 80% pixels
         total_intensity = sum(object_intensities, 1);
         avg_intensity = total_intensity / object_area;
         median_intensity = sorted_intensities( floor(
20
    object area/2 ) + 1 );
         pix20 = sorted_intensities( floor(object_area*0.2)+1
    ) ; %brightest pixel among dimmest 20%
         pix80 = sorted_intensities( floor(object_area*0.8)+1
    ) ;
25
         OData(k, 10) = total_intensity;
         OData(k, 11) = avg intensity;
         OData(k, 12) = median_intensity;
         OData(k, 13) = pix20; %brightest pixel among dimmest
30
    20%
         OData(k, 14) = pix80; %dimmest pixel among brightest
    20%
    end %for
```

5

10

15

20

25

30

(4). In a step 748, quantitative descriptors, characterizing cell state are calculated based on the feature measurements extracted at step 746. For example, histogram distribution of intensities of cell nuclei provides information about the population cell cycle stages.

In a particular embodiment according to the present invention, data analysis techniques for describing the fluorescence patterns of cell portions in multiple cell lines in the presence and absence of compounds are provided. Automated image analysis techniques can include determining one or more regions from around nuclei, individual cells, organelles, and the like, called "objects" using a thresholding function. Objects that reside on the edge of an image can be included or excluded in various embodiments. An average population information about an object can be determined and recorded into a database, which can comprise a database text file or Excel spreadsheet, for example. However, embodiments can use any recording means without departing from the scope of the present invention. Values measured can be compared to the visual image. One or more types of numerical descriptors can be generated from the values. For example, descriptors such as a number of objects, an average, a standard deviation of objects, a histogram (number or percentage of objects per bin, average, standard deviation), and the like can be determined.

In a particular embodiment according to the present invention, data can be analyzed using morphometric values derived from any of a plurality of techniques commonly known in the art. For example, a software package called MetaMorph Imaging System, provided by Universal Imaging Corporation, a company with headquarters in West Chester. PA and NIH Image, provided by Scion Corporation, a company with headquarters in Frederick, Maryland.

Fluorescent images can be described by numerical values, such as for example, an area, a fluorescence intensity, a population count, a radial dispersion, a perimeter, a length, and the like. Further, other values can be derived from such measurements. For example, a shape factor can be derived according to a relationship

 4π * area / perimeter. Other values can be used in various embodiments according to the present invention. Such values can be analyzed as average values and frequency distributions from a population of individual cells.

In a particular embodiment according to the present invention, techniques for the automatic identification of mitotic cells are provided. Image analysis techniques employing techniques such as multidimensional representations, frequency-based representations, multidimensional cluster analysis techniques and the like can be included in various embodiments without departing from the scope of the present invention. Techniques for performing such analyses are known in the art and include those embodied in MatLab software, produced by MathWorks, a company with headquarters in Natick, MA.

10

15

20

25

30

Scalar values providing efficacious descriptors of cell images can be identified using the techniques of the present invention to perform predictive analysis of drug behavior. In a presently preferred embodiment, a plurality of heterogeneous scalar values can be combined to provide descriptors for each manipulation. By applying predictive analysis routines to the collections of these descriptors, predictive information about any number of manipulations and cell interactions can be extracted.

Fig. 7E illustrates a representative block flow diagram of simplified process steps for analyzing image feature values to obtain descriptors of cell state of step 718 of Fig. 7B in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. Fig. 7E illustrates an input data of descriptors of known manipulations 319. A step 320 of reformatting and transforming data 319 to formats suitable for analysis is performed. Additionally, a "cleaning" process can eliminate outlying data points and the like in the data. Then, in a step 322, a decision is made whether to continue with step 324 or with step 326 based upon determining a particular type of analysis appropriate for the present application or particular type of prediction. If decisional step 322 determines processing should continue with step 324, then, in that step, an error estimate using a set of test descriptors is performed to estimate the quality of a prediction and processing continues with step 320. Once an optimal prediction is achieved, processing continues with step 326. In step 326, optimal transformation parameters and prediction methods are selected for use in

5

10

15

20

25

30

steps 328 and 330 which analyze data about an unknown manipulation. In a step 328, a solution is generated based upon any of techniques including training a neural network, solving a mathematical equation, applying decision tree rules and/or the like. In a step 330, an input data set of unknown descriptors 318 is reformatted and transformed based upon the optimal transformation parameters selected in step 326 using the transformation procedures in steps 320, 322 and 324. In a step 332, predictions techniques are applied to the reformatted manipulations from step 330 and the solution generated in step 328 and a plurality of properties of known manipulations 317 (e.g., therapeutic properties, and the like) in order to determine a prediction of properties of unknown manipulation 316.

Fig. 7F illustrates a representative block flow diagram of simplified process steps for a method of mapping a manipulation of cells to a physiological characteristic in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. The method is generally outlined by the steps below:

- (1) In a step 750, a plurality of cells, e.g., dead, live, cell fractions or mixtures of cells are provided.
- (2) Then, in a step 752, the plurality of cells is manipulated, where manipulation occurs using a source(s) from one or a combination selected from an electromagnetic, electrical, chemical, thermal, gravitational, nuclear, temporal, or a biological source.
- (3) Next, in a step 754, a feature value is captured from the plurality of cells. The feature value can include one or any combination of characteristics such as cell count, area, perimeter, length, breadth, fiber length, fiber breadth, shape factor, elliptical form factor, inner radius, outer radius, mean radius, equivalent radius, equivalent sphere volume, equivalent prolate volume, equivalent oblate volume, equivalent sphere surface area, average intensity, total intensity, and optical density. This list is not meant to be limiting.
- (4) Then, in a step 756, a degree of presence of one or more feature values is assigned for each manipulation.
- (5) In a step 758, the feature values from the plurality of cells are stored in memory locations. From the memory locations the values can be used for

5

10

15

20

25

30

statistical analyses to produce predictive information about the relatedness of the descriptors of the manipulations to one another. This information is used to infer properties of the manipulations.

Fig. 7G illustrates a representative block flow diagram of a simplified process steps for a method for populating a database with manipulated biological cell information in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. The method is generally outlined by the steps below:

- (1) In a step 760, a plurality of cells in various stages of the cell cycle, A montage image that was used as a source to generate data in Appendix A is presented in Fig. 12., such as for example, the stages of interphase, prophase, metaphase, anaphase, and telophase are provided.
- (2) Then, in a step 762, each of the cells in the various stages of mitotic development is manipulated.
- (3) Next, in a step 764, an image of the plurality of manipulated cells is captured using image acquisition techniques in order to provide a morphometric characteristic of each of the manipulated cells.
- (4) As a preferable option, in a step 766, an image database may be populated with the image of the plurality of manipulated cells.
 - (5) Following step 764 or optional step 766, a morphological value is calculated from the image in a step 768.
 - (6) In a step 770, the database is populated with the morphological value.

Fig. 7H illustrates a representative block flow diagram of simplified process steps for a method for populating a database with manipulated biological information, e.g., image acquisition parameters, image feature summary information, and well experimental parameters in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. Fig. 7H illustrates a step 780 in which cells are placed into site on a plate and a manipulation is applied. Then, in a step 781 an image is taken of the cells. In step 782, the image is transferred to an image archive

database. Then, in a step 783, well experimental parameters are entered into the database 787. Well experimental parameters can include cell type, manipulation and the like. In a step 784, image acquisition parameters are transferred to database 787. Image acquisition parameters can include file name, fluorophores and the like. In a step 785, the image acquired in step 781 is analyzed. Then, in step 786, an image feature summary from the analysis step 785 is transferred to database 787.

In step 788, a lookup table for all analyses is provided to database 787. The lookup table provides information about the analyses. In a step 789, a query of database 787 for process data is performed. The results are reformatted. Then in a step 790, the database 787 is queried. Next, in a step 791, features of the manipulations stored in the database are combined and reduced. Next, in a step 793, reduced features of step 791 can be compared. In a step 792, the results of step 793 are recorded in database 787. Then, in a step 794, a report of predictions based on comparisons performed in step 793 is generated.

10

15

20

25

30

Fig. 7I illustrates a representative block flow diagram of simplified process steps for acquiring images of manipulated biological information, e.g., cells, cell tissues, and cell substituents in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. Fig. 7I illustrates a step 770 in which a user sets up an image analysis procedure. Then, in a step 772, an image is read into image analysis software. Next, in a step 774, patterns and objects are identified in the image using one or more algorithms. Next, in a step 776, sets of features are extracted from the image. Then, in a step 778, feature information, descriptor values and the like are exported to the database, such as database 787 of Fig. 7H, for recording. Next, in a decisional step 779, a determination is made whether any more images should be taken. If this is so, processing continues with step 772. Otherwise, image acquisition processing is completed.

Fig. 7J illustrates a representative block flow diagram of simplified process steps for populating, acquiring and analyzing images of manipulated biological information in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations,

modifications, and alternatives. Fig. 7J illustrates a step 300 of placing a plate onto an imaging stage and reading a bar code. Then, in a step 301 an autofocus procedure is performed. Next, in a step 302, a first optical filter configuration is selected and an image is collected. Then, in a decisional step 303, a determination is made whether more than one image per optical configuration can be taken. If so, then, in a step 304, a new position within the well is targeted and another image is collected. Then, in a decisional step 305, a determination is made whether any more images need to be collected. If this is so, step 304 is repeated until all images for a particular well have been collected. After one or more images are collected for the well, in a step 306, the stage is returned to a starting position within the well, and a montage is created from collected images. The results are named with a unique file name and stored.

In a decisional step 307, a determination is made whether any more optical channels in the well can be imaged. If this is so, then in a step 308 the next optical filter configuration is selected and an image is collected. Processing then continues with decisional step 303, as described above. Otherwise, if no further optical channels in the well can be imaged, then in a decisional step 309 a determination is made whether any wells remain to be imaged. If not all wells have been imaged, then in a step 310, the stage moves to the next well and processing continues with step 301, as described above. Otherwise, if all wells on the plate have been imaged, then in a decisional step 311, a determination is made whether any more plates can be processed. If this is so, then processing continues with step 300 as described above. Otherwise, in a step 312, the information is stored to a CD or other storage device as a backup.

Fig. 7K illustrates a representative block flow diagram of simplified process steps compound based upon information about effects of one or more known compounds on a cell population in a particular embodiment according to the present invention. This diagram is merely an illustration and should not limit the scope of the claims herein. One of ordinary skill in the art would recognize other variations, modifications, and alternatives. Fig. 7K illustrates a step 340 of populating a database with descriptors for known compounds. Such descriptors can be determined from imaging the cell population. However, in some embodiments, descriptors can be derived by measurements and combinations of measurements and the like. Then, in a step 342, descriptors for the unknown compound are determined from imaging a

10

15

20

25

30

second cell population. The second cell population has been treated with the unknown compound. Then, in a step 344, a relationship between the descriptors determined from the unknown compound with the descriptors determined from the known compounds can be determined. Finally, in a step 346, an inference can be made about the unknown compound based upon the descriptors of the known compounds from the relationship determined in step 344.

Accordingly, the present invention provides a novel database design. In a particular embodiment according to the present invention, a method for providing a database comprises measurement of a potentially large number of features of one or more sub-cellular morphometric markers. Markers can be from any of a large variety of normal and transformed cell lines from sources such as for example, human beings, fungi, or other species. The markers can be chosen to cover many areas of cell biology, such as, for example markers comprising the cytoskeleton of a cell. The cytoskeleton is one of a plurality of components that determine a cell's architecture, or "cytoarchitecture". A cytoarchitecture comprises structures that can mediate most cellular processes, such as cell growth and division, for example. Because the cytoskeleton is a dynamic structure, it provides a constant indication of the processes occurring within the cell. The cytoarchitecture of a cell can be quantified to produce a one or more scalar values corresponding to many possible cellular markers, such as cytoskeleton, organelles, signaling molecules, adhesion molecules and the like. Such quantification can be performed in the presence and absence of drugs, peptides, proteins, anti-sense oligonucleotides, antibodies, genetic alterations and the like. Scalar values obtained from such quantification can provide information about the shape and metabolic state of the cell.

In a presently preferred embodiment, scalar values can comprise morphometric, frequency, multi-dimensional parameters and the like, extracted from one or more fluorescence images taken from a number of cellular markers from a population of cells. Two or more such scalar values extracted from a plurality of cell lines and markers grown in the same condition together comprise a unique "fingerprint" or descriptor that can be incorporated into a database. Such cellular descriptors will change in the presence of drugs, peptides, proteins, antisense oligonucleotides, antibodies or genetic alterations. Such changes can be sufficiently unique to permit a correlation to be drawn between similar descriptors. Such

10

15

20

25

30

correlations can predict similar properties or characteristics with regard to mechanism of action, toxicity, animal model effectiveness, clinical trial effectiveness, patient responses and the like. In a presently preferred embodiment, a database can be built from a plurality of such descriptors from different cell lines, cellular markers, and compounds having known mechanisms of action (or structure, or gene response, or toxicity).

The present invention also provides database and descriptor comparisons according to other embodiments. In a particular embodiment according to the present invention, measurement of scalar values or features can provide predictive information. A database can be provided having one or more "cellular fingerprints" comprised of descriptors of cell substance interactions of drugs having known mechanisms of action with cells. Such descriptors can be compared using a plurality of techniques, such as a technique of creating "phylogenetic trees" of a statistical similarity between the descriptors from various drugs. In a present embodiment, scalar, numeric values can be converted into a nucleotide or amino acid letter. Once converted into a corresponding nucleotide representation, the descriptors can be analyzed and compared using software and algorithms known in the art for genetic and peptide sequence comparisons, such as GCG, a product of Genetics Computer Group, with company headquarters in Madison WI. In an alternative embodiment, numeric values for the fingerprints can be used by comparison techniques. A phylogenetic tree can be created that illustrates a statistical significance of the similarity between descriptors for the drugs in the database. Because the drugs used to build the initial database are of known mechanism, it can be determined whether a particular scalar value in a descriptor is statistically predictive. Finally, a compound fingerprint with no known mechanism of action can be queried against the database and be statistically compared and classified among the drugs in the database that the compound most resembles.

In a particular embodiment, relationships between measured morphometric properties and features of images and physiological conditions can be determined. Relationships can include, for example, treatment of different cell lines with chemical compounds, or comparing cells from a patient with control cells, and the like. In a presently preferable embodiment, a clustering can be performed on acquired image descriptors. Some embodiments can comprise statistical and neural

network - based approaches to perform clustering and comparisons of various descriptors. The foregoing is provided as merely an example, and is not intended to limit the scope of the present invention. Other techniques can be included for different types of data. In some embodiments, clustering and comparing can be performed on features extracted from cell images. In a presently preferable embodiment, procedures for comparisons and phylogenetic analysis of biological sequences can be applied to data obtained from imaging cells.

Select embodiments comprising such approaches enable the use of a broad array of sophisticated algorithms to compare, analyze, and cluster gene and protein sequences. Many programs performing this task are known to those of ordinary skill in the art, such as for example, the program Phylip, available at http://evolution.genetics.washington.edu/phylip/software.html, and other packages listed at http://evolution.genetics.washington.edu/phylip/software.html. However, select embodiments according to the present invention can comprise a technique of statistical classification, statistical clustering, distance based clustering, linear and non-linear regression analysis, self-organizing networks, and rule-based classification.

10

15

20

25

30

Embodiments can perform such analysis based upon factors such as numerical value, statistical properties, relationships with other values, and the like. In a particular embodiment, numbers in a numerical descriptor can be substituted by one or more of nucleic acid or amino acid codes. Resulting "pseudo-sequences" can be subjected to analysis by a sequence comparison and clustering program.

Other types of databases can also be provided according to other embodiments. The database includes details about the properties of a plurality of standard drugs. When the descriptor of a test compound is compared to the database, predictions about the properties of the test compound can be made using any known property of the other compounds in the database. For example, properties about a compound in the database could include structure, mechanism of action, clinical side effects, toxicity, specificity, gene expression, affinity, pharmacokinetics, and the like. The descriptor of a compound of unknown structure from a natural products library could be compared to the descriptors of compounds with known structure and the structure could be deduced from such a comparison. Similarly, such information could lead to better approaches to drug discovery research including target validation

5

10

15

20

25

30

and compound analogizing, as well as pre-clinical animal modeling, clinical trial design, side effects, dose escalation, patient population and the like.

According to the present invention, databases can be integrated with and complementary to existing genomic databases. Differential genomic expression strategies can be used for drug discovery using database technology. In one particular embodiment, cell data and cellular response data can be associated with a genetic expression profile assay to form a single assay. Live cells expressing fluorescence markers can be treated with a drug, imaged and analyzed for morphometry; and then analyzed for mRNA for expression. Such embodiments can provide rapid development of tools to link cellular behavior with functional genomics.

Database methods according to the present invention can be used to predict gene function and to assist in target validation. Databases that include genetic diversity, i.e., having cellular descriptors from cells of differing genetic backgrounds (tumor, tissue specific, and gene knock out cell lines), can provide the capability to compare cells of unknown genetic background to those in the database. Similarly, the descriptor of an unknown cellular portion in the presence of multiple drugs can be queried against the descriptors of the known markers in the database. For example, if an unknown gene is tagged with Green Fluorescent Protein (GFP), the database may be used to identify the cellular portions for which that unknown gene encodes.

According to the present invention, target validation and specialized cell-based assay screening can be performed using database systems and methods to serve as a universal high-throughput cell-based assay that can evaluate the molecular mechanism of drug action. As new genes are isolated and identified, a large collection of available gene-based knowledge is becoming available. From this large collection of new genes, potential protein targets can be identified using the genomic tools of sequence analysis and expression profiling. However, unless a gene mutation is tightly linked to a disease state, further validation of individual targets is a time consuming process, becoming a bottleneck in drug discovery. Furthermore, robotics and miniaturization are making "High Throughput Screening (HTS)" the industry standard, substantially reducing the time and cost of running a target-based biochemical assay. Therefore, it is now possible to routinely screen large libraries and use a resulting "hit" to validate the target. In such approaches, a specialized cell-based assay would be developed to test hits for each target. Since this often involves

5

10

15

20

25

30

the creation of cell lines expressing new markers, this stage may also become a bottleneck that cannot keep pace with HTS. In addition, these cell-based assays may not be amenable to high-throughput screening, making it difficult to test the increasing number of analogs arising from combinatorial chemistry.

In a particular embodiment according to the invention, a rapid characterization of large compound libraries for potential use as pharmaceutical products can be provided by predicting properties of compounds that relate to the compounds' potential as bioactive drugs. In many drug discovery situations, virtually millions of compounds can be passed through a HTS assay against a small number of validated targets. These assays produce hundreds to thousands of potential hits. These hits can then be subsequently screened by a pipeline of secondary and tertiary screens to further characterize their specificity, often time completely missing nonspecific interactions with other proteins. Techniques according to the present invention can provide a replacement to such screening operations by providing information about cellular accessibility and mechanism of action for the hits coming from a HTS system. Furthermore, it can replace the biochemical HTS assay and allow rapid and accurate identification of attractive compounds from large libraries without an intervening biochemical assay. The cell information can be predictive of whether to continue into an animal model for each compound, and which animal model to pursue.

The principles of the present specifically contemplate a wide variety of research methodologies, or usage scenarios, implementing these principles. The following discussion of three such scenarios is by way of illustration and not limitation. Study of the principles enumerated herein will render evident to those skilled in the art certain additional methodologies or usage scenarios enabled by the teachings hereof. The present invention specifically contemplates all such modifications. The following description presents some specific embodiments and scenarios that represent a broader use of cellular phenotypic data and characterizations to deduce mechanisms of action and other features of cellular responses to various stimuli. Such procedures generally involve producing a quantitative cellular phenotype based upon two or more cellular attributes and then comparing that phenotype to phenotypes previously stored and indexed. Such

5

10

15

20

25

30

procedures make use of databases or other repositories of biological information. The invention is not limited to the specific embodiments described here.

Considering first the procedure 2000 depicted in Figure 20, a compound has been identified as having a particular cellular activity. See 2004. For example, a compound may be found to inhibit the growth of certain cancer cell in vitro by a specific and desired mechanism of action. This may be a particular company's "gold standard."

Next, the compound is analyzed at 2006 in terms of its effect on one or more cell lines. More specifically, the compound is linked, virtually, to a particular phenotype. Two or more values or measures of cellular attributes characterize that phenotype. These attributes are quantified in the context of specific cellular markers.

In one example, the cellular marker is an organelle such as a nucleus or Golgi apparatus. Measured attributes useful for characterizing an associated phenotype include geometric parameters (e.g., size, shape, and/or location of the organelle) and composition (e.g., concentration of particular biomolecules within the organelle).

The phenotype may be characterized by administering the compound of interest to various cell lines and in various concentrations. In each example within this matrix, the attributes of interest are measured. Ultimately, certain phenotypic features (combinations of attribute values) are associated with the compound of interest. These features provide a template for the phenotype.

Next, using the phenotype as identified at 2006, the process identifies other compounds providing similar features. The goal here is to present a list of compounds having a mechanism of action similar to that of the compound that started the process. This allows researchers to identify a mechanism of action, if not already known, for their compound and to draw conclusions based upon their compound's link to other known compounds (which may not be chemically/structurally similar to the compound of interest).

Identifying similar compounds based upon phenotype can take many paths. Most will involve some mathematical basis. For example, the phenotype defined at 2006 can be represented as a fingerprint or vector comprised of multiple scalar values of cellular attributes (as described above). The phenotype representation can then be compared against known phenotypes characterized by the same format

5

10

15

20

25

30

(e.g., they are all characterized as vectors having the same attribute set, but with different values of the attributes). The comparison may be as simple as a Euclidean distance or more sophisticated as a neural network or multivariate statistical correlation.

The known compounds and associated phenotypes may be stored as database records or other data structures that can be queried or otherwise accessed as part of the identification procedure. The compounds may also be associated with other relevant data such as clinical toxicity, cellular toxicity, hypersensitivity, mechanism of action, etc. (when available).

Compounds found to be sufficiently similar to the starting compound are returned for consideration by researchers. A data processing system may rank such compounds based on degree of similarity to the starting compound. In some cases, the system may even provide similarity scores associated with the listed compounds.

Often researchers wish to determine whether their particular compound has clinical or biochemical effects beyond those that they are already aware of. In a typical scenario, the compound of interest was selected based upon its strong binding a target or its stimulation or inhibition of cell growth in a particular cell line. The process associated with 2010 has likely identified the compound of interest as having a particular mechanism of action based on phenotypic similarity to other compounds having a similar mechanism of action. However, within the region of biochemical space, there may be subspaces (characterized by subphenotypes) that correspond to separate properties. For example, within the phenotypic space associated with one mechanism of action, there may be subspaces associated with clinical toxicity, cellular toxicity (likely overlapping the clinical toxicity space), and little or no toxicity. Obviously, a researcher would like to know whether her compound is likely to be toxic.

Thus, the process 2000 may include characterizing the compound of interest in terms of its distance from (i.e., similarity to) specific phenotypes having known characteristics. In a typical example, the known characteristic is toxicity. This feature allows the researcher to quantify her compound in terms of mechanism of action AND toxicity (or in terms of two or more other relevant properties associated

with phenotype). To allow simple ranking or characterization, compounds of interest may be scored according to a simple or weighted Boolean expression.

A second scenario of interest is depicted in Figure 21. This scenario again defines a phenotype in terms of a quantifiable vector or other measure.

However, rather than using a compound of interest to generate the phenotype, some other cellular stimulus is used to generate the phenotype.

As shown, a process 2100 begins with receipt of cells of interest. See 2104. In many situations, the cells are produced by a genetic or epigenetic process that affects the expression level or activity of a particular protein. More generally, any cellular stimulus (e.g., radiation level and type, gravity level, magnetic field, acoustic perturbations, etc.) can be used to generate the cell line of interest. Importantly, this stimulus affects the phenotype and can be correlated therewith.

160

15

20

25

30

In the context of drug discovery, a gene encoding for a particular target can be genetically knocked out, underexpressed, overexpressed, expressed in a non-native state, etc. This may be accomplished via standard procedures involving genomic modification, translation or transcription apparatus modification (e.g., use of antisense nucleic acids), blocking target activity (using antibodies to a receptor site for example), and the like. These processes will generally affect the phenotype in some quantifiable way. Importantly, they clearly and unambiguously define a cellular phenotype associated with altering the activity of the target protein.

At 2106, the process involves measuring one or more cellular features from the cell line of interest to define/quantify the phenotype. This may be accomplished as described above with reference to 2006. Next, at 2108, the cellular phenotype generated in this manner is used to identify and rank a set of compounds associated with the phenotype. This operation may proceed in the manner of operations 2008 and/or 2010 from Figure 20.

Finally, at 2110, the process clusters the compounds returned at 2108 by a mechanism of action. The operation 2106 has tightly bound a mechanism of action to a phenotype. Various compounds characterized and stored in a system database may be tentatively assigned a mechanism of action or may have no suggested mechanism of action. By matching their virtual phenotype to the phenotype generated at 2106, one can create or strengthen an association between the compounds and mechanism of action relevant to the stimulus at 2104.

5

10

15

20

25

30

Considering now Figure 22, a third scenario is depicted. This scenario again involves using a virtual phenotype to glean information relevant to a mechanism of action or other cellular activity. In this case, assay data from a group of compounds (e.g., a primary or focused library) is used to elucidate a phenotype.

As shown, a process 2200 begins by identifying a target protein. See 2204. Then, at 2206, the process involves identifying positive and negative biochemical hits. More generally, this may involve ranking a number of compounds based upon their interaction with the target. In a specific case, the compounds are ranked based upon their binding affinities to or ability to inhibit the enzymatic activity of the target protein.

After the compounds have been characterized in some manner based upon their interaction with the target, they are used to define a cellular phenotype. See 2208. Generally, the techniques to accomplish are the same as described with reference to operation 2006 of Figure 20. In this case however, one may obtain a strong correlation between mechanism of action (involving the target) and phenotype by using multiple of the compounds identified at 2206. For example, some of the "best hits" may be administered to cell lines in various concentrations. And some of the least effective compounds may also be administered. Cellular attributes that are more strongly exhibited with increasing concentration of the best hits (and not exhibited or exhibited only weakly upon administration of the negative hits) can be used to define the virtual phenotype. In a related approach, compounds having widely varying levels interaction with the target are administered to cells. Those cellular attributes that vary linearly or at least monotonically with the degree of interaction between the target and compound represent attributes that can be used to define the virtual phenotype.

After the cellular phenotype has been defined, previously characterized compounds may be clustered with that phenotype. See 2210. As with operation 2110 of Figure 2, this may create or strengthen an association between a mechanism of action and various compounds in a database.

Finally, and optionally, procedure 2200 may provide a "higher resolution" mechanism of action for the compounds identified at 2206. See 2212. Presumably interaction with the target suggests a specific mechanism of action or at least some aspect of a mechanism of action. However, a given target may participate

in a larger cellular mechanism of action — unknown to researchers. Further, a compound may that binds with the target may participate in multiple mechanisms of action — some of which do not involve the target. By linking the target (and its positive hits) to a particular phenotype, some of these additional cellular level activities can be elucidated. The defined phenotype may have been previously identified as associated with other mechanisms of action or higher resolution mechanisms of action. Thus, the phenotype identified at 2208 can be leveraged to generate a higher resolution mechanism of action at 2212.

5

10

15

20

25

30

As suggested in the above discussion, compounds and associated phenotypes may be stored as database records. Such databases can take on many flavors. In one example, a database includes various pieces of information relevant to oncology. Such database may include numerous compounds classified by cellular phenotype, mechanism of action, toxicity, etc. More specifically, the database may include data on commercially available compounds clustered by cellular phenotypes corresponding to mechanisms of action. Further the databases of interest may extended or combined (via standard relational tables and algebra for example) to include additional data such as pharmacology data, cellular genomics data, gene expression data, protein expression data, etc. In a specific example, the database includes measurements made on a subset of the NCI60 cell lines, using DNA, Golgi apparatus, and/or microtubules as markers for defining the phenotypes. Other data includes dosage response information, variation in effect over time, etc. The compounds populating the database could include known National Cancer Institute oncology study compounds. In a specific embodiment, the compound set includes some or all of the compounds mentioned in the article "A gene expression database for the molecular pharmacology of cancer," Nature Genetics, 24, pp. 236-244 (March 2000).

Various biological analyses may be conducted to develop additional information for characterizing compound mechanisms of action, etc. For example, a cell count analysis may be used to develop dose response curves, GI 50 data, etc. The cell cycle may also be analyzed to find out how various stages in the cycle vary in response to particular stimuli. The Golgi apparatus may be analyzed to determine whether it is in a normal state, a dispersed state, a diffused state, etc. As another example, tubulin may be analyzed to determine whether it is normal, de-polymerized,

over-polymerized, bundled, etc. Obviously, combinations of such analyses may be performed. For example, properties of the Golgi apparatus or tubulin may be analyzed over one or more cell cycles.

In some embodiments, techniques according to the present invention can provide tools for the later stages of drug development such as clinical trial design and patient management. The properties of known drugs, such as clinical trial and patient response information, will be used in a similar fashion as the pre-clinical information to provide predictions about the properties of novel compounds. Because the human cell is the locus of drug action, a database containing drug-cell interactions will be able to provide predictive value for this aspect of drug development.

Although the above has generally been described in terms of specific hardware, software, and methods, it is understood that many alternatives can exist. In particular, the present invention is not limited to a particular kind of data about a cell, but can be applied to virtually any cellular data where an understanding about the workings of the cell is desired. Thus, in some embodiments, the techniques of the present invention could provide information about many different types or groups of cells, substances, and genetic processes of all kinds. Of course, one of ordinary skill in the art would recognize other variations, modifications, and alternatives. Some examples according to the present invention are provided below.

20

25

30

10

15

EXPERIMENTS

To prove the principle and demonstrate the objects of the present invention, experiments have been performed to determine the effects of manipulations on cell structure using imaging and analysis techniques applied to a variety of situations. These experiments were performed by growing multiple cell lines in the presence of multiple compounds, or substances. Cells were fixed and stained with fluorescent antibodies or labels to multiple cellular portions. One or more images of the cells were then obtained using a digital camera. Descriptors were built by quantifying and/or qualifying patterns of one or more feature from each image in the cell lines under study. A database was built from the descriptors. As the database grows, it should be able to predict the mechanism of action of an unknown drug by comparing its effect with the effects of known compounds or to identify data clusters within large libraries of compounds.

In a first experiment, an automated method to count the number of cells and differentiate normal, mitotic, and apoptotic cells was created.

Approximately, 5,000 HeLa cells were plated per well in a 96 well plate and grown for 3.5 days. The cells were fixed with -20° MEOH for 5 minutes, washed with TBS for 15 minutes, and then incubated in 5 mg/ml Hoechst 33342 in TBS for 15 minutes. Then, 72 images were collected with a 40x objective and 75 ms exposure time.

The analysis was performed on objects that met a certain size criteria that was based on 1) measuring the size of objects in the image that were clearly not cells and 2) excluding the first peak of the area histogram (Fig. 8B values 1-4654).

10

15

20

25

30

Histograms of the individual object data were generated for each type of feature. Fig. 8A shows the histogram for average intensity, and Fig. 8B shows histogram data for the area of each object. Fig. 8C shows the scatter plot of the average intensity vs. the area of all of the objects. The pattern of the scatter plot showed an interesting pattern: a large cluster of cells in one region of the graph, with a scattering of object points in other regions. Because mitotic structures are identified as particularly bright objects, most likely due to the biological fact that the chromatin is condensed, the original Hoechst images could be used to identify which cells were either undergoing mitosis, or otherwise looked abnormal. Manual inspection of 917 cells resulted in the classification of each object. Fig. 8D shows a graph where each type of cellular classification is delimited. This graph clearly shows that the mitotic nuclei are brighter than the interphase nuclei. Further, the different phases of the cell cycle can be separated using these two features. Figs. 8E-8F show bar graphs of the average and standard deviations of the areas and average intensities for each cell classification type. These graphs show that interphase nuclei are statistically less bright than mitotic nuclei and that telophase nuclei are statistically smaller than other mitotic nuclei.

Each image was thresholded to an intensity level of 20. A standard area value was set at 9500 pixels. Automated information gathering about all of the objects was done and collected into an Excel spreadsheet (for more information see, section on imaging system). The following information was recorded:

IMAGE NAME
OBJECT #

AREA	
STANDARD AREA COUNT	
PERIMETER	
FIBER LENGTH	
FIBER BREADTH	
SHAPE FACTOR	
ELL. FORM FACTOR	
INNER RADIUS	
OUTER RADIUS	
MEAN RADIUS	
AVERAGE INTENSITY	
TOTAL INTENSITY	
OPTICAL DENSITY	
RADIAL DISPERSION	
TEXTURE DIFFERENCE MOMENT	
EFA HARMONIC 2, SEMI-MAJOR AXIS	
EFA HARMONIC 2, SEMI-MINOR AXIS	
EFA HARMONIC 2, SEMI-MAJOR AXIS	
ANGLE	
EFA HARMONIC 2, ELLIPSE AREA	
EFA HARMONIC 2, AXIAL RATIO	
EFA HARMONIC 3, SEMI-MINOR AXIS	

The following results were obtained:

- 1,250 objects were counted
- 201 of those objects has standard area counts > 2 (area > 19000 pixels)
- 195 objects had areas < 6000 pixels
- 1529 objects estimated in total
- 1328 object areas are > 6000 pixels
- The data was reduced to 917 objects that were 6000 < area < 19000
- For the 917 objects a scatter plot of area vs. average intensity and a histogram of the average intensity were generated.

10

5

• 116 objects that had average intensity intensities > 60 were manually looked at to determine their morphology.

- Of those 116 objects:
 - 6 were dead or indistinguishable
 - 4 were interphase
 - 30 were prophase
 - 32 were metaphase
 - 24 were anaphase
 - 20 were telophase (10 pairs)

10

5

- 12 prophase objects were missed because of gray scale cut off. (8 of those prophase cells had gray scale values > 57, as did 7 interphase)
- 1 telophase object was missed because it was too small (<6000)
- 1 prophase object was missed because it was too big (>1900)

15

• 16 mitotic objects were missed because they were parts of objects with standard count > 2.

In sum, out of 917 single objects, the analysis correctly identified 106 out of 130 mitotic objects, or (81% predictive, 91% of identified mitotics). Out of 917 single objects, the analysis incorrectly identified only 10 non-mitotics as mitotics (1% total, 8% of identified mitotics); 14 mitotics as interphase (1.4% total, 1% interphase). An automated classification system that would automatically assign values to each object using these or other measurement features can thus be developed, utilizing the principles set forth herein.

5

10

15

20

25

30

In a second experiment, the effects of Taxol on MDCK cells and the different types of morphological effects were observed. A plurality of MDCK cells grown in 96 well plates were treated with Taxol for 4.5 hours at different concentrations (10 uM-1pM). They were then fixed, labeled with Hoechst, and imaged.

This experiment used a labeling protocol comprising: MEOH fix at – 20°, Wash in PBS, Block in PBS/BSA/Serum/Triton-X 100, Incubate with 5 µg/ml Hoechst 10 minutes, and wash.

Cells were inspected for different morphologies and manually counted at each different drug concentration in one well. Fig. 9 shows example images from each drug concentration and the different types of morphologies and cells are highlighted. Fig. 10 shows the distribution of each morphology within the cell population as a function of drug concentration. The higher the concentration of Taxol, the larger proportion of cells underwent apoptosis, and the fewer number of normal mitotic cells were detected.

In a third experiment, the purpose was to determine whether the automated analysis methods developed in the first experiment can detect differences in Hoechst morphology in the presence of 6 known compounds at one concentration and exposure time in one cell line. In this experiment, HeLa cells were separately treated with 6 compounds with known mechanism of action. The quantitative methods described in the first experiment were applied to the Hoechst images.

Approximately 5,000 HeLa cells per well were plated in a Costar black-walled 96 well tissue culture treated plate and left to recover in the incubator for 24 hours. After this time, 10 ug/mL of cytochalasin D (CD), Taxol, hydroxyurea, vinblastine, nocodazole, and staurosporine was added to different wells at a 1:100 addition in DMSO.

5

10

15

20

25

30

The cells were incubated in the presence of drug for 24 more hours. After 24 hours, the cells were removed and fixed as in the first experiment. Then, 9 images per well were collected of the Hoechst staining using a 10x objective.

The low magnification images taken of Hoechst were run through the automated image analysis method described in the first experiment. Plots of the average intensity and area were made of each compound. Fig. 11 shows the scatter plots of the compounds. The scatter plots of each compound are visually distinct. For example, cells treated with CD are smaller than control, and cells treated with Hydroxyurea are larger and brighter. Furthermore, the number of cells per well was very different (data not shown).

The effects of different compounds can be clearly and automatically distinguished by identifying changes in cellular morphology. This method can also be used to count adherent cells.

The next experiment was to develop clustering algorithms that assign statistically meaningful values to the representative two dimensional data shown in Fig. 10, and even more complicated clustering of all of the multidimensional data that can be extracted across one, and multiple images.

A fourth experiment was performed to obtain high magnification images of two markers in the presence of drugs. In this experiment, HeLa cells were treated with 80 generic compounds with known mechanism of action. The quantitative methods described in the first experiment were applied to the Hoechst images.

Approximately 5,000 HeLa cells per well were plated in a Costar black walled 96 well tissue culture-treated plate and left to recover in the incubator for 24 hours. After this time, 10 ug/mL of each compound from the Killer Plate from Microsource Discovery Systems (Gaylordsville, CT) was added to different wells at a 1:100 addition in DMSO. The cells were incubated in the presence of drug for 24 more hours. After 24 hours, the cells were removed and fixed as in the first experiment. In addition to being labeled with Hoechst 33342 (against chromatin), cells were also labeled with 1 unit of rhodamine-conjugated phalloidin (against actin) for 30 minutes.

5

10

15

20

25

The 96 well plate was imaged twice. Once, 9 images per well were collected of the Hoechst staining using a 10x objective. After this, one image per well of both the phalloidin and Hoechst staining was collected using a 40x objective.

The resulting high magnification images were analyzed qualitatively and distinct pattern differences were detected in both the Hoechst and phalloidin images. Fig. 12 shows three example images from the experiment. The top row is the Hoechst staining, and the bottom row is the phalloidin staining from the same well. The columns show the images from wells treated with just DMSO (control), cytochalasin D, and Colchicine. The morphology of each marker is different in the presence of each drug. Interestingly, there is an effect in the morphology of the chromatin in the Hoechst image of cytochalasin D, which directly targets the actin cytoskeleton (and thus there is an expected effect in the phalloidin image). Also, there is an effect on the actin cytoskeleton, compared to control, in the presence of colchicine that directly targets the microtubule network.

The low magnification images were analyzed as described in the first experiment, and different patterns were seen in both the average intensity vs. area plots, and in the number of cells per well (data not shown). Thus, changes in patterns of a marker that is "down-stream" from the direct target of a compound are detectable. Automated image analysis protocols for actin and other markers can be developed similarly, again utilizing the principles set forth herein.

A fifth experiment was performed to test quadruple labeling of 9 different cell lines grown in normal conditions. In this experiment, NCI-H460, A549, MDA-MD-231, MCF-7, SK-OV-3, OVCAR-3, A498, U-2 OS, and HeLa cells were plated. Then, the cells were fixed and stained for portions of the each cell known as DNA, tubulin, actin, and Golgi.

The following table summarizes the procedures for this experiment:

Action	Active Ingredient/Notes	Buffer	Vol/	Desired	Temp
			well	Time	
Remove	NOTE: gently by				
media	pipetting, not aspiration				
Fix	4% Formaldehyde	PBS	100μΙ	20 min	rt
Wash		TBS	100μ1	5 min	rt
Wash		TBS	100µ1	5 min	rt

Permeabliz	0.1% Triton X-100	TBS	100µ1	10 min	rt
е					:
Permeabliz	0.1% Triton X-100	TBS	100µ1	10 min	rt
е					
Block	% BSA	TBS w/azide	100μ1	1 hr	rt
	% Serum			or	or
	Filter sterilize before use			o/n	4°C
Primary	1:1000 dilution of DM1α	TBS + 1% BSA	50µ1	1hr	rt
Antibody		+ 0.1% TX-100		or	or
		,		o/n	4°C
Wash		TBS	100μ1	5 min	rt
Wash		TBS	100μ1	5 min	rt
Wash		TBS	100µ1	5 min	rt
Fluorescent	FITC lens culinaris 1:500	TBS + 1% BSA	50µl	1 hr.	rt,
Stain	Rhodamine-Phalloidin	+ 0.1% TX-100			dark
	1:500				
·	CY5 goat anti-mouse				
	1:100				
Wash		PBS	100μ1	5 min	rt,
					dark
Hoechst	1:1000 dilution of 5mg/ml	TBS	100µl	15 min	rt,
					dark
Wash		PBS	100µ1	5 min	rt,
					dark
Wash		PBS	100μ1	5 min	rt,
					dark
Wash		PBS	100μ1	5 min	rt,
					dark
Store		PBS	200µl	1 month	4°C

Cells were plated out at different densities for 48 hours. Cells were fixed and labeled by the above method. Cells were imaged using an automated imaging system that collected 9 images from each marker using a 10x objective.

Higher magnification images were collected of a few cells for demonstration purposes.

5

10

15

20

25

In this experiment, each cell line demonstrated different morphological patterns as determined by phase. For example, A549 cells are much more compacted than OVCAR-3 cells as determined by phase contract imaging (data not shown). The different fluorescent markers showed even bigger differences between different cell lines. Figs. 13 and 14 show 4 panels of each marker for A549 (Fig. 13) and OVCAR-3 cells (Fig. 14). The markers are Hoechst (upper left), Phalloidin (upper right), Lens culinaris (lower left), and DM1a antibody (lower right). The following table summarizes the qualitative differences between these images:

MARKER	A549	OVCAR3
Hoechst/DNA	small	large
Phalloidin/actin	fuzzy	crisp - many stress fibers
Lens culinaris Golgi	compact	Disperse/punctate
DM Ialpha Tubulin	perinuclear	evenly distributed

Higher magnification images were taken of the OVCAR3 cells. Fig. 15 shows the same markers at 20x, and Fig. 16 shows the markers at 40x. While the highest magnification images show the most detail, these images illustrate that very little morphological or feature information is lost in the 10x images.

These data exemplify the differences in morphology seen between different cell types. Thus the automated image analysis software can be customized for each marker in each cell type. Different drugs should effect these morphologies differentially.

An automated quantification method for each marker and cell line can be similarly developed.

A sixth experiment was conducted with a more sophisticated software package and to develop more flexible image recognition algorithms. In this experiment, prototype image features extraction was performed using MatLab programming language with image toolbox and SDC morphology toolboxes.

Algorithms are being developed that will automatically identify objects on images and

to measure various morphological and feature parameters of these objects. Many different features for each of the cellular markers were acquired.

An example of a MatLab program called "AnalyseDNA" that takes as an input an unlimited number of images, identifies individual objects in these images based on either their intensities, or based on edge-detection algorithms, and extracts a number of morphological and intensity characteristics of these objects. A copy of this program follows:

Listing of the AnalyseDNA.m program and of some of the supporting subroutines

10 function files analysed = AnalyseDNA(filemask, outpath, nx, ny, filter range, dext, modifier, sfname) analyseDNA performs measurements on files of DNA images % V1. EV 2-11-99; 2-15-99; 2-16-99 ş 15 % files analysed = AnalyseDNA(filemask, outpath, nx, ny, filter range, dext, modifier, sfname) કૃ % PARAMETERS: ALL PARAMETERS ARE OPTIONAL 왕 20 왕 FILEMASK - mask for file names to be analyzed INCLUDING PATH(for example c:\images*.tif) DEFAULT '.*.tif' (all *.tif files in the current 왕 directory). 25 ફ OUTPATH - path to a directory where all the output ક્ષ files will be placed. DEFAULT - output is saved in the same directory which contains images 30 જ્ NX, NY - number of individual images in montage images along X and Y axes (DEFAULT 1)

왕

% FILTER_RANGE - 3 col-wide array (or[]). Specifies
how data is filtered when summary is calculated

- % this parameter internally is passed to GetDNAData and then to GetSummaryData - see these
- functions for details. For example: [2 2 Inf; 6 100 8000] will case all raws of data for which
 - values in column 2 are less than 2 and all raws where values in column 6 are less than 100 or
 - % more than 8000 to be excluded from all
- 10 calculations of a summary.
 - % DEFAULT [] (means do not filter, summarize all data)

왕

- % DEXT string. Extension for data files being saved.
- 15 % DEFAULT 'dat';

号

- % MODIFIER this modifier is 'SUMMARY', summary file
 is created;
- 'SUMMARY ONLY' only summary is generated,
- 20 data for individual files are not saved

왕

- % sfname string. File name of a summary file
- % DEFAULT 'summary[date].dat'

۶ و

25 % OUTPUT:

왕

- % AnalyseDNA works on image files or montages. For each image file it creates a tab-delimits file of measured
- 30 % parameters of all the objects in the montage with the same base name as a montage file and extension specified

% by dext parameter (or .dat by default) and file
'errors[date].err' - with the list of files that matched
the

- % filemask but could not be processed.
- If 'summary' or 'summary only' modifier is specified, it also creates a single file 'summary[date].dat' (or
 - % different extension, if specified by DEXT) which contains summary information for all analyzed files.

10 %

% ALL OUTPUT FILES are saved in a directory specified by OUTPATH parameter

<mark>જ</mark>

% RETURNS *files_analysed* - number of files that have
15 been successfully processed.

કૃ

% Column designations in the output files are described in GetDNAData

્ટ

- 20 % FILE NAME CONVENTIONS
 - % AnalyseDNA attempts to identify a number for each file to identify the file in summary output.
 - % It does that by looking for the first space or underscore, followed by a number and then takes
- 25 % as many successive numbers as it can find. If it fails to identify a number it assigns a
 - % default which is -1

⁹

્ર

30 % SEE ALSO GetDNAData, GetSummaryData

왕

% TO DO improve error handling in opening and writing files (GLOBAL error_file ?)

```
include procedures for writing text headers
   into the output files
   if nargin > 8
      error ('Wrong number of input parameters');
   end
   if nargout >1
      error ('Wrong number of output parameters: only one
   allowed');
   end
10
   % set defaults
   need_summary = 0;
   summary_only = 0;
   use default_outpath = 0;
   datestring = datestr(floor(now));
    if nargin == 7 % set default summary file name
       sfname = ['summary' deblank(datestring)]; % extension
   will be appended later based on dext
       if deblank(upper(modifier)) == 'SUMMARY'
20
          need_summary = 1;
       elseif deblank(upper(modifier)) == 'SUMMARY ONLY'
          need_summary = 1;
          summary_only = 1;
25
       else
          error (['Wrong parameter: unknown modifier '
    modifier]);
       end
    end
30
    if nargin == 5
       % default data file extension
       set dext = 'dat';
    end
```

```
if nargin == 4
      % default filter range
      filter_range = [];
   end
   if nargin == 3
5
      ny = 1; % default number of images in montage along Y
   end
   if nargin == 2
      nx = 1;
10
   end
    if nargin == 1
      use default outpath = 1;
   end
    if nargin == 0
       filemask = '*.tif'
15
    end
    % check parameters
    if ( ~ischar(filemask) | ~ischar(dext) | ~ischar(sfname)
20
            error('Wrong parameter type: filename, filepath,
    dext and sfname should be strings');
    end
    if ( (size(nx) \sim= [1 1] ) | (size(ny) \sim= [1 1] ) )
       error ('Wrong parameter type: nx and ny should be
25
    scalars (1x1 arrays)');
    end
    if (~isempty(filter_range) & size(filter_range, 2) ~= 3)
       error ('Wrong parameter type: filter range should be
    [] or 3 - cols-wide array');
30
    end
    % end testing parameters
    % Generate list of files to process
```

```
datapath = getpath(filemask);
   if use_default_outpath == 1
      outpath = datapath;
   end
5
   if exist(outpath, 'dir') ~= 7
      error(['Path ' outpath, 'not found. Exiting..']);
   elseif exist(datapath, 'dir') -= 7
      error(['Path ' datapath, 'not found. Exiting..']);
   end
10
    sfname = makefullname(outpath, sfname, dext);
    if need summary == 1
       if exist(sfname, 'file')
          disp(['File ', sfname, 'already exists!']);
15
          input ('Press ^C to abort, Enter to delete and
    continue');
          delete(sfname);
       end
    end
20
    flist = FileList(getfname(filemask), datapath);
    numfiles = size(flist, 1); % total number of files to
25 process
    disp(['About to process ', num2str(numfiles), ' files']);
    %DEBUG - commented out "input" to run from Wrod
    input ('Press ^C to abort, Enter to continue');
   % main loop where the job gets done:
30
    error_file = makefullname(outpath, ['error' datestring
    '.err']);
    num processed = 0;
    num error =0;
```

```
for i = 1:numfiles
         % first generate file name for a data output file
      current_fullname = flist(i, :); % full name with path
   and extension
       current datafile = makefullname(outpath,
   makefname(getbasefname(current_fullname), dext) );
       %extract number from a filename
       fnumber = getfilenumber(current_fullname);
10
       % load an imagefile, record errors
       read_error = 0;
       try
           I = imread(current_fullname);
           %DEBUG
15
           disp (['Image file #', num2str(fnumber), '
    loaded']);
       catch
          % record file-opening error in an error_file
          read_error = 1;
20
          num_error = num_error +1;
          msg = [current_fullname ': ' lasterr];
          add error msg(error_file, msg);
       end
25
       % extract and write data to a file in outpath
       if read_error ~=1
          if (need summary == 0)
             %DEBUG
             disp (['Starting analysis of file #',
30
    num2str(fnumber), '.']);
             current_data = GetDNAData(I, nx, ny, fnumber);
             %DEBUG
```

```
disp (['Finished analysis of file #',
   num2str(fnumber), '.']);
            %load current data.mat 'current data';
            write data(current data, current datafile);
         else
                 %summary needed
5
            %DEBUG
            [current_data, current_summary] = GetDNAData(I,
   nx, ny, fnumber, filter_range);
            %load current_data.mat 'current_data';
            %load current_summary.mat 'current_summary';
10
            write summary (current summary, sfname);
            if summary only ~= 1
               write_data(current_data, current_datafile);
            end
15
         end
      end
   end % of the main for loop
   num_processed = numfiles - num_error;
   %============end function AnalyseDNA()
20
   ______________________________________
25 function result = add error msg(filename, msg)
   % adds string MSG to an errorfile FILENAME
   % returns 1 if success, 0 if failure
   err_FID = fopen(filename, 'at');
   if err_FID == -1
30
      warning(['Can not open error file ' filename]);
   else
      fprintf(err FID, '%s\n', msg);
      fclose(err FID);
```

```
end
  %===============end function add_error_masg()
  5
  function N = getfilenumber(fname)
  % returns the first number extracted from a file name
  (string) or -1 if fails to extract any number
  numbers = NumbersFromString(getfname(fname)); % vector
  of all numbers encoded in the name
                     % (but not in the path, even if
  present)
  if isempty(numbers)
15
     N = (-1); % return -1 if no numbers found in the
  name
  else
     N = numbers(1);
  end
20
   %============== end function getfilenumber()
   25
   ______________
   function result = write_data(data_array, file_name)
   % writes data in a data_array in a tab-delimited ascii
   file.
  % result is 0 if success and -1 if failure
30
   % if file_name exists, overwrites it
   result = -1;
   try
     fid = fopen(file_name, 'wt');
```

```
PCT/US00/13154
WO 00/70528
      if fid ~= -1
         for k = 1:size(data_array, 1)
            fprintf(fid, '%g\t', data_array(k, :) );
            fprintf (fid, '\n');
         end
         test = fclose(fid);
         result = -1;
   catch
      result = -1;
10
   end
   %================== end function write_data()
   15
    function result = write_summary (s_vector, file_name)
   % appends summary vector s_vector to a file_name (ASCII
   tab-delimited file).
   % if file_name does not exist, creates it.
20
   % result is 0 if success and -1 if failure
   result = -1;
   try
      % debug
25
      fid = fopen(file name, 'at');
      result = fprintf(fid, '%g\t', s_vector);
      result = fprintf(fid, '\n');
      result = fclose(fid);
      result = 0;
30
   catch
      result = -1;
```

end

```
% ============== end function write_summary()
   function Data = GetObjectsData(I, Ilabel)
   % GetObjectsData returns array measurements of objects in
   image "I" masked by "Ilabel"
   % EV 2-3-99; 2-10-99
   % OData = GetObjectsData(I, Ilabel) returns an array of
   morphological and intensity measurements
         taken from a grayscale image "I". Objects are
10
    identified on a mask image Ilabel, usually
         created by bwlabel()
    % OUTPUT:
    % Each row in the output array OData represents
   individual object
15
    % columns contain the following measurements:
         1 - Index ("number" of an object);
    Solidity;
         2 - X coordinate of the center of mass; 9 - Extent;
20
                                               ; 10 - Total
         3 - Y coordinate
    Intensity;
                                                 11 - Avg.
         4 - Total Area (in pixels);
    Intensity;
                                                 12 - Median
         5 - Ratio of MajorAxis/MinorAxis;
25
    Intensity;
                                            13 - Intensity of
         6 - Eccentricity;
    20% bright pixel
                                            14 - Intensity of
         7 - EquivDiameter;
   80% bright pixel
30
    ફ
જ
    % For details on morphological parameters see information
    on MatLab imfeature();
```

```
% Intensity parameters are either obvious or are
   documented in comments in this file.
   % Procedures in this file are documented in notebook file
   "MATLAB Measuring Nuclei (1) 1-29-98.doc"
5
    if (nargin -= 2)
       error ('function requires exactly 2 parameters');
    end
    if (nargout ~= 1)
       error ('function has 1 output argument (array X by
10
    14)');
    end
    % finished checking arguments
15
    % first collect morphological parameters in a structure
    array:
    ImStats = imfeature(Ilabel, 'Area', 'Centroid',
    'MajorAxisLength',...
       'MinorAxisLength', 'Eccentricity', 'EquivDiameter',
20
       'Solidity', 'Extent', 8 );
    % now convert it into array (matrix) while collecting
    intensity data for each object:
25
    %preallocate output array:
    numobjects = size(ImStats, 1);
    OData = zeros(numobjects, 14);
    %now convert ImStats into array and add intensity data to
30
     it
     for k=1:numobjects
          OData(k, 1) = k;
          OData(k, 2) = ImStats(k).Centroid(1);
```

```
OData(k, 3) = ImStats(k).Centroid(2);
        OData(k, 4) = ImStats(k).Area;
        OData(k, 5) = (ImStats(k).MajorAxisLength) /
    (ImStats(k).MinorAxisLength);
        OData(k, 6) = ImStats(k). Eccentricity;
5
        OData(k, 7) = ImStats(k).EquivDiameter;
        OData(k, 8) = ImStats(k).Solidity;
        OData(k, 9) = ImStats(k).Extent;
        % now collect and assign intensity parameters from
10
    image I
        object pixels = find( Ilabel == k);
        object area = size(object_pixels, 1); %same as total
   number of pixels in the object
15
        object intensities = double(I(object_pixels)); %
   need to convert to double to do math
         sorted_intensities = sort(object_intensities); %
    will need to get median, 20% and 80% pixels
        total intensity = sum(object_intensities, 1);
20
         avg_intensity = total_intensity / object_area;
         median intensity = sorted intensities( floor(
    object area/2 ) + 1 );
        pix20 = sorted intensities( floor(object_area*0.2)+1
    ); %brightest pixel among dimmest 20%
25
        pix80 = sorted intensities( floor(object_area*0.8)+1
    ) ;
         OData(k, 10) = total_intensity;
         OData(k, 11) = avg intensity;
30
         OData(k, 12) = median_intensity;
         OData(k, 13) = pix20; %brightest pixel among dimmest
    20%
```

```
OData(k, 14) = pix80; %dimmest pixel among brightest
   20%
   end %for
  %=========== end function
   function Imask = MaskDNA1(I);
   % MaskDNA1 - generates binary mask for cell nuclei
   through edge detection
   % EV 1-22-99; 2-6-99; 2-10-99
   % Imask = MaskDNA1(I)
   % PARAMETERS
        I - intensity image (grayscale)
15
   % OUTPUT
        Imask - BW image with objects from I
   % For more details see Notebook Matlab DNA masking1 1-22-
   99.doc
20
   % Uses SDC Morphology Toolbox V0.7
   if (nargin ~= 1)
      error('Wrong number of input parameters');
   end
25
   if (nargout ~= 1)
      error('Wrong number of output parameters: one output
   argument should be provided');
   end
30
   Imask = edge(I, 'canny');
   Imask = mmdil(Imask, mmsecross(1));
   Imask = mmero ( mmclohole(Imask, mmsecross(1)));
```

Given the list of image files or montages of images as an input, this
program creates an individual file for each image that contains the following
quantitative measurements for all objects identified in the image:

```
1 - Index ("number" of an object); 8 - Solidity;
2 - X coordinate of the center of mass; 9 - Extent;
15 3 - Y coordinate -"-; 10 - Total Intensity;
4 - Total Area (in pixels); 11 - Avg. Intensity;
5 - Ratio of MajorAxis/MinorAxis; 12 - Median Intensity;
6 - Eccentricity; 13 - Intensity of 20% bright pixel
7 - EquivDiameter; 14 - Intensity of 80% bright pixel
```

20

25

A fragment of an output for a single file, containing 9 images of cells stained for DNA and acquired with a 10x objective. A montage image that was used as a source to generate data in A is presented in Fig. 17.

The same program also summarizes measurements across many files and performs statistical analysis of the summary data. It creates a summary file with the following data:

```
1 - Image file number;
2 - Average object Area (in pixels);
3 - STD (standard deviation) of
2;
30 4 - Avg. of Ratio of MajorAxis/MinorAxis;
5 - STD of 4;
6 - Avg. Eccentricity;
7 - STD of 6;
8 - Avg. EquivDiameter;
9 - STD of 8;
10 - Avg. of Solidity;
11 - STD of 10;
```

5

10

15

20

25

30

An example of summary output obtained by running AnalyseDNA against 10 montage files also is shown in Appendix B.

A seventh experiment was conducted in order to use sequence analysis algorithms to analyze features of cell images. In this experiment, HeLa cells were treated for 24 hours with several different compounds, and then fixed, and stained with a fluorescent DNA dye. One image of these cells was acquired for each of the treatments and morphometric parameters and features were measured:

Resulting measurements were arranged into a string of numbers and reduced to a pseudo- nucleic acid sequence using following rules: At any given position in the sequence a number was substituted by "t" (a code for thymidine) if its value is among highest 25% of the values at the corresponding position in the data set, "g" if it is between 50% and 25%, "c" if it is between 75% and 50%, and "a" if it belongs to lowest 25% of values. Thus one descriptor or sequence was generated per treatment as illustrated in Fig. 18.

Resulting sequences were clustered using an AlignX module commercial software package Vector NTI (http://informaxinc.com), which uses a Neighbor Joining algorithm for sequence clustering.

The resulting dendrogram is presented in Fig 18. On the dendrogram the closest "leafs" correspond to the closest pseudo-sequences. Interestingly, compounds with similar mechanisms of action cluster together on the dendrogram. Another example of the generation of pseudo-sequences and clustering is shown in Fig. 19.

In some embodiments, techniques according to the present invention can provide tools for the later stages of drug development such as clinical trial design and patient management. The properties of known drugs such as clinical trial and patient response information will be used in a similar fashion as the pre-clinical

information to provide predictions about the properties of novel compounds. Because the human cell is the locus of drug action, a database containing drug-cell interactions can be able to provide predictive information for this aspect of drug development.

Although the above has generally described the present invention according to specific systems, the present invention has a much broader range of applicability. In particular, the present invention is not limited to a particular kind of data about a cell, but can be applied to virtually any cellular data where an understanding about the workings of the cell is desired. Thus, in some embodiments, the techniques of the present invention could provide information about many different types or groups of cells, substances, and genetic processes of all kinds. Of course, one of ordinary skill in the art would recognize other variations, modifications, and alternatives.

5

10

Appendix A

1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	0.923547 0.733547 0.733547 0.73354 0.7
1,000 1,00	1.905191 0.78125 4606 1.917034 0.78115 4606 1.927024 0.78115 1460 1.927024 0.781129 4502 1.927024 0.78111 1415 1.92769 0.785711 4467 1.927696 0.78571 1465 1.927696 0.78571 1465 1.927696 0.78671 1465 1.927696 0.78671 1465 1.927696 0.64271 1419 1.91711 0.727522 1411 1.927696 0.64271 1419 1.91711 0.727522 1411 1.91711 0.727523 1411 1.91711 0.72753 1411 1.91711 0.72753 1411 1.91711 0.72753 1411 1.91711 0.72753 1411 1.9
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1911 19 19 19 19 19 19
1,000,000,000,000,000,000,000,000,000,0	1.927928
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1.922083 D.761867 4225 421. 1.92236 D.761818 4415 170. 1.92266 D.76231 4415 170. 1.922467 D.76231 4415 170. 1.923867 D.766312 9318 140. 1.923867 D.76232 4614 41. 1.922581 D.76232 4614 41. 1.922581 D.76232 4614 13. 1.912381 D.723523 4614 13. 1.912381 D.71231 4653 13. 1.912381 D.71231 4653 13. 1.912381 D.71231 4613 13. 1.912381 D.71231 4614 13. 1.913481 D.71231 4614 13. 1.912381 D.71231 4614 13. 1.912381 D.71238 4618 4618 13. 1.912381 D.71238 4618
1,000	1.912911 0.105211 6467 142. 1.912141 0.106711 1465 7040 712. 1.912141 0.106711 1465 7040 712. 1.912214 0.106711 1465 7040 712. 1.912214 0.106711 1465 7040 712. 1.91221 0.101219 1610 712. 1.91221 0.101219 712. 1.912221 0.101219 712. 1.912221 0.101219 712. 1.912222222222222222222222222222222
1,000 10,000 1,0	1.97266 0.66575 7040 31.2 1.97468 0.66575 7040 31.2 1.973448 0.705412 9778 34.2 1.973747 0.105612 9778 34.2 1.97374 0.10179 4614 41.2 1.97354 0.70179 4614 41.2 1.97354 0.70179 4614 41.2 1.97354 0.70179 4614 41.2 1.97350 0.647059 9803 41.2 1.97350 0.647059 9803 41.2 1.97351 0.70171 4812 10.2 1.97371 0.72171 4812 10.2 1.97472 0.70171 10.2 1.97472 0.70171 4812 10.2 1.97472 0.70171 4812 10.2 1.97472 0.70171 4812 10.2 1.97472 0.70171 10
1,000	1.924696 0.446235 7040 31.3 1.927407 0.706731 4765 23.4 1.923747 0.40173 7137 714.6 1.923747 0.40173 7137 714.6 1.923747 0.401235 4644 41.0 1.92324 0.701235 4644 73.4 1.92324 0.701235 4643 73.4 1.92324 0.701333 4643 71.0 1.91972 0.701333 4643 71.0 1.91972 0.701333 4643 71.0 1.91972 0.701333 4643 71.0 1.91972 0.701333 4673 71.0 1.91972 0.701333 4673 71.0 1.91972 0.701333 4673 71.0 1.91972 0.701333 4673 71.0 1.91972 0.701333 4673 71.0 1.91972 0.701333 4673 71.0 1.91972 0.701333 4673 71.0 1.91972 0.701333 4674 71.0 1.91972 0.701333 4674 71.0 1.91972 0.701333 4674 71.0 1.91972 0.701333 4674 71.0 1.91972 0.701333 4674 71.0 1.91972 0.701333 4674 71.0 1.91972 0.701333 4674 71.0 1.91972 0.701333 4674 71.0 1.91972 0.701333 4674 71.0 1.91972 0.701333 4674 71.0 1.91972 0.70134 9654 41.0 1.91972 0.70134 9654 41.0 1.91972 0.70134 9674 71.0 1.91972 0.70134 9674 9674 71.0 1.91972 0.91972 9744 9744 9744 9744 9744 9744 9744 9
	1.912449 0.106612 9338 1.912161 0.106612 9338 1.912524 0.701299 4614 413 1.912532 0.647059 9809 461 1.9122581 0.701323 4613 115 1.9122581 0.701323 4613 115 1.9122581 0.701323 4613 115 1.9122581 0.701323 4613 115 1.9122581 0.701323 4613 115 1.9122582 0.701323 4613 115 1.9122582 0.701323 4613 115 1.9122582 0.701323 4613 115 1.9122582 0.701323 4613 115 1.9122582 0.701323 4623 115 1.9122582 0.701323 4623 115 1.9122582 0.701323 4623 115 1.9122582 0.701323 4623 115 1.9122582 0.701323 4623 115 1.9122582 0.701323 4623 115 1.9122582 0.701323 4623 115 1.9122582 0.701323 4623 115 1.9122582 0.701323 4623 115 1.9122582 0.701323 4621 135 1.9122582 0.701323 4621 135 1.9122582 0.701323 4621 135 1.9122582 0.701323 4621 135 1.9122582 0.701323 4621 135 1.9122582 0.701323 4621 135 1.9122582 0.701323 4621 135 1.9122582 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.701323 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912258 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.912268 0.70123 4621 135 1.91226
	. 953167 0.64375 7137 314. . 915254 0.701295 4614 41. . 915254 0.701295 4614 41. . 915131 0.722323 4614 41. . 915256 0.642037 4615 17. . 916259 0.72231 14135 17. . 916259 0.72231 14135 17. . 916259 0.72231 14135 17. . 916259 0.72231 14135 17. . 916259 0.70231 14135 17. . 916259 0.70231 14131 14. . 916259 0.70231 14131 14. . 916259 0.70231 14131 14. . 916259 0.70231 14131 14. . 916259 0.70231 1413 17. . 916269 0.70231 1413 1413 14. . 916269 0.70231 1413 1413 14. . 916269 0.70231 1413 1413 14. . 916269 0.70231 1413 1413 1413 14. . 916269 0.70231 1413 1413 1413 1413 1413 1413 1413 1
	195254
	. 970502 0.647059 9809 (4.5) . 97173 0.64373 6126 32.1 . 972581 0.67273 14559 17.5 . 970749 0.727321 14559 17.5 . 970749 0.72733 16109 43.1 . 970789 0.70733 16109 43.1 . 970789 0.791714 1474 14.5 . 970789 0.791719 4933 29.0 . 970789 0.791719 4933 29.0 . 970789 0.791719 4933 29.0 . 971719 0.791719 4823 17.2 . 97272 0.791719 4823 17.2 . 97272 0.74747 663 37.0 . 97272 0.74747 663 37.0 . 97272 0.74747 663 37.0 . 97272 0.74747 663 37.0 . 97272 0.77474 1873 17.2 . 97272 0.74747 1874 19.7 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.74747 19.0 . 97272 0.77574 19.0 . 97272 0.75595 19.0 . 97272 19.0 . 97272 19.0 . 97272 19.0 . 97272
	191177 0.649173 6124 17.5 1
1,416 104,184 123 1,4150 0,012622 12,1716 12,2112 13,173 1,6173 0,17938 1,1716 1,1716 1,1717 1,6173 0,17938 1,1716 1,1717 1,6173 0,17938 1,1717 1,6173 0,17938 1,1717 1,6173 0,17938 1,1717 1,17	. # # # # # # # # # # # # # # # # # # #
1,4869 172,513 306 1,4379 0,73938 139 1,7377 2001,23 137 1,722 1,5353 0,642341 12 1,7252 201,514 313 1,5279 0,54931 12 1,1508 176,231 113 1,2079 0,54931 10 1,1508 176,231 113 1,2079 0,54931 10 1,2403 214,502 113 1,5133 0,18218 10 1,2404 214,602 113 1,5133 0,18218 10 1,2404 214,602 113 1,5133 0,18218 10 1,2404 214,602 113 113 1,5134 0,62219 11 1,251 209,039 101 1,5104 0,62219 11 1,241 21,002 113 114 1,5104 0,62219 11 1,003 102,003 101 1,1301 0,63014 10 1,003 102,003 101 1,1301 0,63014 10 1,003 102,003 101 1,1301 0,63014 10 1,003 102,003 101 1,1301 0,63019 11 1,004 102,24 11 1,1301 0,64019 11 1,004 102,24 101 1,1314 0,13261 10 1,004 102,24 101 1,1314 0,13261 10 1,007 102,24 101 1,1314 0,13261 10 1,007 102,24 101 1,1314 0,13261 10 1,007 102,24 101 1,1314 0,13261 10 1,007 102,24 101 1,1314 0,13261 10 1,007 102,24 101 1,1314 0,13261 10 1,007 102,24 101 1,1314 0,13261 10 1,007 102,24 101 1,1314 0,13261 10 1,007 102,24 101 1,1314 0,13261 10 1,007 102,24 101 1,1314 0,13261 10 1,007 102,27 102,013 104 1,1312 0,13261 10 1,007 102,27 102,013 101 1,1312 0,13261 10 1,007 102,013 101 1,1312 0,13218 11 1,007 102,013 101 101 1,1312 0,13218 11 1,007 102,013 101 101 1,1312 0,13218 11 1,007 102,013 101 101 1,1312 0,13218 11 1,007 102,013 101 101 1,1312 0,13218 11 1,007 102,013 101 101 1,1312 0,13218 11 1,007 102,013 101 101 101 101 101 101 101 101 101	. 102250
	. # # # # # # # # # # # # # # # # # # #
1,725	. 910769 0.791111 1810 15109 17.1 910769 0.701713 15109 15109 . 910769 0.701713 1510 17.0 . 91572 0.65653 4540 17.2 . 91573 0.76523 4550 17.2 . 91787 0.701713 1566 17.2 . 91787 0.701713 1586 17.2 . 91787 0.701713 1586 17.2 . 91787 0.701713 1586 17.2 . 91787 0.701713 1609 17.2 . 91787 0.715536 9000 17.2 . 91786 0.717373 1609 17.2 . 91786 0.717373 1609 17.2 . 91786 0.717373 1609 17.2 . 91786 0.717373 1609 17.2 . 91787 0.75593 6609 17.7 . 91787 0.75593 6609 17.7 . 91787 0.75593 6609 17.7 . 91787 0.75593 6609 17.7 . 91787 0.75593 6609 17.7 . 91787 0.75593 6609 17.7 . 91787 0.75593 6609 17.7 . 91787 0.75593 6609 17.7 . 91787 0.75594 6609 17.7 . 91787 0.75595 660
	. 916289 0.791111 4519 17.0 . 910781 0.791141 4878 17.0 . 91878 0.60116 10661 17.0 . 91887 0.60116 10661 17.0 . 91887 0.60111 4873 17.0 . 91887 0.60111 4873 17.0 . 91878 0.61111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.71111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.7111 4873 17.0 . 91878 0.711 9.711111111111111111111111111111111
116.08 176.231 119	.940789 0.79444 4878 34.0 .949321 0.833313 4933 23.0 .921675 0.46634 4873 41.2 .921675 0.46134 4873 41.2 .921675 0.461313 4863 38.2 .92162 0.74131 4863 38.2 .92171 0.72131 4863 38.2 .92171 0.72131 1886 41.8 .93143 0.72131 1886 11.8 .931667 0.73333 1886 13.2 .91667 0.73333 1886 13.2 .91667 0.73333 1886 13.2 .91668 0.75333 1886 13.2 .91668 0.75333 1886 13.2 .92171 0.52259 6609 35.8 .92186 0.75333 1886 13.2 .92186 0.75333 1886 13.2 .92187 0.75592 4852 13.2
11.752 1	. 95682
1, 544	. 195612 0.561613 4560 . 921675 0.765214 4873 417.2 . 915015 0.71513 4563 18.5 . 907692 0.51618 458 18.5 . 927512 0.71518 4429 18.5 . 921512 0.71517 4879 18.5 . 921512 0.71517 4879 18.5 . 921512 0.71518 1879 18.7 . 91667 0.71518 1879 18.7 . 91667 0.71518 1879 18.7 . 91667 0.71518 1879 18.7 . 91568 0.75518 1879 18.7 . 91518 0.75518 1879 18.7 . 921518 0.75518 1879 18.7 . 921518 0.75518 1879 18.7 . 921518 0.75518 1879 18.7 . 921518 0.75518 1878 18.7 . 921518 0.75518 48.8 . 921518 0.75518 68.8 . 921518 0.755
1, 1, 1, 1, 2, 2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	.9151073 0.013131 4663 38.73 .915108 0.013131 4663 38.73 .905552 0.626923 15866 41.6 .921212 0.724913 6129 15.5 .921212 0.724913 6129 15.5 .921212 0.724914 6879 15.5 .921212 0.724916 2293 16.7 .921213 0.92123 1001 13.7 .921213 0.92123 1001 13.7 .921213 0.92123 1001 13.7 .921213 0.92123 1001 13.7 .921213 0.92123 1001 13.7 .921213 0.92123 1001 13.7 .92122 0.725923 6603 13.7 .92122 0.725923 6603 13.7 .92122 0.725923 6603 13.7 .921528 0.725923 6603 13.7 .921528 0.725923 6603 13.7 .921528 0.725923 6603 13.7 .921528 0.725923 6603 13.5 .921528 0.725923 6603 13.5 .921528 0.725923 6603 13.5 .921528 0.725923 6603 13.5 .921528 0.725923 6603 13.5 .921528 0.725923 6603 13.5
1,47	997699 0.61913 4354 4354 43.5 43.5 43.5 43.5 43.5 43.
	.907692 0.626921 15466 14.6 .907532 0.626921 15466 14.6 .937512 0.736135 6129 15.2 .921212 0.72413 6879 15.2 .931213 0.728162 9810 36.9 .931531 0.8125 94 17.7 .931551 0.8125 94 17.7 .931551 0.8125 94 17.7 .931551 0.81313 1606 39.0 .931559 0.713333 1606 39.0 .931559 0.713333 1606 39.0 .931559 0.713333 1606 39.0 .931559 0.713333 1609 35.9 .931559 0.713333 9931 50.1 .921529 0.755952 4852 36.2 .921529 0.755952 4852 36.2 .921529 0.715585 5096 61.0
1.512 170.645 141	
1.98	. 921212 0.747617 6815 45.2 . 796607 0.53162 9810 16.9 . 933163 0.788162 3337 46.7 . 9321 0.61362 986 17.2 . 91667 0.78331 1806 139.7 . 91667 0.78333 1806 139.7 . 91708 0.78333 1806 139.7 . 91708 0.78333 1806 139.7 . 921369 0.60136 7729 56.8 . 933962 0.78359 6609 137 92029 0.78592 6609 137 92029 0.78592 6609 13.7 . 92029 0.78592 6822 6836 41.8 . 92029 0.78593 4852 36.8 . 92029 0.78593 4852 36.8 . 921528 0.78593 4852 36.8 . 921528 0.78593 4852 36.8 . 921528 0.78593 4852 36.8 . 921528 0.78593 4852 36.8 . 921528 0.78593 4852 36.8 . 921528 0.78593 4852 36.8 . 921528 0.78593 4852 36.8
7.139 7.130 7.139	9331(3 0.748162 7337 41.7 9315 0.748162 7337 27.8 921531 0.817436 7293 77.2 931667 0.735313 1004 39.7 931738 0.725333 10014 39.7 931359 0.401136 7229 34.8 931962 0.73539 6609 35.9 931962 0.73539 6609 36.1 932029 0.75592 6609 36.7 932029 0.75592 6609 36.7 932029 0.75592 6609 36.7
6.516 10.525.65 10.7 1.79705 0.595312 15.616 15.616 13 1.7913 0.50579 4.7616 13 1.7913 0.50579 4.7616 13 1.7913 0.50579 4.7616 13 1.7913 0.50579 4.7614 10.2000 13.1 1.7913 0.565906 6.7013 1.02.000 13.1 1.7913 0.565906 6.7013 1.02.000 13.1 1.7513 0.75130 1.65130	.835 0.7951(5 5227 27.7 .87669 0.647(36 7293 72.2 .81667 0.715316 1849 58.0 .91667 0.715313 10814 39.7 .91508 0.725313 10814 39.7 .915287 0.715556 8000 55.9 .91549 0.401136 7729 54.8 .825095 0.59259 6609 137. .825095 0.512849 9626 43.7 .825095 0.755952 4852 36.3 .926518 0.755952 4852 36.3
6.516 209.039 101 1.17013 0.65566 11 6.613 102.008 33 1.21169 0.821825 12 6.613 102.008 33 1.21169 0.821825 12 6.614 39.8139 272 1.71319 0.62137 14 6.626 17.031 102.008 0.377872 16 6.016 256.926 161 1.139135 0.695233 17 6.016 256.926 161 1.13913 0.695233 17 6.016 256.926 161 1.13913 0.695233 17 6.016 256.926 163 1.13914 0.720113 16 6.016 256.926 163 1.13914 0.720113 16 6.016 256.926 163 1.13914 0.73014 16 6.017 0.017 0.017 0.017 0.017 18 6.018 25.92 25.91 18 6.018 25.91 256 1.9101 0.69512 18 6.018 25.91 256 1.9101 0.69512 18 6.018 25.91 356 250 1.11679 0.69512 18 6.256 20.623 173 1.11679 0.79513 16 6.292 293.953 173 1.16163 1.2616 18 6.292 293.953 173 1.16163 1.2616 18 6.292 293.953 173 1.26172 0.69512 18 6.292 293.953 173 1.26172 0.69516 18 6.292 293.953 173 1.26172 0.69516 18	916667 0.617(1)6 7293 72.2 916667 0.712333 1808 39.0 91608 0.712333 1808 39.0 91708 0.7125333 18814 39.7 937238 0.717779 9654 (1.0 93724 0.601136 7229 34.8 933962 0.713333 9931 50.1 92625 0.72592 6609 137. 92628 0.75592 6609 137. 92628 0.75592 6609 137. 92628 0.75592 6608 137. 92628 0.75592 6608 13.7 92628 0.75592 6618 13.5
1.453 31.0909 33 1.21149 0.564506 6. 1.664 59.8199 272 1.75519 0.421025 12 1.091 405.415 161 1.0000 0.31797 14 1.64 29.814 226 141 1.39135 0.655295 13 1.658 176.546 141 1.39135 0.615529 13 1.673 362.354 14	916667 0.765716 1949 59.0 91606 0.725333 1006 19.7 921203 0.725345 9000 55.9 931219 0.715556 9000 55.9 931219 0.707136 7729 54.0 931362 0.707135 9331 50.1 92203 0.52593 6609 137. 92203 0.51849 9626 47.7 92203 0.75592 4852 36.3 921528 0.75592 4852 36.3
0.193 102.000 121 1.47207 0.736106 12 1.664 59.8199 272 1.75519 0.421823 10 1.093 675.424 226 1.08009 0.377872 16 5.68 176.546 111 1.79735 0.695293 17 0.075 362.354 08 7.75351 0.812532 7. 0.075 362.354 08 7.75135 0.705393 13 0.075 362.354 08 7.75134 0.82500 16 6.016 356.614 227 1.71139 0.720613 16 5.78 192.903 1319 1.13714 0.720613 16 5.78 192.903 1319 1.13714 0.720613 16 5.78 192.903 1319 1.13714 0.720613 16 5.78 192.913 130 1.13714 0.73511 10 5.78 26.713 130 1.13714 0.75511 10 5.78 26.713 130 1.13719 0.603428 16 5.88 26.725 31 1.13679 0.603428 15 6.26 20.623 173 1.13679 0.66513 17 6.26 221.953 173 1.72537 0.41491 16 7.31 330.721 172 1.72537 0.41491 16 7.31 330.721 172 1.72537 0.41491 16 7.31 330.721 172 1.72537 0.41491 16 7.31 330.721 172 1.72537 0.41491 16	916667 0.713333 1806 914708 0.725333 10834 913738 0.717778 9654 931358 0.717778 9654 931362 0.717778 9654 931962 0.713135 9931 92035 0.621849 9626 92035 0.755952 4862 921518 0.755952 4862
1.093 636.435 161 1.3933 0.61397 16 1.46 256.824 276 1.00000 0.37787 15 0.675 342.354 40	925207 0.715556 9000 937230 0.717556 9000 931369 0.401136 7729 931962 0.713333 9931 925055 0.5429 6609 790036 0.621819 9626 90071 0.69123 6671 92629 0.755952 4862 921520 0.755952 4862
1.46	911714 0.177719 9654 911567 0.401136 7729 911962 0.592593 6609 913962 0.713333 9931 925055 0.5129 9626 790036 0.621849 9626 900763 0.698235 6671 92029 0.755952 4862 921518 0.15
0.075 3(2.354 (f	. 933962 0.73333 9933 5.9339603 13.93962 0.73333 9933 5.939603 13.93960 13.939623 6603 13.939623 6603 13.939623 6603 13.9396 6.339623 6671 13.939623 6671 13.939623 6671 13.939623 6671 13.939623 6671 13.939623 6671 13.9396
6.626 11.7677 194 1.42126 0.710595 15 6.016 156.767 217 1.71119 0.920006 16 5.708 192.903 110 1.13714 0.47701 12 7.181 210.671 127 1.13714 0.47701 12 7.181 210.671 127 1.14539 0.487401 17 7.181 210.671 170 1.57740 0.797425 17 7.18 26.775 190 196 1.77740 0.797425 17 8.316 267.719 196 1.77740 0.795421 14 9.316 267.719 196 1.71704 0.795431 14 9.316 267.719 196 1.71704 0.795431 14 9.316 267.719 196 1.71704 0.795431 17 2.317 185.775 197 1.71773 0.76718 17 6.252 293.753 172 1.71717 0.78731 14 6.252 293.753 172 1.77743 0.71440 15	.911962 0.713133 9931 5 .825055 0.5425 7980 3 .790036 0.621819 9626 4 .900763 0.698225 6671 3 .92029 0.755952 4862 3 .921528 0.75
5.613 136.267 217 3.7(119 0.82009 16.5016 35.614 222 1.44100 0.720(19 16.5) 5.788 192.983 110 1.13714 0.47700 12.7.181 210.624 123 1.24127 0.397425 13.6.367 410.524 167 1.24127 0.397425 13.6.367 410.524 167 1.24127 0.397425 13.6.389 14.6.375 0.497425 13.6.389 14.6.375 0.497425 13.6.389 14.6.375 0.693426 16.5912 18.6.375 0.693426 16.5912 18.6.375 0.693426 16.5912 16.3512 0.693426 16.3512 10.0435 230 1.6452 0.473517 13.6.3512 13.6.375 13.6.37	. #25055 0.5429 7 . 790016 0.621849 9 . 900761 0.698225 6 . 92029 0.755952 6 . 921528 0.15
5.788 192,983 118 1.113184 0.48708 12. 7.181 210.674 127 1.14539 0.487604 12. 2.6 392,476 120 1.24127 0.392423 13. 2.6 392,476 120 1.54127 0.392423 13. 2.18 262,719 196 1.41704 0.194916 15. 2.18 262,725 91 1.06621 0.693426 16. 2.51 185,871 244 1.06621 0.295161 10. 2.51 268,673 139 0.66418 13. 2.51 268,673 139 2.47642 0.27588 13. 2.51 268,673 139 2.47542 0.27588 13. 2.51 230,721 134 2.47542 0.27588 13. 2.51 230,721 172 1.77512 0.61491 14. 7.351 330,721 172 1.77512 0.61491 14.	.900763 0.690223 6 .92029 0.755952 4 .921529 0.75
7.181 210.674 127 1.14539 0.487404 17. 6.367 410.524 167 1.24127 0.397425 17. 7.6 397.476 170 1.57740 0.397425 17. 8.388 262.719 196 1.41704 0.195911 14. 9.388 262.719 196 1.41704 0.195911 15. 9.190 136.725 91 1.01662 0.295161 10. 9.67 185.871 244 1.96013 0.460197 18. 6.381 30.6237 194 2.47542 0.427581 13. 6.382 293.853 132 1.64627 0.79431 14. 6.392 293.853 172 1.64627 0.79431 14. 6.393 293.853 172 1.57532 0.41491 14.	.92029 0.755952 4 .921528 0.73 0.715286 9
2.6 392.425 1.24127 0.392425 1.2 2.6 392.436 120 1.53760 0.355983 14.2 9.30 242.319 194 1.41704 0.034936 15.2 0.742 93.7418 213 1.36903 0.663426 16.2 9.19 156.725 91 1.04663 0.255161 10.2 9.19 156.725 91 1.04663 0.360187 18.2 1.51 36.623 1.39 1.13679 0.45587 13.2 0.854 20.8237 194 2.47542 0.327580 13.2 6.262 293.953 173 1.54627 0.79437 14.2 1.368 23.741 201 1.77537 0.41491 14.2 1.368 23.741 201 1.77537 0.41491 14.2	. #31927 0.18266 #
9.10 262.119 196 1.11704 0.034916 15. 9.19 156.72 91. 118. 1.9661 0.693426 16. 9.19 156.72 91. 1.9661 0.295161 10. 9.61 185.871 244 1.96013 0.860187 18. 10.752 70.0435 230 1.613129 0.606418 17. 2.514 368.635 137 1.13672 0.927518 13. 6.262 291.853 131 1.64627 0.78431 14. 7.331 330.721 172 1.5462 0.631491 14. 7.348 427.1 201 1.775372 0.631491 14.	
0.712 93.7418 213 1.76903 0.693428 16.99.190 156.725 91 1.06663 0.295161 10.99.190 156.725 91 1.06663 0.295161 10.99.191 12.961 10.395161 10.395161 10.395161 10.3951 12.3951 13.952 13.99 0.69513 13.9951 13.	. 713114 0.11444
6.751 105,071 244 1.96013 0.86018 18 6.751 70.0435 230 1.69379 0.405418 17 2.384 360,673 194 2.47542 0.927389 13 6.348 234.29 143 1.34493 0.456749 13 6.352 291.953 173 1.64627 0.79437 14 7.351 330,721 172 1.72537 0.41491 14	. \$3(7)1 0.3(7)24 9
6.752 70.0435 230 1.43129 0.406419 13. 2.514 360.655 131 1.13679 0.452514 13. 0.856 30.6237 194 2.47542 0.927510 13. 6.568 234.29 143 1.34169 0.665749 13. 6.292 293.953 131 1.44627 0.79431 14. 7.331 330.721 172 1.77532 0.634440 15.	.91667 0.6
2.584 368.695 187 1.13679 0.473587 13 0.856 30,6237 194 2.47642 0.927588 15 6.368 234.29 183 1.34163 0.666785 15 6.392 293.953 173 1.64627 0.79437 14 7.331 330,721 172 1.72537 0.41491 14 7.368 427.1 201 1.775372 0.634468 15	. 916302 0.104196 9
6.362 234.29 143 1.34103 0.665743 13 6.292 293.953 171 1.64627 0.79437 14 7.331 330,721 172 1.75537 0.41491 14 7.368 427.1 201 1.79372 0.634440 15	1 11111 0 111111 1
6.292 291.953 171 1.61627 0.79437 14 7.331 330.721 172 1.72537 0.43491 14 7.368 427.1 201 1.79532 0.63446 15	. 943239 0
7.331 330.721 172 1.72537 0.4149 14 1.36 423.1 201 1.79372 0.43440 14	5 101515 0,693301 5
	2 (1911) 0 11/1/20.
2.924 157.769 121 1.3141 0.654761 12	. 916667 9.73
9.001 (86.964 435 3,70117 0.9(8955 23	.1(159 0.402778 1

WO 00/70528

	266,215 122,144 160 1.1954 125,245 113,046 15,046 125,445 125,445 126,232 131,246 151 1,0454 125,445 126,232 131,246 131,145 145,445	0.4998819 0.777700219 0.777700219 0.777700219 0.677770019 0.677770019 0.677770019 0.6777777777777777777777777777777777777	0.9157 0.9157			26, 513 21, 25, 113 21, 212 21, 212		
	245.214 411.026 17 1.1316 255.662 375.59 66 1.59 1.50 266.237 275.59 26 1.59 1.50 266.237 275.59 27 1.50 266.237 275.24 171.24 26 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.24 27 1.50 276.271 171.27 27 1.50 276.271 17	0.497659 0.777669 0.777669 0.777669 0.777669 0.777669 0.777669 0.777669 0.77769 0.77	6622 0.01111111111111111111111111111111111			28.951 41.9027 41.9027 41.9026 41.1628 46.3146 51.1628 46.3146 11.0021 11.0		
	255,945 255,041 255,041 255,041 255,041 256,139 277,139 277	0.222222222222222222222222222222222222	22			11. 2127 11. 9006 11. 9006 11. 16.0 11. 16.0 11. 16.0 11. 10.0 11. 10		
	251,001 261,502 261,503 261,103 261,103 261,103 261,103 261,103 271,00	0.000000000000000000000000000000000000	22.0 0 0 9171 23.0 0 0 9171 24.0 0 0 9171 25.0 0			11. 900 (1) 10		
	261, 202 213, 203 111 1.502 213, 204, 204 111 1.503 213, 205, 202 111 1.503 213, 203, 203, 204, 204 111 1.503 213, 203, 203, 203, 203, 203, 203, 203, 20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1115 1115			11. 9006 (1). 1656 13. 1558 14. 1658 15. 1618 15. 1618 16. 1618 17. 1042 18. 1043 18. 1043 19. 1043 10. 1		
	261, 20 20 20 20 20 20 20 20 20 20 20 20 20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1111			(1).1656 31.5631 61.3164 61.3167 16.3167 16.3167 17.1047 18.7393 17.1047 18.7393 18	**************************************	
	266.133 202.202 151. 151. 151. 151. 151. 151. 151. 151		1111 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			75.534 51.5637 51.6167 51.617 51.617 51.617 51.617 51.617 51.617 51.70		
	231, 059 285, 098 267 271, 059 285, 098 267 271, 059 285, 098 267, 198 271, 198 271 271, 059 271, 198	0.000000000000000000000000000000000000	1116 6 91 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			24.5623 61.3463 61.3464 31.1123 31.1123 31.0593 31.	2468844484644464446446446	
	211, 055 211, 052 211, 512 211, 512 211, 512 211, 513 21,		1111 1111			56. 551 51. 611 37. 1429 66. 3416 36. 069 36. 069 37. 1042 37. 1042 37. 1043 37. 106 37. 106		
	216.102 191.11	0. 422 0. 422 0. 422 0. 60 60 60 60 60 60 60 60 60 60 60 60 60	11176 0.920 51176 0.920 51176 0.920 51176 0.921 51177 0.91111 51177 0.91111 51177 0.91111 51177 0.91111 51177 0.91111 51177 0.9111 51177 0.9111 51177 0.9111 51177 0.9111 51177 0.9111 51177 0.9111 51177 0.9111 51177 0.9111 51177 0.9111 51177 0.9111			51. 16. 31. 10.2 16. 30.6 31. 10.2 31. 10. 10. 10. 10. 10. 10. 10. 10. 10. 1		
	216.512 291.110 85 121 125.22 46 121 125.22 46 121 125.22 46 121 125.22 46 121 125.22 46 121 125.22 46 121 125.22 46 121 125.22 46 121 125.22 46 121 125.22 46 122 122 122 46 122 122 122 46 122 122 122 46 122 122 122 46 122 122 122 46 122 122 122 46 122 122 122 122 46 122 122 122 122 122 122 122 122 122 12		111.99 0.92.11.00 0.92			21.1429 46.3446 31.1429 31.1042 41.1042 31.0513 31.0513 31.0513 31.0513 31.0513 31.0503 31.	222222222222222222222222222222222222222	
	285.376 201,688 221 1.552 285.376 201,688 221 1.750 281.16 219.31 165 165 1.750 285.376 202,682 221 1.750 285.376 202,882 159 1.750 286.382 159 150 1.750 286.382 159 150 1.750 286.382 150 1.750 286.382 150 1.750 286.382 150 1.750 286.383 150 160 1.750 286.383 160 160 170 170 170 170 170 170 170 170 170 17	0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	25176 0.91776 0.91776 0.91776 0.91776 0.91776 0.917776 0.917776 0.917775 0.917775 0.917775 0.917775 0.917775 0.917775 0.91777777777777777777777777777777777777			21.16 25.1916 21.1067 21.1067 21.1067 21.1086 21.10		
	285.726 201.681 221 281.4 319.71 105.202 46 281.4 319.71 105.202 46 281.4 319.71 105.202 46 281.4 319.71 105.202 46 281.4 319.71 105.203 105 281.4 319.71 105.203 105 281.7 105.203 105.204 105 281.8 30.4 30.4 30.4 30.4 30.4 30.4 30.4 30.4	0.62 0.62 0.63	2875 5875 5875 5875 5875 5875 6975			15.059 17.1047 17.1		
	291.4 119.71 115.724 46 1.729 412.724 46 1.291.61 1 100.14 125.182 1139 1139 1131 1131 1131 1131 1131 113		2225 2225 2225 2225 2326 2326 2326 2327			71, 1042 71, 1042 71, 1042 71, 1043 72, 1053 71, 10		
	291.4 291.631 291.631 291.631 291.631 290.631 200.141	0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	50 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5			11, 10, 12, 13, 13, 13, 13, 13, 13, 13, 13, 13, 13		
	191.651 412.744 152 159.161 191.651		22.63 23.63 23.64 23.65 23			26.2539 26.2539		
	199,182 199,216 199 1,257 199,182 199,182 199, 183 1,257 199,182 199 1,257 199,182 199 1,257 199,182 199,182 199,182 199,182 199,182 199,182 1,257 1,257	0.60 0.60 0.60 0.71	2225 51175 511			25.75 26.75 27.0943 27.0943 27.095 27.095 27.095 27.195		
	199.162 265.162 159 1.952 1.	0. 60	2255 6156 6054 6054 6055 6156 6055 6156 6055 6156 6055			25.75 27.70 27.70 27.70 27.70 27.70 26.70 26.70 26.70 26.70 26.70 26.70 26.70 26.70 26.70 26.70 27.70		
	100,14 156,18 192 1,189 1,18	0 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 .	2115 0.51 1115 0.61 1115 0.91 0.91			20.110 21.1006		
	111.5 12.05 161 115	0.1945 0.1946	1115 0.915 1115 0.915 1115 0.915 1115 0.915 1115 0.915 1115 1115 1115 1115 1115 1115 1115			27.1086 29.2451 39.2451 31.05111 26.1811 26.1811 26.1811 26.1811 26.1811 26.1811 26.1811 26.1811 27.2239 27.2239 27.1411 27.1411 27.1611 27.1611 27.1611		
	106.77 132.84 161 1.130 117.161 21.811 100 1.130 118.772 43.06 150 2.180 118.773 222.446 145 1.216 118.773 222.446 145 1.216 121.232 131.45 203 1.216 121.232 131.45 203 1.216 121.232 131.45 203 1.216 121.232 131.45 130 1.470 131.232 131.24 201 1.470 131.232 132.332 133 1.243 131.233 132.332 130 1.243 131.244 102.31 168 1.224 131.244 102.31 168 1.326 131.244 103.31 168 1.326 131.244 103.31 103 1.243 131.244 103.31 103 1.483 131.244 131.344 131 1.483 131.244 131.344 131.344 133 1.483 131.244 131.344 131.344 133 1.483 131.244 131.3	0.00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2013 2013			21, 20% 21,		
	11, 12	0.00.00 0.00.00 0.00.00 0.00.00 0.00.00 0.00.0	2013 0 .912 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1			20,2453 21,0533 21,0533 21,0533 21,120 21,120 21,122 21,122 21,122 21,233 21,233 21,233 21,12		
	11, 12	0.61242 0.62342 0.62342 0.62342 0.62342 0.74243 0.7	200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			24.10511 24.125 24.126 24.126 24.126 26.197 26.197 26.253 26.253 27.253	272222222222222222222222222222222222222	
	111,72	0.01010 0.0101	200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		2000 2000 2000 2000 2000 2000 2000 200	24.851 24.120 24.120 24.120 26.3419 26.3411 26.0219 35.0201 27.2239 27.1471 27.1471 27.1471	273232222222222222222222222222222222222	
	115.719 222.416 115 115.719 127.416 115 115.719 127.416 115 115.719 127.416 115 127.719	0.62369 0.52699 0.52699 0.72699	200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			26.551 26.7119 26.7119 26.7119 26.7119 26.7119 36.0019 37.0201 27.2239 27.1471 39.824		
	111.612 196.044 147 1.750 1.	0.52,255 1 0 0.53,255 1 0 0.52,255 1 0 0.52,255 1 0 0.52,255 1 0 0.52,255 1 0 0.52,255 1 0 0.52,255 1 0 0.52,255 1 0 0.52,555 1 0 0.52,	25			26.120 26.120 26.120 26.120 26.120 26.120 31.020 27.2239 27.1171 27.1171 27.1171 27.1171		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	11, 121 11, 45 20	0.5225 0.62316 0.62316 0.62316 0.62316 0.726213	2012 2012 2012 2012 2012 2012 2012 2013 2013		10000000000000000000000000000000000000	24,120 26,2479 26,2539 26,0039 33,0203 27,2239 28,3473 29,610 39,826		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	121.895 131.45 202 121.895 131.626 89 1.21.895 131.626 89 1.21.895 131.615	0.6239 0.6239 0.6239 0.6239 0.7373 0.	2222 2222 2223 2223 2223 2233 2234 2234		10000000000000000000000000000000000000	10.301 20.3985 30.3985 30.3985 30.3985 30.3030 30.3030 30.3030 30.3030 30.3030 30.3030 30.3030 30.3030 30.3030 30.3030 30.3030 30.3030		2222222222222
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	127.232 115.626 199 1.21.232 1.62.6 199 193	0.151150 0.1	25.25.25.25.25.25.25.25.25.25.25.25.25.2			26.9412 26.9813 26.985 36.2838 35.0203 42.2239 29.1478 39.826		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	224.685 665.333 153 1.7 1.7 1.8 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3 1.3	0.101120 0.1	2000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000	1010 1010 1010 1010 1010 1010 1010 101	26.59531 26.59531 36.2939 36.2939 37.0203 37.2239 37.6116 39.8246		***********
10.00 10.0	11	0.16133 0.16136 0.16136 0.16136 0.16131 0.16131 0.16131 0.16131 0.16131 0.16131 0.16131 0.16131 0.16131	25252 25252 25252 25252 25253 25353 25353 25353 25353 25353 25353 25353 25353 25353 25353 25353 25353 25353 25354		1920 1920 1920 1920 1920 1920 1920 1920	26.9831 36.2838 36.2838 36.0038 37.0203 42.2239 27.1478 37.6118	2222222222	
11, 11, 11, 11, 11, 11, 11, 11, 11, 11	115,276 141,101 151 141,101 151 141,016 151 141,016 151 141,016 151 141,016 151 141,016 151 141,016 151 141,016 151 141,016 151 141,016 151 141,016 151 141,016 151 15	0.012121 0.012121 0.012121 0.012121 0.012121 0.012121 0.012121 0.012121 0.012121 0.012121	2002 2007 2007 2006 2006 2007 2007 2007			26.2536 31.0201 31.0201 22.223 29.1471 39.824	22222222	
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	115.277 12.016 13.1 1.015 1.	0.36131 0.36131 0.36131 0.36131 0.36131 0.36131 0.616131 0.616131 0.616131 0.616131 0.616131 0.616131 0.616131 0.616131	255 276 2776 2776 2777 2777 2777 2777 27			16.0010 13.0201 12.2239 28.1478 13.6110 13.8126	*********	
10, 11, 11, 11, 11, 11, 11, 11, 11, 11,	141.624 192.101 149 1.01 1.01 1.01 1.01 1.01 1.01 1.01 1.0	0.55131 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	7462 7476 7476 7476 7476 7476 7476 7476		252525	16.0010 33.0201 12.2239 28.1471 31.6110 39.0276	******	**********
10.000 1	141,624 192,104 142 151 151 151 151 151 151 151 151 151 15	0.55131 0.55131 0.55131 0.55133 0.616913 0.616913 1.01691	200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	00000	22222	33,0203 (2,2239 29,3478 33,6116 39,8276	202212	
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	15. 15.	0.552525	25123 0.95 123 123 123 123 123 123 123 123 123 123		22222	25.223 25.1478 31.6116 39.8276	\$22 5	7779777
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	152.95	0.111111111111111111111111111111111111	1123 123 123 125 125 125 125 125 125 125 125 125 125		2725	29.1478 33.6110 39.0276 31.6314	2222	22222
11, 11, 11, 11, 11, 11, 11, 11, 11, 11	15. 16. 16. 16. 16. 16. 16. 16. 16. 16. 16	0.0121313 0.5121313 0.616922 0.616912 0.616913 0.616913	3532	000	200	33.6116 39 39.0276	s = 2	22222
11, 15, 15, 15, 15, 15, 15, 15, 15, 15,	157.182 116.483 116 1.201 151.153 65 110 1.211 151.056 222.399 103 1.211 151.056 22.693 303 1.211 151.155 32.693 303 1.211 151.155 319.154 110 1.312 172.155 319.154 110 1.312 172.155 319.154 110 1.312 172.155 319.154 110 110 1.312 173.154 310 112 112 112 173.154 310 112 112 173.154 310 112 112 173.154 310 112 112 173.154 310 112 112 173.154 310 112 112 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 113 173.154 310 173	0.55225	153 0.91 1532 0.91		2 2	39.0276	==	2222
11.016 11.017 1	161, 151 6 216, 163 116 1, 151 117 151 151 151 151 151 151 151 151	0.616912 1	153 Q.B	•	-	39.1276	~	2
	12 161,157 65 100 100 1,271 11 12 11 11	0.616912 1 0.616611 1 0.895103 2	3512 0.9			11.4714	•	16
17. 17.	13. 151.056 202.399 103 2.2421 15	0.636611			=		15	=
17. 17.	197.556 52.693 303 2.243 15 372.355 309.154 103 1.003 17 35.494 102.31 166 1.776 17 377.230 164.669 172 1.555 18 377.230 164.669 172 1.555 18 30.401 222.932 206 1.345 18 307.01 222.932 206 1.345 18 307.04 201.944 100 1.066 18 393.244 201.944 100 1.066 195.704 10.375 120 1.066	0.195101 2	4318 U. 37	•	1724	19.11.1	-	
	15 169, 901 316, 09 111 1.323 172, 355 389, 154 183 1.081 17 27, 236 102, 31 168 1.776 18 277, 239 164, 669 172 1.555 19 316, 803 125, 803 142 1.913 11 387, 01 222, 932 206 1.313 12 381, 01 281, 914 108 1.866 13 391, 16 400, 719 313 1.713 16 381, 701 201, 914 100 1.866 195, 701 201, 375 120 1.061	0.656322 1	0028 0.65		120	11.5(1)	30	23
	10.1 17.2.355 319.354 103 1.013 17.2.31 164.669 172 1.555 19 37.2.31 164.669 172 1.555 10 316.803 128.603 142 1.623 10 387.01 222.932 206 1.315 11 381.354 305.715 96 1.745 12 397.856 400.719 313 1.713 13 393.741 281.944 108 1.866 15 383.741 281.944 108 1.866 15 383.740 30.375 120 1.054	7774747	1112 0.90	•	Ŧ	39.4919	= ;	-
	13	0.192338 1	2661 0.95	~ •	=	25.5755	92	
177.219 164, 1649 172 1.35547 0.716024 18.3546 0.910024 0.716124 0.716124 0.716	19	0.12617 3	£255 0.91		3	39.27.66	= 5	77
19 10 12 12 13 13 13 13 13 13	19	0.761024	1916 0.9		2	73.1.67	2 2	
11	10	0.668045	5536 0.9		•	11.3133	3 3	
18. 18.	11	0.016959	1162 0.9			11 (11)		: 2
13 131, 134 102, 173 34 1,713 1,71	12 361.354 305.715 36 1.751 13 397.856 400.719 313 1.713 14 389.741 201.944 100 1.866 15 381.741 31.742 103 1.493 16 395.704 20.375 120 1.064	10101.0	1931	, ,	: :	(1,511)	=	9
19	13	77631.0			: =	11.8415	· •	36
18 18 18 18 18 18 18 18	14 349,741 241,944 104 1,055 15 393,248 318,742 105 1,493 26 395,704 20,375 120 1,049	110711.0			. :	11, 22, 22	: =	2
18	15 393,248 318,762 305 7.473 26 395,704 20,375 120 5.044				-	(1 \$11)	•	36
194,70f 10,115 120 1,0110 0,1150 1,1165 0,1165 0,1165 1,1165 1,1165 0,1165 1,1165 0,1165 1,1165 1,1165 1,1165 0,1165 1,1	195, 701 20, 375 120 1, 011	0.74213	200	•		17.0167	=	35
COL. 25 150.016 130 1.10.127 0.10105 12.115 0.10105 1315		0.3436			: :	\$0.000	25	
10 10 10 10 10 10 10 10	17 402.593 150.495 194 . 1.137	0.636363				16.131	: =	
2.9 10.0144 12.1 1.24169 0.505234 0.505214 0.505214 0.505214 0.505214 0.505214 0.505214 0.505214 0.71642 0.505214 0.71642 0.71652 0.605214 0.71642 0.71652	26 107.542 362.016 330 2.104	0.005103		•		1111	: 5	: [
10	1,	0.661333	7711	•		10,4691	: :	: =
11 410.161 472.307 112 7.10231 0.11236 11.6613 0.11359 0.11359 0.11359 0.11359 0.11359 0.11359 0.11359 0.11359 0.11359 0.11359 0.11352 11.6513 0.11352 11.6513 0.11352 11.6513 0.11352 11.6513 0.11352 11.6513 0.11352 11.6513 0.11352 11.6513 0.11352 11.6513 0.11352 11.6513 0.11352 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 51.20 21.7151 0.11414 0.12511 0.11511 0.11511 0.11511 0.11511 0.11511 0.11511 0.11511 0.11511 0.11511 0.11511 0.11511 0.11	1.262	0.610336				10.16	: 2	
	10.101	0.413414			: =	27.466		
13	12 400.940 176.017 174 1.135	0.717.0		; c		11 450)	3.5	7
15 (19.80) 220.05 110 1.2021 0.593793 10.796 0.92973 0.76444 5120 29.31 1.20219 22.66 1.20219 2.20.19 1.20219	13.61 741 101.164 119 (1	27474.0	1111		•	76.9492	: =	
15 (28.197 224.665 172 1.24724 0.393057 12.666 0.928471 0.79 1515 36.31 16.185 36.31 (216.437 36.3016 126 1.24139 0.493057 12.666 0.928471 0.7073 7043 31.71 (316.937 722 1.74737 0.918731 16.9125 0.722333 0.72077 7043 31.71 (316.937 12.182 131 1.74737 0.918733 0.722333 0.72077 7043 31.74 (316.937 12.182 12.182 132 13.14131 0.41873 12.9169 0.767137 12.9169 0.767137 12.9169 0.797133 0.797133 0.797133 0.797133 0.797133 0.797133 0.797133 0.797133 0.797133 0.797133 0.797133 0.797133 0.79713 12.818 12.818 12.818 12.818 0.918713 0.797133 0.79713 0.79713 12.818 12.818 12.818 0.918713 0.797133 0.79713 12.818 12.818 12.818 0.797133 0.79713 12.818 12.818 12.818 0.797133 0.79713 12.818 12.818 12.818 0.797133 0.79713 12.818 12.818 12.818 0.79713 12.818 12.818 12.818 0.79713 12.818 12.818 12.818 0.79713 12.818 12.818 12.818 0.79713 12.818 12.818 12.818 0.79713 12.818 12.81	20.11 911 950.020 108.617 10.102	0.109146		•	- •	24.7634		
	12.42 424.797 424.545 172 1.242	0.333333		=	•	34,3119	36	30
(31.87) (06.93) (24.782 13.782	117 1				•	31, 7252		52
11.155 171.519 120 1.14151 0.18725 12.8159 0.314094 0.767037 4107 34.00 4.11.155 171.519 120 1.21993 0.624703 12.666 0.933333 0.15 4415 35.2 4.11.155 12.722 126 1.3163 0.662130 17.5651 0.914519 0.666109 4650 37.51 4.11.29 464.766 124 1.3193 0.650707 13.159 0.912752 0.700733 3017 36.8 4.12.20 192.315 136 1.66314 0.799045 13.156 0.914919 0.756075 1726 57.9 4.52.32 495.598 306 1.66314 0.799045 19.1192 0.859039 13340 39.5 4.52.32 370.45 200 1.71670 0.926342 19.1192 0.825215 0.659039 13340 39.5	201 1 22 256 401 216 4C) L				-	31.1304		3.5
411.152 (71.21) 12 1.21939 0.614709 12.666 0.931313 0.15 4445 35.2 411.29 (66.766 124 1.3315) 0.662138 17.5551 0.914313 0.668199 (458 37.5 411.29 (66.766 124 1.3153) 0.662138 17.5551 0.914313 0.668193 13.5 13.5 13.5 13.5 13.5 13.5 13.5 13.		******			•	34.0076	35	3.3
411.29 (64.766 124 1.3143) 0.662130 17.5551 0.914519 0.66609 (458 37.5 441.29 (64.766 124 1.3143) 0.662130 17.5551 0.914719 0.666031 3017 36.8 452.20 152.375 134 1.34701 0.690787 17.159 0.914719 0.796075 17726 57.9 452.32 (195.598 306 1.66314 0.799045 19.3166 0.914919 0.796075 17726 57.9		0.11(1)			•	15.2778	3	-
43.287 152.375 134 1.38701 0.690787 13.189 0.912752 0.706333 5017 36.89 43.287 152.375 134 1.38701 0.690787 13.189 0.912752 0.796875 17726 57.97 52.32 495.598 306 1.66314 0.759045 19.786 0.914919 0.796875 17726 57.97 52.32 570.43 200 1.77678 0.626542 19.7892 0.625715 0.659039 13388 39.5	ULY 921 2222, 221 619, 814	0.121.0		; c	-	11 5615		20
65.287 152.375 134 1.34201 0.55074 32.157 0.54475 0.75675 57.57 52.32 195.598 306 1.66314 0.799045 19.386 0.914919 0.796875 37.97 52.32 570.63 200 1.3769 0.426542 19.342 0.425215 0.639039 11340 39.3	102.12	161711.0	7.0		-		: :	28
52.32 495.598 306 1.66314 Q.TS9ULN TALISTY G.TSPULN G.TSPULN 2774 51.0581.32 370.05 37.35 51.078 51.078 51.078	(1,207)52,375 14 1,343	9.990767	1137 (1.1		•			: :
.122 570.65 to 1.77670 0.426582 19.1172 0.425415 U.639619 11.14 57.3	52,32 (95,598 306 1,663	0.199015	.1386 0.3		•			: 5
	.122 570.69 200 1.776	0.126312	2111.		-	11.31	•	

2.5897 1.75711 1.75712 455. 114
455. 24
455. 25
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 24
465. 1.doc

WO 00/70528

EV Table 1.doc	9	3.03	19.7	2	~ *	3	12.5143	0.92(8)2	0.132143	1533	16.0537	35	62	=
~ ~	= 5	710.901	380.573	===	1.603	0.753475	13.0563	: =				.	=	Ξ:
. ~	: 3	3.93	. 129		\$ 2 3	03.8	11.4711	= :	23	•		= :	* 9	2 ;
~ .	Ξ:	5.5	7.	<u></u>	==	5 ;	24.7215	2 2		- 5	• 0		2 2	; ;
~ ~	, y				30.7	=	11.672	2	=	_		=	=	*
	: 5	=	7.33		ĭ	~~	11, 6945	= :	9	- 1	-	<u>.</u>	= :	2 :
-	:	#	0.33		115	÷	11.1012	-	327	9		:	: =	: :
~ .	:	2 :					13, 3034	-	??	•	•	: =	: =	9
- ~	2 =				: =	=	11.23	=	Ē	_	_	~	=	= :
	~	0.90	2.16		::	35	25, 4310	≂ :	35	~ .		= ;	<u>.</u>	2 :
-	2	3.05	2.5	102	20#	-	15.9975	~ .	3	_		2 2	2 2	: :
~ -		2 2	2			22	14,1316	- F	: 5	. •		: 5	: =	=
- ~	2 2		6.	=	13.0	:	15.0545		=	~	-	3 ;	= :	= :
~	۲.	5.4	1.1	::	0113	1	15.3176	-	2	•		5 7	5 7	2 2
~	=	7.21	<u> </u>	151	533	5	14.1635		ŝ			= =	: :	: :
~ :	2 ;	~ :		~			7917.71	, ;	:			73	: ~	=
~ .							17.0753		Ž		•	=	7	?
	: 2	3		100	=	=======================================	14.1133		Ξ	Ç	Τ.	52	13	25
. ~	: 2		5.5	228	33.5	=	17.0382		*	_	_	= ;	2	Ξ:
~	:	20.62	3.15	121	3110	326	16.9633	-	=		-: •	~ :	2:	2:
~	•	3.63	5.5	216	1312	9.00	14.5137	•	=	•	-: '	≃ :	2 :	: :
~	<u>.</u>	=	. 126	~ ;		23	15.227	~	7277	_	_ •	ā :	2 2	::
~	:	0.0	3 ;	216			17.6979	-	797	-	- "	= =		2 :
~ :	= :	₹ ;		282			17.017		11212			: =	: ~	: ~
~ •							11.0614		71.363	-	. ~	=	52	=
~ -	•				1050	?	13, 1736		2602	: =		: =	2	=
~ ~	2		0		=	=	17.0055		13.5	_	٠:	~	17	:
- ~	: 2		=	-	3	Ξ	12.4634	-	13033	_	•	~	:	:
		3.90	Ξ.	-	33	2	17.5651	-		_	•	:	e :	::
~	. 95	18.40	6.30	_		720	11.0343	-	78571	~ :	-: -	2 3	~ (2 9
~	•	= :			200	2	13.7163	-			•			2 2
~ •				2 5						-		: =	: =	3
~ .	2 :			_			16.9257			_	: –.	=	:	~
~ ~					152	5	12.6137	_	1396	_		=	20	=
	201	: -			,	Ξ	1,76395					-	-	= ;
	701	<u></u>	=	113		200	11.9948	0.862595	974453.0	2610	23.4336	; ;	٥,	٤.
~	103	~	_				1.12830					_ ;		. :
~	101	<u>=</u>	5.42	~	9019		13.5875	517.				: :	: :	: :
~	\$01		=	. 202	2	= :	16.03)3	0.17(63)	,,		16.0.34	= =	S =	: 5
~	101	2.5	ē :	_			15.157			71.16	3	. 2	; :	Ξ
~ :	101	;;					15.0967	9226	255	22	3	=	30	*
		5.33	•		S	3038	11.3619	_	(0107	13.1	3	=	~	¥ :
	- 10	5.6	5	_	2360	\$811	12.0655	\$ 15	11 42	(25)	732	= :	~ ;	?:
~	=	•	9.35	_	55	Ξ	17.1159	926		625		2 2		: 3
~ -	~ :	~ ~				?	11.5412		3	3.50	Ξ	=	:~	=
		2		-	100	105	17.0159	9070	7156	1396	3	~	~	2 !
. ~	113	3	3.2		156	~	13.3014	90	502	1569	Ξ:	? ?	~ ~	2 :
~	=	3.5	2.5	0	3	2	11.193			55.50		3 3	. ~	3
~ •	= :	2		~ ~		K 0 1 9	11,7555	0.926136	1040	200	3	: ::	~	:
· -	::				3261	~	16,6603	3	1055	€216	Ξ	\$	2	25
. ~	202	3.7	5.3	_	.251	501	1.05424	Ĭ	36.	<u> </u>	Ĭ	~	9 (:
~	=======================================	36.30	7.1	~	5	200	11.9116	910	=	Ξ	፯ :	۶;		2 :
~	112	£.13		•	326	35.	13.6009				֓֞֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	:	,	? ?
~ .	£ 2 1	5 :	-	•			11.3613			7467		2 2		. 5
~ .	7 .			• •	3 1 5		13.3900	53333	73437	1316	5	=	=	I
		:			200	6723	12.0159	92112	13295	133	Ξ	=	11	÷
- ~	121	=	191.056	≅	310	. 633	13.5651	. 31151	. 7515	101	Ξ	=	"	= :
. ~	- 1	~	-	151	. 23	. J. E.	13.1658	. 31741	. 12596	133	:	2	9	9 :
~	621	7	20.	212		.33.	17.107	. 92430	500	1516	3.5	= :	= ;	= :
	130	Ξ		250	5	. 95141	17.1412	. 85910			37.736	= =	2 :	= =
~ .	101	•		<u>.</u>			13.3115	114410	101		36.1257		: 2	: :
~ ~	177		36.1	23	325	. 65632	1.35	=		1961	15.0531	:	=	~
. ~	::	~	107.015	=	1.22039	•	10.1534	•	0.136364	2413	29.7901	~ :	≂ :	ž :
	115	=	93.0	202		. 90030	14,1555	0.431010	.316	8208	25.4098	~	2	~
								Pape	4 of 16	·				
								1 =6	5					
						•		,						

WO 00/70528

EV Indic 1.doc	4.3				•	1					5	5	;	2
~	30	115.13	316,619	562	2.00072	0.934065	19.5115		0.6657	,,,,,	? ?	2 5	: =	: 5
~ (2	(10.132	106.247	06.	1.751.7	0.621038	15.3336	2 5	71111	2108	11.133	: 2	: =	=
~ -	<u>.</u>	102.331	111.48	2 2	1.31531	0.56818	11.116		0.71110	5501		. =	: =	3
		10.00	110.464	:	7.55	0.830152	11.6869		5	\$033	36.6131	:	\$2	=
	-	16.517	271.31		=======================================	0.741054	14.9696	Ē	=		\$6.0563	2	\$	=
-	•	2	374.451	~	. 1092	0.562296	10.2179	=	5	= 2	53.5024	¥ :	.	3 :
-		73.1517	123.47	Ξ;	125	0.711206	16.3907		2 2		55.2031	- 5	3 2	; ;
	• ~	73.7731	366.07	= =	1.11331	0.723029	9.37302		0.63637	30.5	\$7.7266	: =	: =	2
	· 	34.5623	_	23.7	. \$621	0.920647	19.661	Ξ	53302	_	33.6361	=	=	= :
-	•	13,9702	\Box	133	1306	0.719173	14.0482	=	5	_	ŝ:	2 5	. .	2 2
	2:	11.772	= :	2:		0.151246	11.226		2215			= =	. 2	2 2
	- ~	62,4292		=======================================	2335	0.581065	16.6915	=	69	-	Ξ	=	=	3
	: 2	63.1539	. .	=	1971	0.430(35		Ξ	1901.	_	=	× :	~ :	:
-	=	63, (132	2	2	6903	0.404219		~ :	235.	_	Ξ:	Ξ:	≂ 5	2
	-	13.356	~ :	5 :	300.	0.64153		2	72619		=======================================	: =	3 ≂	: :
	-	10.0286	•	7 2		0.79(543		Ē	=	-	3	: =	~	=
-	=	79.6596	~	Ξ	2316	0.603949		Ξ	333	_		:	~	2 :
-	2 ;	10.1016	•	≅ :	3351	0.697472		~	.25.5		2	= =	2 %	: :
	2 :	44.0.44	^ =		5,65	0.000986				: 5	3	: =	: =	?
	: ≈	05.1010	•	~	3	0,774747		Ξ		2	3	=	=	=
-	2	10.5014	•	=	. 8 50)	0.446695		=	100	= :	3	S :	? :	<u>.</u> :
	~ ;	95.9063	_:	= ;	5	0.731051				36	֡֝֟֝֟֝֟֝֟֝֟֝֟֝֟֝֟֝֟֝֟֓֓֟֟֓֓֟֟֓֓֓֓֟֓֓֟֟֓֓֓֟֓֓֓֟֓֓֓֟֓֓֓֓֟֓֓֡֓֡֓֡֓֡֓֡֓֡֓֡֡֡֡֓֡֡֡֡֡֡	2 9		: :
	6 5	101,173	• =	100	. 1813	0.410653		2		: =		: =	: =	: 5
	: ::	100.911	<u>.</u>	50	Ē	0.004731		=	.6130	3	=	=	Ξ.	\$
-	~	102.731	Ξ	~	.450	0.729319		፭		7	Ē	Ξ:	≂ :	Ξ:
-	2	108.742	_	152	. \$3	0,756126		Ξ	333	8	3	= :	= :	2 :
-	9	101.012	= 1	2	2305	0.58273				2 :	===	= =	5 ;	= :
	= :	111.64	_ 5	2 :		0.354313				2 5		: =	: ≂	= =
	× =		2 0			0.17506		Ē	1332	: 3	Ξ	: =	=	: 2
	. #	124.631	_	160	~	0.001909		=	. 4166	3	20.	≈:	= :	Ξ:
-	2	125.541	-	2	113	0.491128		Š	7000.	2 :	2	2 :	2 2	= :
	* 5	139,150	- =		2077	0.025151				==	1	::	; ≃	: :
		144.77	•	3 12	1612	0.611272		=	~	~	==	3	2	Ξ
	6	111.000	•	Ξ	367	0.019327		=	0.626374	2 3	10.2532	≃ :	≃ ≎	==
	2 :	140.153	~ =	200	3696	0.671155				: :	Ξ	: 2	: =	: =
	: 2	154.03	•		\$ 20	נונננו.0			30.3	2	Ē	•	2	=
-	0	150.615	~	134	. 2965	0.90072		=	31625.	2	= ;	٤;	= :	= :
-	Į:	159.99	~ .	2 :	3	0.793611			70526	<u>.</u> :		* 5	= =	:
	2 3	159, 739	~ 0		1889	0.396346			73.6	2 5	=	: =	: 2	: =
	: :	170.118	~	=	7827	0.311157		Ξ	100	2	72	*	36	2
-	:	174.639	0	=======================================	3636	0.479166		=	. 15753		=	:	= ;	Ξ:
_,	2 2	175.164	-	<u> </u>	. 7553	6.675001				~ -	22.5	==	: ×	. *
		9 T		ΞΞ	=	0.011921		=	57112	•	2	=	: :	5
-	~	194.016	0	23.	\$ 900	0.111488		Š	5	-	€:	≍ :	ς:	= :
	2 :	191.99	~ ~	11.	~ .	0.827754				00		- -	. ×	= =
	5	206.056	`~		22	0.654132		=	33.5	•	5	=	. .	2
_	36	216.937	-	692	1231	0.627656		3	£ .	10191	3	:	2 :	::
	S 5	217.366	•	250	. 9242	0.434337			7		11.11	\$ \$	3 =	: =
	7 5	221.324	_ ~	200		0.634019		Ξ	3	1005	63. 3603	2 2	: =	: =
-	9	226.342		=	. 2765	0.621533		<u>=</u>	.1760	(65)	30.8654	2 :	≈:	7
-	5	220.910	•	159		0.691192		Ξ.	=	1067	30,6639	≃ :	2 :	= =
	2 3	216.516	-	£ £	1.5013	0.751411				212 4312	£ ::	c =	: ~	: :
	3	230.177	•	=	3030	0.6(11113		2	7605	1719	26,2316	≂	11	32
	: 5	242.076	_	=	1.66363	0.159233		=	.7269	911)	~	7.	≈ :	2
-	9	219,109	=	121	1.27034	0.61471		Ē :	.1619	. 5205	19.2571	= :	<u>ج</u> ۽	c ;
	:	245.439	= =	155	1.1139	0.63636				**************************************	30.213	7.7	; ≈	: :
	: 5	152.191		011	1.05333	0.314159		~	.153	(133	29.6273	=	~	=
	0 .	260.193	2 :	2:	1.93151	0.15(0)3				4617	100.00		: :	122
	: 2	2 60.881	(65.713	: 3	1.60172	0.164	6.66724	0.167647	0.59596	7107	120.434	121	= :	5
-	=	269.091	Ξ.	110	1.3494	0.671725		~	. 7692	1621	12.0723	=	~	<u> </u>
									1117					

Table 1.doc

WO 00/70528

1.00	25 25 25 25 25 25 25 25 25 25 25 25 25 2		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	291212 0.0125 1480 29121 291212 0.712613 1480 291212 0.712613 14812 291213 0.712613 14812 291213 0.712613 14912 291213 0.712613 14912 29121 0.712613 14912 29121 0.712613 14912 29121 0.712613 14912 29121 0.712613 14912 291213 0.712613 14912 291213 0.712613 14912 291213 0.712613 14912 2912 14912 0.712613 14912 2912 14912 0.712613 14912		222222222222222222222222222222222222222
12. 201 12. 41 132 1.3545 0.13141 13.114 13	201212 0.71212 0.91212 0.71212 0.71213 4512 21573 0.72513 4513 4513 6.72513 6.72513 4513 6.725		********************************
22.231 72.331 72.331 73.331 7.3313 7.4	29245 0.72963 9190 219713 0.729613 4511 21571 0.7146153 4511 21571 0.7146153 4512 21571 0.714615 4512 21511 0.714613 4513 21511 0.7141515 475 21511 0.714162 0.714162 21511 0.714162 0.714162 21511 0.714162 0.71617 21511 0.716173 4101 21512 0.716173 4101 21513 0.716173 4101 21514 0.62173 4101 21515 0.716173 4101 21516 0.716173 4101 21516 0.716173 4101 21517 0.716173 4101 21518 0.716173 4101 21518 0.716173 4101 21519 0.717222 4101 21519 0.717222 4101 21519 0.717222 4101 21519 0.717222 4101 21519 0.717222 4101 21519 0.717222 4101 21519 0.717222 4101 21519 0.717222 4101 21510 0.717222 4101 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690 21511 0.61111 4690		
22.234 114.022 113 1.44449 0.40442 13.2003 12.234 13.224 14.242 13.142 14.242 13.142 14.242 13.142 14.242 13.142 14.242 13.142 1	11913 0.746753 4511 21913 0.699014 7260 2571 0.7146115 4512 21514 0.591213 4775 21514 0.419355 1541 2914 0.531324 1009 44162 0.741329 450 20154 0.761329 4131 24162 0.761329 4131 24173 0.761329 4131 2417 0.76133 4131 2418 0.777024 1009 2418 0.777024 1018 2418 0.777022 4404 2526 0.777222 4404 2526 0.777222 4404 2527 0.777222 4404		222222222222222222222222222222222222222
20, 231 10, 232 133 1, 4616 1, 10, 100 13, 231	09419 0.69401 7260 03519 0.699014 7260 17191 0.591413 4512 18191 0.591413 4715 181131 0.419355 1541 181131 0.419355 1541 18121 0.714166 6601 18121 0.714166 6601 18121 0.714166 6601 18121 0.714166 6601 18121 0.714166 6701 18121 0.714171 6865 18118 0.714171 6865 18119 0.714171 6865 18119 0.714171 6865 18119 0.714171 6865 18119 0.714171 6865 18119 0.717171 6866 18119 0.717171 6866 18119 0.717171 6866 18119 0.717171 6866 18119 0.717171 6866 18119 0.717171 6866 18119 0.717171 6866 18110 0.717171 6868 18110 0.717171 6868 18111 0.651111 6698 18110 0.717171 6818 18111 0.651111 6698 18111 0.651111 6698 18111 0.651111 6698 18111 0.651111 6698 18111 0.651111 6698		*************************
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	0.55.19 0.592613 56.50 17191 0.592613 96.59 17191 0.591613 1715 17191 0.591613 1715 17191 0.791913 1715 17192 0.716706 6(0) 17193 0.76706 6(0) 17194 0.71713 1716 17195 0.76707 1716 17195 0.76707 1716 17195 0.76707 1716 17196 0.76707 1716 17196 0.76707 1716 17197 0.76197 1716 17199 0.76197 1716		*************************
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	17191 0.592417 9658 15135 0.419355 1541 15184 0.793333 4745 141162 0.716106 6401 20131 0.716106 6401 20131 0.716106 6401 20131 0.716106 6401 20131 0.716106 6401 20131 0.716106 6401 20131 0.717024 1078 115254 0.755245 4107 20131 0.717024 1078 11667 0.717024 1078 11667 0.717024 1078 11667 0.717024 11078 11613 0.717024 11078 11613 0.761305 6404 15201 0.761305 6404 15201 0.761706 5123 15201 0.761706 5123 15201 0.761706 5123 15201 0.761706 5123 15201 0.761706 5123 15201 0.761706 5123 15201 0.772212 6404 15201 0.772212 6404 15201 0.772212 6404 15201 0.772212 6404 15201 0.772212 6404 15201 0.772212 6404 15201 0.772212 6404 15201 0.772212 6407 15201 0.61212 6075		***********************
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	25511 0.571875 1745 29512 0.71875 1745 29513 0.71875 1745 29514 0.571875 1745 20571 0.718705 6101 20571 0.718705 6101 20571 0.718705 6101 20571 0.718705 6101 20571 0.718717 1786 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718717 1787 2171 0.718727 1787 2171 0.71877 1787 2171 0.71877 1787 2171 0.71877 1787 2171 0.71877 1787 2171 0.71877 1787 2171 0.61477 1787 2171 0.61477 1787 2171 0.61477 1787 2171 0.61477 1787 2171 0.677 2171 0.677 2171 0.677 2171 0.677 2171 0.677 2171 0.677 2171 0.677 2171 0.677 2171 0.677 2171 0.677 2171 0.677 2171 0.677 2171 0.677		
1,	25516 0.41935 1541 29516 0.79333 1745 20516 0.79333 1745 20531 0.76170 601 20531 0.76170 601 20531 0.76170 601 20531 0.76170 610 20531 0.70133 176 20531 0.70133 176 20531 0.70133 176 20531 0.70133 176 20531 0.70134 176 20531 0.70134 176 20531 0.70134 176 20531 0.70134 176 20531 0.70132 176 20531 0.7013		*************************
Color Colo	2916 0.515124 1009 44162 0.79333 174 28571 0.781513 9469 28571 0.781513 9469 50554 0.532508 54336 15254 0.752245 4304 15254 0.755245 4304 17355 0.77524 1307 17355 0.77524 1307 17355 0.775274 1560 18367 0.775274 1560 18369 0.651167 6438 18201 0.751227 1408 18210 0.751227 1408 18210 0.751227 1408 18210 0.751227 1408 18210 0.751227 1408 18210 0.751227 1408 18210 0.651167 6848 18210 0.651167 6848 18210 0.651167 6848 18210 0.77227 1408 18210 0.651167 6848 18210 0.77227 1408 18210 0.651167 6848 18210 0.651167 6848 18210 0.651167 6848 18210 0.651187 6628 18210 0.651187 6628 18210 0.651187 6628 18210 0.651187 6628 18210 0.651187 6628 18210 0.651187 6628 18210 0.651187 6628 18210 0.651187 6628 18210 0.651187 6628 18210 0.651187 6628 18210 0.651187 6628		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	99161 0.515124 1009 28571 0.716705 6101 29571 0.716705 6101 20524 0.571329 1500 00524 0.571329 1500 15254 0.752745 1715 17355 0.7627024 1018 17355 0.7627024 1018 17355 0.7627024 1018 17355 0.7627024 1018 17355 0.7627024 1018 17355 0.7617024 1018 17357 0.761706 5123 17359 0.761706 5123 17359 0.761706 5123 17350 0.761706 5123 17350 0.761706 5123 17351 0.761706 5123 17351 0.761706 5123 17351 0.761706 5123 17351 0.761706 5123 17351 0.761707 6148 17351 0.761707 6148 17351 0.761707 6148 17351 0.761707 6148 17351 0.761707 6148 17351 0.761707 6148 17351 0.761707 6148 17351 0.761707 6148 17351 0.761707 6148 17351 0.761707 6148 17351 0.761707 6148 17351 0.65117 6018 17351 0.65117 6018		. 20222222222222222222222222
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	14162 0.761913 9469 21571 0.76195 6201 20574 0.571329 4500 00524 0.571329 4501 15254 0.75245 4107 15254 0.755245 4107 17135 0.77024 1078 17135 0.74 0.77024 1078 17135 0.74 0.76132 4185 17135 0.74 0.76132 4185 17135 0.761704 6515 17135 0.761704 6515 17137 0.761704 6515 17136 0.751704 6516 17137 0.761704 6516 17138 0.761704 6516 17139 0.761704 6516 17139 0.761704 6516 171301 0.761704 6516 171301 0.761704 6516 171301 0.761704 6516 171301 0.761704 6516 171301 0.761704 6516 171301 0.761704 6516 171301 0.761707 6618 171301 0.761707 6618 171301 0.61411 6516 171301 0.61411 6516 171301 0.61411 6516		*****************
1, 15	28571 0.764706 640 97196 0.671329 450 00524 0.571329 450 15254 0.75745 470 15254 0.75745 470 17355 0.767024 107 17355 0.767024 107 17355 0.767024 107 17355 0.767024 107 17355 0.767024 107 17355 0.767024 107 17355 0.767024 107 17355 0.761705 178 17357 0.761706 512 17358 0.761706 512 17359 0.751706 512 17351 0.761706 512 17351 0.761706 512 17351 0.761706 512 17351 0.761706 512 17351 0.761706 512 17351 0.761706 512 17351 0.761706 512 17351 0.761706 512 17351 0.761706 512 17351 0.761706 512 17351 0.761706 512 17351 0.61171 469 17351 0.61171 469 17351 0.61171 469 17351 0.61171 469		222222222222222222222222222222222222222
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	97196 0.671329 450 00524 0.532508 543 15254 0.75245 436 15254 0.75245 436 17355 0.75745 436 17355 0.767024 107 17355 0.767024 107 17355 0.767024 107 17355 0.767024 107 17355 0.767024 107 17355 0.767024 107 17355 0.767024 458 1737 0.761706 512 1737 0.761706 512 1737 0.761706 512 1737 0.761706 512 1737 0.761706 512 1737 0.761707 468 1737 0.761707 468 1737 0.761707 468 1737 0.761707 468 1737 0.761707 468 1737 0.761707 468 1737 0.761707 468 1737 0.761707 468 1737 0.761707 468 1737 0.761707 468 1737 0.761707 468		*******************
10. (45) 190. (45) 112	00524 0.532508 513 94733 0.767024 135 15254 0.757245 436 1735 0.767024 107 1735 0.767024 107 1735 0.767024 107 1735 0.767024 107 18363 0.765132 438 18363 0.763120 448 18374 0.62377 438 18374 0.761704 512 18384 0.761704 512 18384 0.77272 440 18394 0.77272 440 18304 0.77272 440 18304 0.77272 440 18304 0.772727 484 18304 0.772727 484 18304 0.61167 484 18304 0.61161 484 18304 0.61163 435 18314 0.61 74381 402		
69.6914 97.779 81 1.44509 0.717112 10.1554 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.75 15254 0.752245 416 15254 0.755245 416 17335 0.755245 416 17335 0.767024 107 17335 0.74 16667 0.765132 413 14194 0.623174 459 14195 0.765122 418 14194 0.623177 318 1819 0.765122 418 1819 0.765122 418 1819 0.765122 418 18210 0.765122 418 18210 0.765122 418 18210 0.765122 418 18210 0.765122 418 18210 0.765122 418 18210 0.765122 418 18210 0.765127 418 18210 0.651167 418 18210 0.765127 418		
1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	15254 0.755245 436 15254 0.755245 436 1733 0.688104 733 17335 0.747024 103 17335 0.747024 103 17335 0.747024 103 17335 0.747024 103 14647 0.743714 456 14184 0.683717 338 17524 0.76372 448 17526 0.76372 448 17526 0.76372 448 17526 0.76372 448 17526 0.76372 448 17526 0.76372 448 17526 0.76372 448 17526 0.76372 448 17526 0.76372 448 17526 0.76372 448 17527 0.76372 448 17527 0.76372 448 17527 0.76372 448 17527 0.76372 448 17527 0.76372 448 17527 0.76372 448 17527 0.76372 448 17527 0.76372 448 17527 0.76372 448 17527 0.6372 401 17527 0.6372 401		
1,91,91,9 10,91,1 100 1,140,1 0,401959 11,715 10,914 100 1,911,2 0,401452 11,712,2 11,712,2 11,712,2 11,911,2 0,401452 11,141,2 12,611,2 12,	15254 0.75245 436 2733 0.688106 773 17335 0.74 1667 0.747024 107 17335 0.74 1667 0.747024 107 24316 0.74514 454 14347 0.741738 486 1435 0.741738 486 1435 0.741738 486 1435 0.741738 486 1435 0.761706 512 12281 0.761706 512 12281 0.761706 512 12281 0.761706 512 12281 0.761706 512 12281 0.761706 512 12281 0.761706 512 12281 0.772222 440 12281 0.772222 440 12281 0.772222 440 12281 0.772222 440 12281 0.772222 440 12281 0.772222 440 12281 0.611111 469 12286 0.644835 455 13047 0.61		
90.0112 183.414 190 2.31243 0.901662 15.5358 0 90.6416 473.739 231 121 1.61219 0.64227 11.4129 0 96.6612 403.521 121 1.61219 0.64227 11.4129 0 96.6612 403.521 121 1.61219 0.64227 11.4121 0 100.1745 100.00 1136 1156 1.6124 0.713011 11.71019 0 110.1745 100.00 1136 1156 1.61219 0.713011 11.71019 0 123.510 410.415 115 11.5131 0.713012 11.71019 0 123.510 410.415 112 1.51219 0.716273 11.71019 0 123.510 410.415 112 1.51219 0.716273 11.71019 0 123.510 410.415 112 1.51213 0.716273 11.71019 0 123.510 410.415 112 1.51213 0.716273 11.71019 0 123.510 410.415 112 1.51213 0.716273 11.71019 0 123.510 410.415 112 1.51213 0.716273 11.71019 0 130.510 410.415 112 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.51213 11.71019 0 130.510 410.510 410 1.51213 0.51213 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 1.51213 0.716273 11.71019 0 130.510 410.510 410 412 1.51213 0.71720 0.71720 0.717213	2211 0.688104 717 17155 0.747024 107 17155 0.74 658 14667 0.715134 458 14515 0.715134 458 14154 0.621377 578 14154 0.621377 578 1757 0.761705 512 1757 0.761705 458 1757 0.761705 512 1757 0.7761705 512 1757 0.7761705 512 1757 0.7761705 512 1757 0.7761705 512 1757 0.7761705 512 1757 0.7761705 512 1757 0.7761705 512 1757 0.7761705 612 1757 0.7761705 612 1757 0.7761705 612 1757 0.7761705 612 1757 0.621212 402 1757 0.621212 403		~~~~~~~~~~~~
98.6446 473.239 253 1.51113 0.43415 11.8167 0.43415 11.8167 0.43417 11.8162 0.43418 11.4162 0.43418 11.4162 0.43418 11.4162 0.43418 11.4162 0.43418 11.4162 0.43418 11.4162 0.43418 11.4162 0.43418 11.4162 0.43418 11.4162 0.4442 11.4162 0.4444 11.4162 0.4444 11.4162 0.4444 0.4444 0.4444 0.4444 0.4444	13046 0.747024 107 1735 0.74 14667 0.745134 438 125116 0.745134 438 14615 0.745134 438 14615 0.746134 438 14184 0.621317 378 14184 0.621312 448 14184 0.77222 448 14184 0.77222 448 14184 0.77222 448 14184 0.77222 448 14184 0.77222 448 14184 0.77222 448 14184 0.77222 448 14184 0.77222 448 14184 0.77222 448 14184 0.77222 448 14184 0.77222 448 14184 0.631111 468 14184 0.63111 468 14184 0.63111 468 14184 0.63111 468 14184 0.6311 468 14184 0.6311 468 1		252555555555555555555555555555555555555
96.6612 191.612 111	17355 0.74 659 1667 0.765132 432 24316 0.775134 659 161515 0.583744 654 181613 0.78134 418 18163 0.761322 418 18371 0.761328 418 18371 0.761304 463 18381 0.77222 410 18381 0.77222 410 18391 0.77222 410 18301 0.77222 410 18301 0.77222 410 18301 0.77222 410 18301 0.77222 410 18301 0.77222 410 18301 0.77222 410 18301 0.77222 410 18301 0.681167 481 18301 0.681187 402		
96,6612 (09,521 121 1.31239 0.64624) 12.422 8 99,722 4.5246 101 1.311 1.31139 0.54623 12.422 1 100,146 101.15 115 115 1.4414 0.13631 12.1005 1 110,156 10.007 115 115 1.0071 0.13142 13.1005 1 110,156 110.13 113 113 1.0071 0.13142 13.1005 1 121,10 13.20 14.20 112 1.3131 0.15923 11.0145 1 130,16 410,445 120 112 1.3131 0.76923 11.0145 1 130,16 410,445 120 112 1.3131 0.76923 11.0145 1 130,16 410,445 120 112 1.3131 0.76923 11.0145 1 130,16 410,445 120 112 1.3131 0.76923 11.0145 1 140,516 120,216 120 112 1.3131 0.56133 12.7562 1 151,10 41,220 1142 112 1.3131 0.56133 12.7562 1 151,10 41,220 1142 1142 1.3131 0.76923 11.071 0 150,634 41,775 114 11.202 114 11.071 0.76131 14.1023 1 150,634 41,775 114 11.202 114 11.0231 11.0231 1 150,634 41,775 114 11.202 11.104 0.76823 11.104 0 150,634 41,775 114 112 1.71472 0.18523 11.104 0 151,14 202,336 440 11.716 11.0231 11.0021 1 151,14 210,678 11 11 1.2131 0.76623 11.104 0 170,14 200,678 11 11 1.0632 0.72031 11.0021 0.7011 12.662 1 170,16 23 22,239 114 112 1.3131 0.64031 11.0021 0.7011 12.162 1 170,16 23 22,239 114 112 1.3131 0.601013 11.0021 0.7011 12.114 0 216,63 41 113 114 112 1.3131 0.601013 11.0021 0.7011 12.114 0 216,63 41 114 112 1.3131 0.601013 11.314 0 216,54 41,54 41 25 41 114 112 1.3131 0.601013 11.314 0 226,56 41 11.314 12 1.3131 0.601013 11.314 0 226,56 41 11.314 12 1.3131 0.601013 11.314 0 226,56 41 11.314 12 1.3131 0.601013 11.314 0 226,56 41 11.314 12 1.3131 0.601013 11.314 0 226,56 41 11.314 12 1.3131 0.601013 11.314 0 226,56 41 11.314 12 1.3131 0.601013 11.314 0 226,57 41 11.314 12 1.3131 0.601013 11.314 0 226,58 41,58 41 24 24 24 24 24 24 24 24 24 24 24 24 24	14667 0.745114 459 24516 0.745152 431 24516 0.715414 456 14151 0.513174 415 14154 0.623377 578 14154 0.623377 578 1528 0.75152 445 1528 0.75152 440 1528 0.75152 440 1528 0.75152 440 1528 0.75152 440 1528 0.75152 440 1529 0.75152 440 1520 0.75152 460 1520 0.75152 460 15210 0.75152 460 15210 0.75152 460 15210 0.75152 400 15210 0.651167 484 15210 0.651167		*************
98.7224 41.5246 101 1.27445 0.314639 11.3101 100.184 1100.184 1100.184 1100.184 1100.184 1100.184 1100.184 1100.184 1100.184 1100.184 11.314 1	0.991 0.765132 431 24316 0.739496 505 14513 0.741731 416 14194 0.622222 418 14194 0.7651222 418 1219 0.7651222 418 1219 0.765122 418 12210 0.761905 453 12210 0.77222 440 12210 0.61 12122 455		2222222222222
100.188 110.136 176 11.6315 0.131601 16.9696 101.755 100.07 115 1.6507 0.131452 12.1005 119.175 110.136 1.2016 0.131452 12.1005 119.175 110.1316 0.131452 12.1005 119.175 110.1316 0.131452 12.1005 119.175 110.1316 0.131452 12.1005 119.175 110.14	24316 0.589744 456 18343 0.741759 486 14194 0.623377 538 14199 0.623322 448 1537 0.763905 468 1537 0.763905 468 1538 0.753574 463 15281 0.75325 495 15281 0.77222 440 15281 0.77222 440 15291 0.77222 440 15303 0.77222 440 15033 0.77223 402 15033 0.7723167 484 15033 0.7723167 484 15033 0.7723167 484 15033 0.7723167 484 15033 0.7723167 402 15043 0.63 1701 15043 0.63 1701		~~~~~~~~~~
101,745 100,07 115 1,6071 0,13145 12,1005 104,175 12,106 104,175 12,106 12,1106 12	18363 0.583744 456 18363 0.741738 418 1109 0.622222 438 1109 0.763322 448 1237 0.763324 463 12381 0.763325 493 12281 0.77222 440 12281 0.77222 440 12309 0.654167 484 12503 0.77222 440 12503 0.77222 440 12503 0.77222 440 12503 0.77222 440 12503 0.77222 402 13043 0.61433 455 13043 0.61		######################################
108.173	18367 0.741738 485 3119 0.62377 478 2137 0.761303 448 2137 0.761303 448 21316 0.751374 463 21316 0.75323 493 21316 0.75323 493 21316 0.75222 440 21301 0.77222 440 21303 0.7722167 402 21304 0.64444 654 21307 0.7723167 402 21307 0.7723167 402 21307 0.7723167 402 21307 0.7723167 402 21307 0.61933 435 21307 0.61933 435		***********
110.475 411.704 48 1.20441 D.199058 1.41764 121.705 13.2671 1.20156 0.250956 1.39156 1.20156 1.20156 0.760925 11.3015 1.20156 0.760925 12.70156 1.20166 0.760925 12.7015 1.20166 0.760925 12.7015 1.20166 0.760925 12.7015 1.2016 0.760925 12.7015 1.2017 1.20	14194 0.62377 578 2437 0.705120 418 2437 0.705120 418 2437 0.705120 418 25526 0.75575 455 25531 0.755722 440 25531 0.75272 440 25531 0.75272 482 25531 0.75272 482 2554 0.654157 482 2555 0.654157 482 2555 0.654157 482 2555 0.654157 482 2555 0.654153 455 2555 0.654153 455 2555 0.651512 407 2555 0.651512 407 2556 0.651512 407 2557 0.651512 407		77777777777777777777777777777777777777
126,705 19,2679 112 1,54596 0,769296 11,5918 0,1016 101,415 110 1,50115 0,769296 11,5918 1,5919 1,501	2437 0.761202 418 2437 0.761305 468 25326 0.751306 463 25326 0.751306 512 21310 0.751305 495 21310 0.75222 410 21301 0.77222 410 21301 0.651167 484 15033 0.759167 402 15043 0.6141857 960 15043 0.61		
121.516 119.173 110 1.55134 0.768724 11.8343 12.6134 12.7562 12.6134 10.246 12.5144 0.246 12.5144 0.246 12.5144 10.246 12.5144 10.246 12.5144 10.246 12.5144 10.246 12.5144 12.242 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.5137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.6137 12.136 12.	2137 0.705128 448 25926 0.757574 463 25926 0.757574 463 21528 0.757272 440 21528 0.777272 440 21508 0.651111 469 21503 0.772167 481 1503 0.772167 482 15047 0.7729167 482 15047 0.61212 403 17041 0.61		2222222222
12.1, 014	25926 0.751705 453 25926 0.751706 512 21316 0.751222 453 21316 0.771222 440 213201 0.771111 459 21301 0.651167 481 2503 0.721167 402 1503 0.729167 402 15047 0.747857 960 15047 0.61		222222222
135.216 102.212 16.1 1.33839 0.476922 12.6137 10.216 10.216 11.522 11.6230 12.1620	25726 0.757376 453 21316 0.757256 495 21316 0.77222 440 22201 0.77222 440 22201 0.771111 469 22301 0.651167 481 22301 0.651167 481 15033 0.722167 402 15033 0.722167 402 15043 0.61453 455 15043 0.63 701		
135,046 109-502 162 1,19479 0,531434 15,2227 16,036 114,55 16,039 1,15073	21511 0.761706 512 21516 0.75225 495 12261 0.77222 440 21501 0.771111 469 21501 0.651167 481 15033 0.723167 402 15033 0.723167 402 15037 0.723167 402 15043 0.61633 455 15043 0.61		~ ~ ^ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
100.518 124.579 104 1.55753 0.605376 11.5023	7371 0.73723 493 7220 0.77222 440 7220 0.771111 469 7230 0.654167 484 7230 0.729167 402 7307 0.742857 960 7236 0.664835 455 734 0.61 701		
141.5	12281 0.72222 440 19501 0.71111 469 1894 0.654167 484 1803 0.729167 402 13077 0.742857 960 15256 0.664835 435 13043 0.63 701		9222222
151,150	1891 0.651167 411 12501 0.651167 415 15533 0.729167 462 1307 0.717857 960 15256 0.651833 455 13043 0.63 701 12812 0.63 403		222222
151.118	1500 0.64444 454 1503 0.723167 462 1307 0.742657 960 15043 0.614535 455 13043 0.63 17043 0.63 1704 0.63 1704 0.63 1704 0.63 1704 0.63 1704 0.63 1704 0.63 1704 0.63	2002	
197,479 197,479 119 197,479 197,479 197,479 197,479 197,479 197,479 197,479 197,479 197,479 197,479 197,479 197,479 197,479 197,472	15033 0.729167 402 13073 0.742057 960 16256 0.664033 495 13043 0.631212 407 131 0.621212 407 131 0.621212 407	2362	:::::::::::::::::::::::::::::::::::::::
160,654 161,142 155 1.03336 0.155232 1.0935 1 164,615 45.5019 63 1.71973 0.195232 9.95623 1 168,561 331,11 62 1.61952 0.195232 9.95623 1 167,286 399,715 99 1.61962 0.796627 11,1704 0 171,546 93,6129 341 2.5791 0.921772 20,8169 0 170,747 210,678 87 1.6110 0.72036 12,0654 0 170,747 210,678 87 1.6110 0.72036 12,0658 0 187,534 433,168 830 1.6110 0.72036 12,0658 0 187,623 222,729 839 1.6110 0.72036 12,0658 0 191,623 222,729 839 1.6110 0.72036 11,0024 0 204,366 19,4710 142 1,39993 0.699017 13,1462 0 216,296 292,693 123 1,23562 0.587311 12,5143 0 224,5 17 6 332,16 125 1,39527 0.587311 12,5143 0 235,035 181,581 241 2,23562 0.558329 12,7562 0 235,035 181,581 241 2,23562 0.558329 12,7662 0	13077 0.742857 940 16286 0.64433 435 13043 0.63 701 121 0.621212 407 1211 0.621212 407	5362	:5225
161.615 161 121 17.1972 0.9151212 1.92672 161.615 15.4122 0.195212 1.95672 1.61.915 0.195212 1.95672 1.61.915 0.195212 1.92672 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9172 1.9174 1.9172	15256 0.64433 455 13043 0.63 701 7234 0.621212 407 12882 0.7 430	. 365	225
161.615 45.5019 63 1.72672 0.195232 8.95623 0 169.561 391.11 62 1.61962 0.795517 10.2179 0 170.206 395.735 90 1.61962 0.796627 11.1704 0 170.217 210.670 07 1.610 0.72070 12.0639 0 170.217 210.670 07 1.610 0.72070 12.0639 0 187.634 451.247 194 1.05532 0.258957 10.1534 0 187.654 195.677 194 1.05532 0.258957 10.1534 0 187.623 222.729 579 1.6190 0.72070 15.7169 0 201.62 275.591 154 1.21956 0.659917 11.442 0 201.366 19.4710 142 1.5159 0.659017 11.442 0 216.596 15.421 256 1.67351 0.01035 17.9834 0 224.5 17 6 12.5 1.2557 0.455139 12.5157 0 225.55 17 6 1.67512 1.67512 1.19554 0 225.55 17 6 1.75512 1.75512 1.75512 0 225.55 17 6 1.75512 1.75512 0.555529 12.7562 0 225.72 172 102.252 12.2166 0.595301 17.5172 0 225.72 172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.5172 102.252 12.2166 0.595301 17.5172 0 225.73 17.7462 0.595301 17.5172 0 225.73 17.7462 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562 0 225.75 17.7562	1304 0.63 T01 734 0.621212 497 928 0.7	1.368	= :
68, 561 331, 11 62 1,63915 0,795517 10,2179 167, 206 399,735 96 1,61962 0,796627 11,1704 0 170,717 20,8559 170,717 210,678 170,717 210,678 170,717 210,678 170,717 210,678 170,717 210,678 170,718 21,675 170,718 21,675 21,755 21,75	7234 0.621212 407 12882 0.7 430		•
167,286	12813 0.7 430	5 1513	3
171.348 93.6129 341 2.5791 0.921772 20.856 170.747 210.678 17.77187 0.56664 10.5244 0.72.514 0.72.514 10.854 0.72.514 12.8654 12.8654 12.8654 0.72.514 12.8654 12.8654 0.72.518			2 2
170,147 210,678 87 1,21387 0,56666 10,5218 0 170,151 12,0655 0 172,518 10,5218 1	ALL CLEASE A CIPTO		: :
172,514 413,169 130 1,6110 0,72030 12,0659 0 182,631 0,72030 12,0659 0 182,631 0,72030 12,0659 0 100,7302 0,725093 10,1354 0 100,7309 15,7159 0,772903 27,1315 0 107,162 27,1315 0 107,162 27,1315 0 107,162	11. ((15) 0.0 1)/(()		3 5
187.634 195.657 B1 1.03532 0.258957 10.1554 0 188.634 195.657 B1 1.03532 0.258957 10.1554 0 197.623 222.729 579 1.51599 0.772905 27.1515 0 207.162 275.591 154 1.31636 0.670916 11.0024 0 207.162 275.591 154 1.31635 0.699417 13.4462 0 214.36 297.673 123 1.23562 0.58734 12.5143 0 224.5 17 4 15.142 12.512 1.10492 0.425139 12.5143 0 224.5 17 4 17.912 1.10492 0.425139 12.5157 0 224.5 17 4 17.912 1.10492 0.425139 12.5157 0 235.095 181.581 241 2.2166 0.895301 17.5172 0 235.172 402.352 178 1.20362 0.556529 12.7662 0			2 :
181.789 451.247 194 1.8657 0.464891 15.7165 0 197.623 222.729 579 1.57399 0.772905 27.1515 0 201.162 275.591 154 1.3185 0.670916 11.0024 0 201.366 19.4710 142 1.39993 0.699417 11.4462 0 214.36 19.421 254 1.67351 0.801835 17.9834 0 2214.26 292.643 123 1.23562 0.587344 12.5143 0 2224.5 17 4 12.1562 0.547723 3.19154 0 2224.5 17 4 1.19523 0.547723 3.19154 0 235.095 181.581 241 2.2366 0.899301 17.5172 0	191 96'11'59 751	~ ***	:
197.623 222.729 579 1.51599 0.772905 27.1515 0 707.162 275.599 154 1.31699 0.772905 27.1515 0 206.366 19.6716 142 1.39999 0.699617 13.4462 0 216.594 153.421 254 1.67351 0.801635 17.9834 0 221.56 292.683 123 1.23567 0.587384 12.5143 0 2224.5 17 6 1.19529 0.567338 12.6157 0 224.5 17 6 1.19529 0.547323 3.19154 0 235.095 181.581 241 2.20162 0.556529 12.7662 0			c s
201,162 275,591 154 1,3183 0,659816 14,0028 0 201,162 275,591 154 1,3999 0,699817 13,4442 0 216,26 19,4718 142 1,5999 0,699817 13,4442 0 216,26 292,683 123 1,23567 0,587384 12,5143 0 221,36 332,144 125 1,10492 0,425139 12,6157 0 224,5 17 8 1,19522 0,547723 3,19154 0 235,095 181,591 241 2,2466 0,995301 17,5172 0 230,172 402,352 178 1,20362 0,556529 12,7662 0	11	2160	2 ;
200,366 19,4710 142 1,39999 0,699017 13,4462 0 216,596 153,421 256 1,67351 0,807301 13,4462 0 216,26 292,603 123 1,23562 0,507301 12,5143 0 221,36 332,146 125 1,10402 0,425139 12,6157 0 224,5 17 6 1,19542 0,547123 3,19154 0 235,095 181,591 241 2,2866 0,895301 17,5172 0 230,172 102,352 170 3,20362 0,556529 12,7662 0	017 E00001.0 FCEE	7 777	
216,396 153,421 256 1,67351 0,001035 17,9834 0 216,26 292,643 123 1,23562 0,587361 12,5143 0 221,36 232,166 125 1,10482 0,425139 12,6157 0 224,5 17 6 1,19543 0,567723 3,19154 0 235,095 181,591 241 2,2466 0,895301 17,5172 0 230,172 102,352 178 3,20362 0,556529 12,7662 0	20078 0 330463 448		
216.26 292.683 123 1.23562 0.587381 12.5143 0 221.36 332.14 125 1.10442 0.425139 12.6157 0 224.5 17 6 1.19523 0.547723 3.19154 0 235.095 181.581 241 2.2466 0.895301 17.5172 0 230.172 402.352 128 3.20362 0.556529 12.7662 0	13437 0 616401 134		: =
1.36 332.166 825 1.10402 0.425139 12.6157 0 6.5 17 4 1.19523 0.5(7723 3.19154 0 5.035 181;501 241 2.2166 0.895301 17.5172 0 0.172 602.352 120 1.20362 0.556529 12.7662 0	21111 0.11214	3623	5
4.5 17 4 1.19523 0.5(7)23 3.19154 0 5.035 [81;50] 241 2.2166 0.89530[17.5172 0 0.172 (02,352 120).20362 0.556529 12.7662 0	3985 0.001282 467	392	52
0. 2712. [181;591 241 2,2166 0,895301 17,5172 0 0.000 0,552321 0,5552 128 1,20362 0,55552 0,5562	0.466661 82	73	•
0.172 (02.352 178).20362 0.556529 12.7662 0.9	16806 0.617949 1	- E	~
	37101 0.45641 3	1111	<u> </u>
6.0 6192.34 543307.0 63403 0.34135 341.5419 0.9	22652 0.755656 (. 1111	~
F. 949 345.641 117 1.271 0.617231 12.2053 0.9	11871 0.75974	3	20
1.722 378,452 61 1.37565 0.666378 10.1554 0.8	0.15	5132 7	5
1.157 247.61 365 3.619(1 0.961075 22.1(0) 0.8	19169 0.19359	. (94)	2
9.664 354.2 95 1.16027 6.50712E 10.998E D. 6.50712E	1715 0.719697	2105	= ;
	111116 0 61011		
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	11231 0.36(5)5		
2.95 CT18.31 R535 0.754613 1152.75 2.9.3	25501 0.690972 (2186 2	=
3.504 327.134 97 1.91725 0.464166 11.1132 0.8	13174 0.573964	-	.
E.578 102.532 109 1.(6495 0.70775 11.7606 0.0	16179 0.690714	\$112	: =
1.534 305.402 303 1.37098 0.464088 11.4518 0.8	11931 0.73020	1252	~
4.613 (00.525 261 2.93776 0.942721 16.2295 0.8	52941 0.466071	(02)	: ~
3.109 (51.764 S\$ 1.6992S 0.000S 4.34028 0.0	73016 0.611111	5	-
0.576 70.327 165 1.96066 0.060109 34.4943 6.9	9 6.15	6242 32	~
			•

WO 00/70528

;	2 5	=	=	2	=	=	:	"	=	\$::	= :	::	; ;	: :	2 3	: :	: :	: :	::			=	-	=	=	*	\$	3	:	~	=	~	=	-	Š	:	5	= :	=	= :	2 :	~ :	= :	? :	: :	: :	: :	: 5	~	2	~	2 :	2	2 3	2	=	~	=	=	3	Ç	S :	2:	;	5	3	5	=	=	2	
	≂ ≂	: ::	. ~	· ~	-			:	Ξ.	=	= :	Ξ:	= :	= :	= :	= :	2 2	2 7	;;	: :	: :		: 0	52		1	*		27	=	=	2	;	20	-	2	2	23	~	~	00	~	~	£ ;	Ξ:	= ;	3 7	3 2	3 7	~	52	2.9	Ξ:	2 2	= =	; ;		*	9 2	2.5	7	Ξ	Ξ	? ?	= =	= =	; ;	*	•	ž	=	
	= =	: =		: =	=	: =	=	Ξ	=	=)	~	= :	::	::	2:	= :	5 :	= :	2			; 3		: =	56	•	=	=	=	9	2	=	30	-	=	38	=	2	2	7	~	:	~ ;	:	::	: :	::	; ;	: ::	Ξ	=	~ :	ຊ:	= =	: =	: :	=	=	35	3.5	•	3	= :	2 :	= =	: :	: ::	:	35	Ξ	
	ונוים. נג	68.0302								13.0415				_			_		((.,101)	17.6113	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	: :	: 5	: 5	31.106	2	: =	=	3	_	=	3	2	3.		Š	6	2	*	3	5	6	õ	2	3			2 :	= =	2	=	35.3304	5	= :	-	: :	:	=	7	Ξ	2	Ξ	Ξ	= :	2 :	3 2	::	: =	13.4119	~	Ξ.	
	633	10151		1111	(1)	10.3	13301	-	1326	1111	\$ 60 \$	111	311	7.76	3641	01.0	5911	1121	111	1522	12119		: :	: :	: 5	6	: =	~ ~	: =	: =	: =	3	2	Ξ	_	2	5	=	2	=	\$	7	2	25	3	:	7	- :	? ;	֡֡֜֜֜֜֜֜֜֜֜֜֜֜֜֜֜֡֡֜֜֜֜֡֡֡	5	(5)	Ξ	= ;															100	1360	0	
	0.674603	*	3	9.1(5)	100		: 5	Ξ	Ξ	_	1110	=======================================	15971	1651	1	11509	111	1121	000	52	7			66113	2	: 3			10		~	=	Ξ	•	_	302E	11311	5115	£(1)3	£1532	(1000	69780	6175	700	61730	6(1)	17612			7 2 3 6 7	67142	0.7637.0	£ 5	19125			33333	6113	1137	6562	Ξ		.53.		-, '			•	0.611100	•	•	8 of 16
	0.909091						113616	0.92(60)	\$111110	0.910216	0.109419	0.92	0.911013	111111	0 305763	0.917447	4, 110117	2.8.D	162316.0	0.930617	0.672519	0.000.0		6,363,63	0.917197	505.40	0 11061	0.135197	111116	116031	1111111	0.921511	0.428105	0.134110	0.469563	0.935115	512126.0	0.130615	17,006.0	0.13414	0.110625	0.111649	0.111011	0.303131	0.946611	0.610342	0.925	0.931272	0.313300	0.110556	0.927632	0.915493	0.411234	0.944571	0.498303	0.3630.0	0.3220	0.1011	0.917197	0.107407	0.941799	0. 526629	0.906615	0.923077	0.118699	0.913013	167614.0	0 116336	0.913706	0.93007	0.110511	Page
	1.1123	1997	7.2112				: :	: -	=	_	•	23	13.3		=	*	•	·~	??	<u>.</u>	200		2 :		, ,					1691			771	116	1627	1131	9116	1351	\$113	1139	9110	3162	===	~==	5 21	12	521	517	•			1635	213	3361	7				3005	8089	0515	0 2 3 0	121	\$106	.3316	. 6235	517.	1111	15.1366	1610.	. \$328	
	1 11153.						1361	111111	(10)	111885	. (1111)	. 1711115	1,120112	111111	-	•	-	~	2	=	~	•	7 :	7 7	<u></u>	2 ;	: ;	=		: ;			3	~	=	Ξ	Ξ	=	=	~	2	=	2	2	7	Ξ	2	2	= ;	2	? ;	0.519	=	2	Ξ;	3 :	= :	7	-		-	Ξ	×	Ξ	<u>ت</u> :	~ ;	0.71219	0.136913	0.147541	0.11111	0.17571	
	(382)	11016		1123	21012	1207			11111	20(1)	13313	51103	11551	1303	15177	21.7	11111	10613	1001	1654	1171	355										1966	20133	62376	09197	15331	1311	\$00\$	1131	1571	12551	11677	12633	92219	31118	16131	22699	17235	2321	15851		06379	\$2303	(10)	\$235	17201	2017				24309	10719	33101	(612)	13211	15526	(5)2)	7,0025.	_	37510.	1151	
		<u> </u>																																																							~ :		2 :				233	Ξ	Ξ.	=	2	= :		=	3	
	19.401	171.526	253.669	119.874	159.319	137.151	112.724	16.716	421.033	146.637	11.157	(12.91)	149.906	110.011	504.93	11.111	245.253	\$17.6739	203.201	33.6234	211.512	16.7345	317.565	11.1493	121	178.549	101.031	1 6 C . D 4 L	63.1313	109.211	121.10		17.225	328.23	662.3		255.395	133.633	19.5014	11.2474	157.061	231.717	139.273	216.532	113.723	301.33	111.411	33.2614	226.246	11.11	113.14	107.516	253.991	313.692	=	119.039	213.397	114.471	344.033	143.443	101.10	216.16	122,979	110, 106	79.4402	196,613	160.657	335.608	73.7110	73.124	155.211	
	_	106.001	•		_		= :						=	_	_	_	•	_	_	_	_	Ä	_	_	_	_		_	_	_	_	_	~ 4	_ =	_	_		_	_			-	_	_	_	-	~	-	-		_		-	-	-	_	-	0 .		17. 53.1	111 616			•	•		•		210.012			
	=	7	22	3.	~	=	<u>.</u>	<u>.</u>	::	= =	: =	-	=	:	=	•	2	=	~	25	ĭ	2	=	£	=	66	00		20	CO	5	50							::	: -	• •		• •	•	-	~	-	•	<u>e</u>	=	~ :	7 -	: :	=	=	=	=	2	2	2 :	2:	: :	7 .	7.7	3.6		30	1	2;	3 =	5	
1 -12	-	-	-	-	-	-	_	.	•						. 🕶	. •	· -	-	-		-	-	-	•	•	-	•	-	-	-	-	•	- .			• •				- ,	•	• •	, .	•	•	•	∽	•	•	•	5 7 (, .	, e	•	₩.	~	•	•	~ .	^ •	.	~ •	.	. en	•	•	•	•	. •	~ ~	•	
EV Table	!	**	-	-	_	-	-	-	,, ,		-			-		. ~		-	-	-	-	_	-	-	-		,	_	_	-		-		- .	- -								• •			-	_	-	-							-		-	-					4	_	-	-		- .			

EV Table 1. doc							;				***	•	=	5
•	*	=	Ę	234	0 2	=	20.6219	2365	101101.0	1111	11. 11.	::	, .	2
_		5	5.15	113	~ :	=:	13.5675	17/17	611113		51 2317	: :	: =	: =
	= ;	-	366.532			0.123714	11.011	20150		. =	11.604.1	: =	2	2
. .	A (: =		25373	(()())		11.4731	=		\$
	2 :		•			2		57143	626017	. =	13.2326	*	2	3
	; ;	3	-		ē	12		101	101101	•	41.175	=	:	:
-	: 5	:	1.76		5	=	15.5	1381	103921	••	36.4735	.	£ 5	2 %
~ ·	: :	5.07	5.7		3.6136 1.015			11233	397306		36.7351	2 2	2 2	: \$
	. 4	9	2.2		55.	3	2.5	30065	374661	=	39, (521	~	=	=
	5	_	110.756	2	=	3	~	19726	(97999	. :	50.745	3:	= ;	2 3
er ,	: :	5:	7.43	_	===	??	<u>.</u>	10101	357638		12, 5365	= =		: =
	.		280.	_	38	2	: :	13366	136361		13.1123	. =	2	£
	? .	~	2.2	_	200	100	=	135414	315	_	31.592	2	2	= :
_	~	\$6.33	1.17	_	Ξ	Ξ	7.1	17271	160659	_ :	22.315	≂ :	= ;	: :
ø.	£ ;	5.33	11.75	_	3	7		11031	152141	Ξ.	0.562	2 2	: :	2 9
-n -	.	9.60						136326	10776		13.23	: =	: =	.
	7 Y				3 8 8	9	=	11336	31123	~	32.5133	=	23	=
	?				503	=	3.91	21111	11551	-	31.625	~	•	= :
-	7	=	£.5		35.	=	2.10	113611	111111	_	31.5126	؛ ۽	٤:	::
~	23	1.92	1.12	_	=	= ;	2 :	119632		- .	37.1541	2 :		: :
•• ·	2 :		= :	_	Š		= 3		365153		42.4109	: :		: =
	: :	2.5				-		7	620536		30.0105	: =	~	*
	2 3				1		15	(323)	170133	. 🏎	37.166	=	10	\$
	: 3	~	2		=	Š		11592	11511	23	11.1957	~	\$	=
	: 3	2	~		Ξ	=	٠.٠	11111	(1331)	77	31.5039	:	~	≃ '
		2.0	=	_	3.5	=	6.9	161161	101319	-	11.631.	Ç	35	.
,-	S	1.35	5.69	_	Ξ	=	9.	153532	16251	•	31.2996	= :	ລ :	:
	5	2.56	=======================================	_	=	7.3	3.159	13517	106333	- i		۵:	≎ 9	= :
-	5	Ξ.Ξ	2.3	_	269	63	9.35	10000	367101	6	52.39	2 2	2 :	: :
~	0,	- :	3		291		. 177	(121)		.	33.411			: =
-	= ;								14,1024		37.3944	: :	. 0	: =
	2 2							96160	120379		17.11.11	2	=	2
	: =	2.9			=	7	1.625	10110	150031		33.1169	3.6	2	= 1
	2	2.00	~	_	=	5	3.634	125916	31711	~	10.1507	~ :	52	*
-	*	9.3		_	=	5	=	72357	132383	.	1987.65	2 :	= =	= 5
.	۲;	2.6						56911	33166		37.3363	:=	: 2	:=
		7	7.72		Ξ	=	2.5	126231	(1283)	~	111111	35	7.7	\$
. ~	2	1.35	5.5		200	=	2.563	13181	(1)2633	<u>o</u>	35.7250	= :	.	:
~	=	2.93	£.	-	Ξ	= :	2.563	125371	11065	•	33.53	5 5	≒ :	= =
-	~	3	7.7		~	3 :		200			16.0137	2 5		: =
		~ .	2			3		1350	1512.0		11.7019	3 2	: 2	: =
	~ /	?	~ .			: :	, ,	307	692301	~	33.5214	: ≍	• •	=
	•	707			=	-	=	11216	159358	2	11.0193	2	y .	•
	• •		9.02		5	~	6.73	203	716954	=	19,5310	=	= :	= :
-	•		3.62	_	0 6 3	Ξ.	\$.20	199679	\$67045	S :	19.1056	: :		: :
- .	~ .		6.0	_		7		1361	510767	5 5	(5. (11)	; ;	: :	: 5
							Š	111155	115719	=	42.1715	=	2	3
	. 2	Ξ	9.0	. ^	=======================================	=	=	116957	1115111.	=	10.3235	~	=	2 :
-	:	_:	=	_	25	7	=	165229	(6)233	<u>.</u>	51.633	S :	. .	2 2
_	~ :	5		_	22			116176		· •	12.57	= =	. 2	; ≈
.	2:		2.0	_		5		2001	317.6	2 2	10.00	: 5	: =	: 3
		(00)		_	2	7	2	171326	33131	~	30,3043	~	=	×
	=	_	20.0	_	201	~	2.	921179	.116447	0	16.0169	~	≈ :	2 :
	1	:	153.073	_	3		3	11106	.661034	5	13.5791	= :	= :	2 2
<u>.</u> .	2:	£ .			2	7		927152	721213	. :	35.1067	: :	: :	; :
	<u>.</u>						=	11111	361316	: =	33,353	ž	~	:
	2 =	96.313	212.878	2	Ξ	3	ě	163218	.7(4)53	:	33.5474	7	₹ :	2
-	**	3.535	39.80	_	33	<u>.</u>	ב פ	922018	10501.	≃ :	102	<u>.</u>	2 :	?
	~ ~	: :		137	101			916916	.157516	22	39.656	: =	==	: :
,	: 2	5	= :	=	2.17135	0.987703	10.7641	~	0.150111	12.6	11.033	=	=:	25
-	76		13.01	<u> </u>		÷.	=	120506		2 :	34.036	= :	12 02	: :
		124.658	77.4634	: Ē	=	-	7	195918	5	: ~	36.0342	: 5	. ≂	2
•	2	9.16	1	101	=======================================	-	ጓ	111626	. 193915	\$ 2	31.0102		9	=
								0.00	7170					

EV Table

1. 201151 1. 1215115 1. 1215115 1. 1215116 1. 1215 EV Table 1.duc

EV 18016 1	.doc		100 311	•		נטינר פ			_	6110	ç	:	*	=
		10.01	13.61	2 2	1.1631.1	0,111361		91066	25	4733	7	: 2	: =	=
 .	5:	116,275	477.269	236	1.01.75	0.133115	11.471	3201	0.525573	9510	11.9121	2 2	:: :	2 5
		141.63	16.2611	203	1.3536	: 2			753	2116	7	: :	: :	: ::
		151,921	219.531	Ξ	1.61964	2		. 935644		1303	=	.	2	~
_	-	150.319	33.6746	153	1.31984	536		181118.	. 470 6	123	ž	£	:	=
 .	-	155.072	145.497	= :	7.03862	2 :		211116.	. 6360	1521	= ;	≃ ;	= :	= :
		155.555	139.76	2 :	1.54594			241716.		767	-	3 2	\$ 5	2 2
		111.069	501.03	316	3.04233	**		133133			-	: =	2 ≂	:=
	2.5	175.35	110.975	091	1.74316	0.419225		. 91951	~		5	2	77	=
		117.463	112.193	= :	2.04(3)	3		. 907692	<u> </u>	3603	= :	<u>.</u> :	≈ ;	= :
	· ·	710.711	7816.31		1.68217					~ ~	7	==	: :	3 5
		113.03	136,351	111	1.32047	5306		. 935714			=	. =	*	5
-	7	191.742	754.043	. 846	:	513		.161.63	=	_	Ξ	25	=	9
		191.[8]	17.991	152	1.63617	22		. 921212	952	~ .	<u> </u>	2 :	≈ :	¥ ;
		131.77	14.231	,				1760334		~ ~	; =	: 2	= =	: =
	=	199.763	391.686	226	3	2		933886	3315	` =	3	: ~	: 2	: 2
-	4	101.694	117.496	121	101	2		. 843233	. 653	•	~	~	~	=
·	5	223.216	172.515	156	225	0.754197		. 904917	35	•	2:	≂ ;	≂ :	2 :
		23.63	13.8(33			2		707		~ -	9 7	= ;	= :	: :
	77	21012	111.317	091	074			430233			: :	2 9	= =	: :
		219.216	(7, 1761		1	2			55	•	=	: 3	; =	; 5
_	•	230.252	119.921	:	205	=		. 916677	•	_	~	~		?
_	•	717.77	135.310	721		5		92016	. 1559	•	₹	~	:	~
·- ·	91	239.967	264.239	280	22	2		10176	.183	-	Ξ:	5 ;	₽ :	3 ;
		1(5.93)	156.523			2 :					Ξ,	= =	= ;	= 3
- ^		254.52	431.726	27				11111	1001	-	· 5	2 3	; ;	: :
		251.156	330.701	127	300	=		499616	. 613	2	Ŧ	=	: 2	; 2
	=	160.117	131.662	51	5	~		19961	533		~	2	7	=
-	30	212.661	126.153	512	2	=		. 6223	. 533		5	*	20	Ξ
-	-	111.111	19.2369	=	3	Ξ		. 51 (6.1	5/19	•	3	2	~~	2
-		271.065	418.276	123	=	=		118816	~	_	= ;	5	. :	= :
	~ -	275.124	157.194	621		= :		160206			5	× :	= :	= ;
	2 =	207.103	101 000			5 5		1777		~ ~		: :	3 5	: :
	. ~	420.482	105.957	208		2		200	71269	• -	9	: =	: 3	: :
	•	191.844	125.393	335	123	Ξ		364036	=	_	Ē	=	52	=
•	:	190.061	135.628	9 :	=	2		,906077	. 68907	-	5:	≈ :	2 2	≃ ;
		324.336	130.57	^ =				10101			~ ;	£ ;	= 2	: ;
	~	319, 139	(10, 525	122	1	~		901104			5 6	÷	; =	: :
	=	371.746	397.564	165	235	=		301639	15176		2	2	=	Ξ
-	•	336.806	130.942	:	0272	Ξ		116311	5053	-	2	=	2	3,5
;	2	311.676	375.211	7	5	~:		10256	1335		2 3	<u>.</u>	: :	•
		367.11	144.20							_	ב ב	= =	7 7	? =
- P-	: 2	362.172	330.16		6.5			915781	~		~	: =	: 3	: 3
-	*	361,320	311.14	=	=======================================	_		150711	1633	-	S	=	5	"
	\$6	11.57	122.071	259	6 6 9			(((())	523	-	~ :	= :	£ ;	;
	.	110.633	155. 101		1,10452	0.517149		61667	` ~		? =	: :	= :	= =
. ~	=	394.114	160.119	151	100		•	109608	\$3709	_	2	×	~	2
	£ .	395.720	337.158	~	\$332			301363	13076	_	6	;	2	3
r	0	190.001	234.915	207	~	_		527.22	61776	_	2 :	¥ ;	≃ :	; ;
	2	1 401.27	361.542		2007			10776	02120	_	3	= =	: :	: :
	0	1 416.319	160.643	=	312	=		913043	~	1163	2	*	=	Ç
	2	(11).183	133.005	116	=======================================	Ξ		22.	£ 53	11633	2	z	2	53
,	2	123.267	50,6533	9 50	1.20376	2		19116	7812	4211	= ;	2	~	
		(1) (1)	707.737	= =	1.717.1	= :		126017		3012	~ ?	2 :	= 5	0 0
	9	(60,93)	222.448	=	1.75739	:		335464	2005	2065	3	: =	: ≂	
, may	0	111.11	277.99	501	1.70640	0.121155		197436	523	. 1066	37,1510	=	2	7
- 1	=	16.314	321.641	~~	1.(176	= 1		112719	12619	585	= :	*	2	÷ :
p-		412.11	135.736		1.10539			11111	5.5	111	_ 6	2 2	5 2	:
	: 5	106.5	261.142	=	1.13544	6		116332	=======================================	333	; :	: =	: =	: =
•	=	1 (31.7)	111.17	F 1 3	1.66336	=		411173	. 43117	1920	5	33	=	=
		5 (59,631	114.756	121	1.47075	2		11116	7033	300	~ ;	2 2	. .	= =
,) • 1 1 1	/	•	} } •	:			. ;		;	:	:	;
								Page !	2 of 16					

1.doc Table

				_	_					_	_	_	_	_						-		_			_																													_											
S 2	~	= :	2	~	::	: :	2	~	~	2	S :	2 (2 :	2 2	: :	~	. ~	=	3	=	=	= :	= :	= 5	? :	2 2	: :	: 6	Ξ	\$	5	Ξ:	5 3	: :	3	2	=	=	2 :	2 5	2 5	2	?	31	~ :	16	: 3	. .	= ;	÷ ;		- ~	33	*	: :	2	~	22	₽:	2		: =	=	- ~	=
2 =	~	~	5	= :	: :	: 2	2	?	20	=	2	2 :	= ;	2 5	: =	×	=	=	Ξ	2	11	2	2	≅ ;	= =	: :	: :	: =	2	:	2	~:	= 2	: :	: 2	~	2	£	2	2:	2	: =	2	~	= ;	2 5	: =	=	£ ;	•	; ;	: =	:	Ξ	£ ;	= :	: =	=	~ :		7.2	: :	: =	: :	. ~
e 2	2	:	\$	~		: :	33	23	25	~	<u>د</u> د	ς;	;	= =	: =	. 2	: =	2	=	=	33	• :	£ :	:	= =	; ;	: :	: :	: =	52	<u> </u>	.		: :	; ;	×	11	=	*	₹ 3	2 05	: 5	2	~	= :	:	; =	=	2 :	= :		: =	2	9	; :	: :	: ::	=	2:		: :	; ;	106		: =
23.6702	19.255	11.917	12.5133	=	֓֞֝֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֡֓֓֓֓֓֓֡֓֓֓֡֓֡		~	Ξ	=	Ĕ	3					S	Ē	Ξ	≅.	=	3	3	2	= :				6	=	Ξ	=	1.153			ŝ	Ξ	:	5	Ĭ	707		Ē	=	=	= :	= =		13.0215	Ξ	302	3 6 6	2	23	= :	2017		14.5133	12.6497	12.151.	7.174	1.0015	1.15	107.348		11.3106
			-	_			_	~		_	~	 .						_	=	_			_							_	_	.					_	_	-			. =		_								٠	_	_ :	~ .							1203	_		
15551	1366	15926		1111		76()	11995		16667	12121	2223	7007	17253		363	70101	106	10433	=======================================	13661	1314	1181		79.19				11026	77391	_	11692	200		11111	1000	1333	19597	1111	1.6		1016	806	1117	5305	317		5092	5	1119	4040	15151	5120	12941	19526	1111		11376	18161			1050	2130			11167
0.7	3		9.1	~		-	0	-	6.0	•	~	~ .	- ·			0	9		~ 0.7	9.0	٠.	•								3	3	~"				-	3	-	-		; ;	-	•	3	5		-	6	5			-	9.	•		-	: -	-	~ `	• •	: ~		•		
~ ~	5	. 1902	.132	. 1965		326	930	=	:	. 9119	3 .	<u> </u>					=	. 17574	. 15671	ITEM.	. 30151	. 91071	. 92173	. 90163	. 1111		12969	66533	. \$ 2 4 5 7	. 91783	. 9375			11278		.90151	. 31666	. 15501	. 92253	. 32.46	9111		. 45013	18153	. 39673	11011			. 92700	3667 8 .	9166	1011	. 11035	. 91072	79110		308	. 1008.	2		9230	0.91011	Ξ		326
15.3907	11.7136	9,64001	14.0935	11.227	17.1163	13, 1935	11.021	13.0191	13.0111	14.7123	17.5641	11.5624	13.139	3.25	•		_	-	_	_	12.3092	_	_	_			-			_	_															14.5771			12.7162	7.5359	11.11.11	11. () ()	31.1612	9.05124	22.3958	11.5624	13.610	35, 1376	10.7641	11 5611	2.11		3.41132	5.06323	11.2555
0.713169	Ē	3, 337115	=	=	2		-	0.717.03	=	~	5	₹;	5			=		=	=	2	2	5	5	7		? ;	•		2	=	3	. 136251	: :		: :	=	2	-	ĭ	× :	Ş	2	~	=	2	= ;		=	5	= ;		=	Ξ	3	Ξ:	: :	=	2	= :	7	: =	. 731541	5	~	
19745	1111	51()2	99001	= 1	555	2011	50331	10515	13131	35169	2(1)	2307	15231	1110	7077	22.53	19125	17625	155	10112	19517	1130	17.7	0000			11111	[65]		13392	13302	7.	700	1000	31012	.3650	.0309	11198)	36195	15261	77.7	3616	.6363	.013	. 2332	1360		20615	.23599	17/21:	33513	. \$7515	. 19161	. 34033	.9347				1116.		11657		3346	316	7
131	153	2	156		221	=======================================	251	. 20	(1)	~	~	•	~ •	• •	-		_		_	_		•	•				~ -		_	_	_	9			<u> </u>							~						. .		_ :	_		- :	= 1	<u> </u>		=	2	= :	• =	: =	~	2	: =	•
5.3128	13.631	78.26	117.10	66.39	52.5		151.151	53.263	1.0113	-	12.439	1.93	15.235	1.2727	111		19.536		16.173	15.03	16.832	10.215	9.60						1.002	17.263	1.429	#	77.	((0)	196	3.40)	1.65	.1178	7.035	_	163	. 596	0.01	1.63	9.10			2.	0,362		100	6.903	9.916				\$.06	9.10				03.750	7		
<u> </u>	9.13	i. 11	11.33	115.61	2.38	76.5	1(0)	1.313	101.51	27.116	11.11	20.0	21.373	3.33		7.7	9.6	3.63	4.216	==	3.622	3.616	0.63	5.5	621.					0.267		121.0			131.7	2.23		1.35	9.819.	2.72	701.7	1.325	1.503		1.11		7 376 7	1.946	7.058		101	3.531	111	~	2,5		352	_ ~	250			50	116	3	[9]
- •	•	•		~	7				•	2	ø		~	<u> </u>		•	• -					~	_	.	.					_	~	.						0		~ ,			•	_	_	.	, .		_			. ~			9 :		: 5	=	5	=					
	_	_	_	-			_	. •	_	-	_		(•	•	-		. 🖚	•	-	-		_		-			_	-	-	_					• ~	_	-	_	_ `	_ =	• -	_	-	-			-	-	~ -			-	-			-	-	-	-	•		•	•	•
	-	-	-	-	•	• •	-	-	-	-	-	-			• •	• •	• •	-	-	-	•	•	-	•	• •	• •	• •	• -	•	-	-	•	• •	•		•	-	-	-	• •		-	•	•	-	• •	• •	-	-		• -	. 	-	-	- .	. •	-	-	- 1	- •	•	• •	•	-	•

	3	2:	; ;	: :	: =	3	;	.	ž	2	=	2	\$	=	~	•	ž	=	\$	=	3	?	~	=	=	Ξ	3	=		: =	: :	: ;	; 5	: :	: :	: 5	: =	=	=	=	3.5	25	=	.	;	~	=	9	; ;	=	Ç	166	:	: :	: :	3	\$	2	= ;	= :	; ;	: =	:	=	:	:	ç	=	= :	: :	î :	?	
																																																				_																					
	=	2 2	2 =	: :	: :	2	\$2	=	~	~	•	~		3	7	8	~	~	7	=	=	*	~	23	2	=	=	~	=	:	: =	: :	: =	: :	-	=	=	7	2	~	=	2	2	=	=	=	~	Ξ:	= =	=	2	0	= :	: :	=	~	ŝ	=	* ;	2 ;	: :	: =	?	=	23	23	*	~	C ;	= ;	7 7	:	
	2	ន្ត ;	::	2 5	: :	: =	~	≈	2	=	~	=	ç	=	00	=	=	7	=	=	~	=	2	?	=	~	: :	: :	: 5	: :	: :	: :	: :	: :	; :	. 05	.	=	~	=	=	=	35	*	2	35	36	= :	= ;	: :	::	~:	≂ ;	3 2	=	22	5	=	:	- :	: ;	; ;	::	Ξ	=	:	5	5	2;	= :		;	
	~	30.0135	= =	: :	: :	: 2	Ξ	~	Ξ	Ξ		1241.33	4.5	7.1	=	64.3019	3		16.1036	35.1135	(1).0(()	33.3311	29.1819	10.9.00	38.573	44.3588	43.5222	35.9431	19.9506				10.00	16 2202	40.017	48.508	39, 3313	41.9524	10.3302	39,5305	16.2057	41.5642	33.5902	44.4322	\$6,3639	34.7829	15.1193	10.5227		24.5375	37.76	136.361	21.1125	2101	(1, 3) 1)	30.6910	17.7451	66.3214	34.0976	16.1632	101.50	34.3531	13.9903	30.5143	31.2315	27.0513	22.43	35.115	57.5963	71.11	33.33	• • • • • • • • • • • • • • • • • • • •	
	~	22					278	110	231	960	6200	025	730	166	177	=======================================	105	110	2 4 0	101		929	349	Ξ	12	104	95)	136	770		,,,	***	• • • • • • • • • • • • • • • • • • • •			110	3	22	175	151	3145	100		~	1136	Ξ	121	315	921	76.5		111	:		216	620	1 50	23	161	= :	101		036	272	021	(\$)	550	160	1003		17.1	•	
	_							_	_	_	_	_	_	•			_	_			_	_	~		_	_			. ~									_	_	_	_	_		_	_	_	_	_			. ~	_	12636	~	ž	~	33	=======================================	32	::			3.6	3		6617	1111	511	202		20536		717
	6.	∹.					1	\$ 0.1	1.0.		0	0.1	2 0.1	~ 0.1	7 0.	.0	1 0			2	0	0.0	0	0	.0	10	-	0				•							-	•	70		 	-	·	-	3				-	-	- ·			1 0.7		6.7	~ .		5		2 0.3		1.0.1	1.0.4	9.0	0.7	- ·	~ ·			150
	=	0.92142	7	-					. 320	- .	. 1960	. 315	. 3045		. 1116	=	. 9230	9126	9305	1356		. 113	. 3254	0.40277	1159	. 9299	. 9183	. 9126					: -	: -		: -	: -	-	٦.	Ξ.	٦,	∹	7	∹	Ξ.	7	₹	۳.	ς.	; -	: =	٠.	∵: '		-	Ξ.	Ξ.	Ξ.	∵. '			: -	-	Ξ.	•	-	Ξ.	Τ,	-:-	•	0.011420		0
	•	12.0159					1. 101	2.C	1.61	_	•	•		-	3.957		3.635	2 100	£ 133	1, 151	6.036	2.63	_	_	_	•					-	~ -			-		=	=	3	35	5	=	Ξ	=	6	===	760	716	11.4462	2 2	=	7.65301	1.23		11.111	13.5406	11.3361	10.3414	12.51(3)	14.5161	11.11	11.5073	16.2365	13.3312	11.7265	14.131	19.303	17.1131			10.01		
	5,63072	1,637231	72733			527269	2,100,0	0.025478	0.765475	0.430711	0.93(923	0.791019	0,825478	0.711115	0.730039	0.192634	9. 621756					=	Ξ	3	5	~	3		=		:	=	:	•	: :		?	=	=	=	. 94161	.4112	11117	13961	.16153	. 68022	. 42309	. 13003	. 67369	11383	60326	76302	= :		70953	736	7	S	۶:	2;	-	-	3	•	~	Ξ	7	5	=:	= ;	0.111324	•	
	_	12166	13/11	6119		11432	101	77165	61319	11611	17751	6333	3277	1512)	1011	9101	27679	19101		37317	~	12614	[55]	1016	13011	\$1352	10509	(3/77				77.76					15378	19597	61713	65216	. 36996	.16591	.21628	.1139	. 96965	.36125	. 76011	.46325	35316	31160	21109	\$0108	5		62913	. (1112	. 61952	12251	16601.		7 * * * * *	5000	11156	11615	51113	16117	5517	20110	33633		10171.1		
				•	• •	2 .									-		2	-				~		9	•	•		•	•			2 .							•			_	~			_	_	•	~ .							-	~		~ .						=	~	=	-	= :			•	
	•	~ :	- ·		• • •	•		-	-	_	- =	-	~ ~	=	7	2	•				. ~	-	-	-	~	-					•	•		•	•	•			_	~	~ ~	-	_	_		~	-	~		~ ~		-		•	. ~	-		-	~ :		-		-	-	-	-	7	~	~ -	1	25 L	•	
								-	2.53	3.5.	0. 0.	32.1	=	25.1	-	2	-		9			3		-	3												-	-	<u>-</u>	=	≘	=	=	~	÷	=	=	•			=	j	₫:	2:	: =	_	÷.	ë	<u>.</u>	<u>.</u>	ġs	: [Ξ	Ξ	Ξ	Ξ	3	= `	3 :	191.97	:	
		24.0233	~ :	- 1	• :			=	_	=	•	=	=	=			_	9				•		•	~			•	•	3		: :	• •	2 4	•	- 4	•	146.702		~	-	~	-	~	-	~	-	•	0		, ,,,	•	209.325	•	•	• -	0	•		~ (9 6	7 🕶	_	_	=	=	265.139	267.539	274.10	237.102	263.590		
	~	_	.	2 :	Ξ:	= =		<u> </u>	-	-	=	•	°.	~		: 2	7.					2.0	20	1	7		: :		; ;	= ;		= ;		2 :	::	::	::	: 2	=	: =	=	=	20	3	25	\$3	25	5.5	96	~ ~		9	5 :	2:	3	: 3	:	53	3	6 1	2 ;		: 2		5	16	=	<u>.</u>	Ξ;		= :	:	
. 1 doc	, -	•	•	•	.		• •		•	-	•	•	•	•	•	•					•	•	•	•	•		•	•				n (•				• •			•	-	•	•	•	•	•		•	•	P (• •	•	•	n (•	•	•	•	•	•	.			•	•	•	-	•	- 1	
FV Table			-				•	· 	_	-	-	-	-	_	-		-					-	-		-		•										• •	• -			_	_	_		-				- ·			_					-			 .	.	. -			-	-	-	-	 1			•	

112 00.4481 154 113 105.311 90 114 47.9346 103 15 312.755 106 161 346.784 144 159 364.341 44 151 388.246 234	205, 311 205, 311 232, 325 342, 341 344, 341 344, 341 344, 341 345, 341 345, 341 345, 341 345, 341 345, 341			100. 100. 1274. 1244. 1444. 1545.		11.0024 11.0024 11.612 13.727 7.4818 11.019	0.903226 0.91667 0.909081 0.916909 0.916909 0.916184 0.916288	0.713333 0.713333 0.713602 0.71384 0.91837 0.6875 0.58193	1524 1134 1067 1760 9216 19817	29.131 29.1896 15.9333 16.0093 14.3396 10.4329 11.2768 55.2006		2222222
	312.312 315.082 32.65 32.65 42.713 342.313	212.25	222222		0.435924 0.435924 0.435922 0.435929 0.435939 0.455939			0.735841 0.735841 0.435116 0.752341 0.725962	200 136 136 136 136 136 136 136 136 136 136	25.0549 26.773 26.773 21.5696 41.1152 24.1391		1212212
*********	00 354,044 01 356,044 03 356,044 03 356,12 04 356,14 05 370,203 05 371,012 06 371,012	283.636 38.5816 38.5816 69.1039 133.1039 202.521 243.899 243.899 243.899	**************************************	· · · · · · · · · · · ·		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		0.71111 0.711113 0.611113 0.611113 0.611113 0.71113 0.71113	200 200 200 200 200 200 200 200 200 200	21.1751 21.1751 21.1751 22.026 23.0366 21.666 21.272 21.272		
	11 192.202 12 192.202 14 410.113 15 410.121 16 610.222 19 444.212			11.00 11.00		10 0 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0	0.00 0.135920 0.00 0.135920 0.00 0.135920 0.1359	6333 9003 1900 1111 1111 11111 11111 11111 11111	25.73 26.73	22222222	*******
************	42.21 42.21 430.90 431.119	21, 64 111, 121 111, 121 111, 121 111, 121 111, 121 111, 121 111, 121 111, 121 111, 121 111, 121 121, 121		1, 100 to	0.00196 0.00196 0.00196 0.00196 0.00196 0.00196 0.00196 0.00196 0.00196 0.00196 0.00196 0.00196 0.00196 0.00196	11. 12. 12. 12. 12. 12. 12. 12. 12. 12.	_ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	0.14486 0.1010 0.1010 0.1010 0.1010 0.1010 0.1010 0.1010 0.1010 0.1010 0.1010 0.1010 0.1010 0.1010 0.1010		25. 12. 12. 12. 12. 12. 12. 12. 12. 12. 12		

. Example of the summary output of AnalyseDNA.m program (summary for 10 3 by 3 montage images)

EV Table 2.doc

	1111	163.912	19.3916	1.55119	. 19149 0.398735 0.724461 0.137996 14.0612 3.318	0.726461	0.117996	14.0612	3.315	0.905327	0,505327 0,0350365 0.70]248 0,075176 6469.26 3496.35 41.537 10.352 4.70114 17.353	0.015176 6449.26	3436.35	11.339	18.32	1112.33	16.733
•	32.4103	14.334		22.6564										*****	13.00 [1	*****	(3) (3)
	1305	169.034		1.60311	0,399942	0.727835	0,399942 0,727835 0,138462 14.2434	11.2634	3.43211	0.906571	0.906571 0.0341451 0.70177	0.0130248 6766.37	1133.1				
	33.0245	13.3362		21,1507					,						****	4111	11 2263
-	1333	164.57		1.50728	0,397938 . b.77552	. b. 77552	0,13163	14.0153	7.33906	0.905267	0.0341422 0.102891	0.0720003 6861.04	3373.81				
	31.0313	16.2062		25.1765					,				******			1350 77	20 4113
•	1310	172.035		1.60189	0,319612	0.127142	0,389682 0,727142 0,342514 14,3531	14.3531	3.61012	0.902766	O.OJICZA C.ESTO C.O.O.O.O.O.O.O.O.O.	D.C. C.	18.11.1		707.61		
	33.7349	15.9902		24.193					,						1367 14	14 1433	33 1383
_	111	171.321	90.64	1.51117	0.400493	0.721044	0.400493 0.721044 0.141704 14.338	11.331	3.65065	0.901152	0.0319404 0.70023	0.0154584 1050.27	10.111	11.0333		775.61	***
	11.3315	14.4350	53.6367	26.3311											2011	3474 31	10.1334
•	• • • •	165.162	9089.10	1.60542	0,425512	0.728114	0.425512 0.721114 0.133721 14.0974	14.0974	3.39616	0.904614	0.036273 0.696204 0.0782855 6863.2	0.0182855 5863.2	11.11.		13.117		
	34.5141	15.2164	\$3.905\$	21.112												** **	1,00
~	1756	129.464	99.2039	1.57806	0.451072	0.694813	0.451022 0.694813 0.185647 11.728	11.72	5.27441	0.193311	0.0111729 0.704526	0.0892393 5162.51	1177	34.3763	41.1363		1 700 . 1 1
	26.0901	17.0423	13.0689	28. 6082									• • • • • • • • • • • • • • • • • • • •				1631 11
•	1210	171.317	1121	1.51301	0.405167	0.723621	0.405467 0.723621 0.137599 14.3833	11.3133	3.40593	0.906311	0.0151170 0.102514	0.0131602 6063.07		36.7.34	11.111		
	33.0602	13.7194	51.3961	20.936									•• ••		*****		****
•	1270	166.93	1608.70	1.40361	9.40190	0.404986 0.72568	0.130548 34.1402	14.1402	3.4334	0.905208	0.0334294 0.700331	0.0166113 62/6.34	****		14.69.71		
	12.3669	13.1119	30.6374	22.2607									***		10 1600	****	31, 116
2	1425	159.604	13.616	1.57286	0.400372	0.717117	0.400,772 0.717117 0.139045 33.8205	13.6203	3.49536	0.904275	11610.0 861201.0 1116110.0 614140	0.07572 6567.18					

CLAIMS

What is claimed is:

5

10

15

20

25

1. A method of predicting a property of a manipulation of cells based upon a descriptor, said method comprising:

providing a plurality of cells;
manipulating said plurality of cells;
capturing a morphological value from said plurality of cells;
assigning a degree of presence of said morphological value; and

storing said morphological value and said degree of presence;

wherein said descriptor is derived from a first component of a cell and a second component of said cell, said capturing said morphometric value from said plurality of cells comprises determining a relationship between said first component and said second component.

- 2. The method of claim 1 wherein said first component and said second component are selected from a protein, a protein modification, a nucleic acid, a lipid, a carbohydrate, a subcelluar structure and an organelle.
- 3. The method of 1 wherein said step of manipulation occurs in a manner selected from a electrical source, a chemical source, a thermal source, a gravitational source, a nuclear source. a temporal source, and a biological source
- 4. The method of claim 3 wherein said chemical source is selected from a pharmacological candidate and a drug screening library.
- 5. The method of claim 1 wherein said morphological value is selected from a count, an area, a perimeter, a length, a breadth, a fiber length, a fiber breadth, a shape factor, a elliptical form factor, an inner radius, an outer radius, a mean radius, an equivalent radius, an equivalent sphere volume, an equivalent prolate volume, an equivalent oblate volume, an equivalent sphere surface area, an average gray value, a total gray value, and an optical density.
- 6. The method of claim 1 wherein said degree of presence is multiple of a quantized value.

7. A computer program product for populating a database with manipulated biological information, said computer program product comprising: code for providing a plurality of cells in various stages of the cell cycle, said stages of the cell cycle including at least one selected from interphase, G0 phase, G1 phase, S phase, G2 phase, M phase, prophase, prometaphase, metaphase, anaphase, and telophase;

code for manipulating said cells in said various stages of cell cycle development to form a plurality of manipulated cells;

code for capturing an image of said plurality of manipulated cells; code for determining a descriptor from said image for said manipulated cells;

code for populating a database with said descriptor;

10

15

30

wherein said image includes a first component of a cell and a second component of said cell; and

a computer readable storage medium for holding the codes.

- 8. The computer program product of claim 7 wherein said first component and said second component are selected from a protein, a protein modification, a nucleic acid, a lipid, a carbohydrate, a sub-cellular structure and an organelle.
- 9. The computer program product of claim 7 wherein said image is a digitized representation of said plurality of manipulated cells.
 - 11. The computer program product of claim 9 wherein said digitized representation provides a density value of said plurality of manipulated cells.
- 11. The computer program product of claim 7 wherein said descriptors comprise numeric or logical values.
 - 12. The computer program product of claim 11 wherein said values further comprises a nucleotide.
 - 13. The computer program product of claim 11 wherein said values further comprises an amino acid letter.
 - 14. A system for capturing images of cells or cell structures, the system comprising:

a cell holder comprising a plurality of sites in a spatial orientation, each of the sites being capable of holding a plurality of cells to be imaged;

an image capturing device coupled to the cell holder, the image capture device being adapted to capture at least one image in at least one of the plurality of sites;

an illumination apparatus comprising a liquid light guide coupled to the plate for highlighting the plurality of cells in a relatively even spatial manner for image capturing purposes;

5

10

15

20

25

an image processing device coupled to the image capturing device, the image capturing device being adapted to convert the image into a digital representation; and

a database storage device comprising a database management element coupled to the image capturing device, the database storage device being adapted to retrieve the digital representation of the image from the image processing device and storing the digital representation.

- 15. The system of claim 14 further comprising a stage comprising a device for moving the cell holder in a spatial direction to traverse across the cell holder in the spatial orientation.
- 16. The system of claim 14 wherein the illumination apparatus comprises sub-elements, at least one of the sub-elements being positioned away from the image capturing device to prevent a possibility of vibration from the one sub-elements to be transmitted to the image capturing device.
- 17. The system of claim 14 wherein the digital representation comprises a plurality of regions and objects.
- 18. The system of claim 14 further comprising a computing device connected between the database storage device and the image processing device.
- 19. The system of claim 14 wherein the image capturing device comprises a magnification of at least 1X and greater to capture the image of the site.
- 20. The system of claim 14 wherein the plurality of sites comprises at least 96 sites.
- 21. The system of claim 14 wherein the liquid light guide
 characterized as a flexible member that substantially prevents vibration from the an
 element of the illumination apparatus to be transferred to the image capturing device.

22. The system of claim 14 wherein the spatial direction can be selected from an x-direction, a y-direction, or a z-direction in a Cartesian coordinate system.

- 23. The system of claim 14 wherein the each of the sites comprises a volume that is sufficient to prevent a solution therein from evaporating in a substantial manner that may influence the image capturing.
 - 24. A method for identifying a mechanism of action for a first compound, the method comprising the steps of:

receiving the first compound;

measuring at least one feature of a cellular phenotype to define a target phenotype;

identifying additional compounds providing a feature similar to the feature identified in the measuring step; and

characterizing the first compound in terms of distance from a specific target phenotype having known characteristics.

- 25. The method of claim 24 comprising the further step of storing the additional compounds and their associated phenotypes in a database.
- 26. A method for identifying a mechanism of action for a cellular stimulus, the method comprising the steps of:

20 receiving cells of interest;

10

15

25

measuring at least one feature of the cells to define and quantify a target phenotype;

identifying additional compounds providing a feature similar to the feature identified in the measuring step; and

- characterizing the first compound in terms of distance from a specific target phenotype having known characteristics.
- 27. A method for identifying information relevant to at least one of a mechanism of action and cellular activity by utilizing assay data to elucidate a phenotype, the method comprising the steps of:

identifying a target protein;

identifying positive and negative biochemical hits related to the target protein;

defining the target phenotype utilizing the positive and negative hits;

5

identifying other compounds providing similar features; and characterizing the first compound in terms of distance from a specific target phenotype having known characteristics.





FIG. 1






FIG. 1B







FIG. 2







F16.4



F16 5





F16. 53




FIG 6





Fig. 7A



かんかん

Fig. 78 Step 704 of Fig. 7A




Fig. 7D Step 716 of Fig. 7B

Done




FIG. 7E






Fig. 7F



IF IT 9 7G









Fig. 71













Fig.9




01 b # 1




caller Plot







IF IF 13




TE = 14



IE II 15




Frg 16



IE # 9 17

Conversion of morphometric parameters into nucleic acid code and clustering of the resulting sequences using Neighbor Joining method.

		!					_ 1	Ле 	asu	re:	me	ents					sphere surface area		•			se Moment	Seml-Maj	Semi-Min
Compound:	Count	Area	Perlineter	Length	Breadth	Fiberlength	Fiber breadth	Shape factor	Ell. form factor	Inner radlus	Outer radius	Mean radlus	Equiv. radius	Equiv. spinere vol	Equiv. prolate vol	Equiv. obtate vol	Equiv.sphere su	Average gray value	Total gray value	Optical densily.	Radlal dispersion	Texture Difference Moment	EFA Harmonic 2	EFA Harmonic 2,
Control	it	ļt	ļt	It	Tt	It	it	It	it	It	It	It	t	It	t	it	t	t	ļt	it	It	ja	įŧ	t
Taxol	ja	it	<u>;</u> t	jt	ļt	İŧ	it	It	¦a	it	įt	ļt	t	ļt	It	It	t	11	<u> !t</u>	ļt	ļt	ļt	ļt	t
CD	iC	ļa	а	a	!t	a	įt	t	iC	įa	a	:a	а	ļa	a	a	а	įt	a	ļа	ia	įŧ	;a·	g
Nocodozol	Ċ	ļt	įt	t	it	It	įt	ļt	įt	Ιţ	It	It	t	It	t	ļŧ	t	Iţ	įt	it	ļt	†t	įt	t
Staurosponne	::g	:g	¦C	а	¡a	t	ˈa	a	it	g	a	:a	ļα	įt	g	<u>ig</u>	ļg	a	:a	:t	a	١t	а	a
Vinblastine	,C	ļt	it	It	Ιt	t	įt	It	it	It	it	įt	t	įt	t	It	t	ļt	jg	<u> t</u>	it	<u> t</u>	t	t
Hydroxyurea	·g	it	<u>!</u> t	įt.	it	t	įŧ	ļg	it	:t	ļt	įt	įt	it	It	it	It	t	¦t	C	:t_	ļa	<u> t</u>	




It'Fg18

Conversion of morphometric parameters into amino acid codes and clustering of the resulting sequences using Neighbor Joining method.


```
TEquiv. sphere surface a
                                                                                               -IEFA Harmonic 2, Semi-
                                                                                                  HEFA Harmonic 2, Semi-
                                                                                           O Texture Difference Mo
                                                                            TAverage gray value
                                                                                       -IRadial dispersion
                                                             TEquiv. sphere vol.
                                                                 O Equiv. prolate vol
                                                                    OEqulv. oblate vol.


    Total gray value


                                                                                   OOptical density
                                            mEll. form factor
                                     OFiber breadth
                                         Shape factor
                                                          HEquiv. radius
                                                   -Outer radius
                                                      -Mean radius
                                               co Inner radius
                                  OFiber length
                              Z Breadth
                           -Length
                HCount
Control
                                                                     P
                                                                            R
                                                                        F
                                                                                C
Taxol
                FGGGMGMKAGGGGGGGGGGGGGHGVH
CD
               WF MMWMPTRSMMMF MWF MMR MMMF G
Nocodozal
Staurosporine NVAGGMGGYVGGGMVVVGGGHGMGGV
               F WWM WWC WD SM WWM MM WM V E M M M F P
Vinblastine
               SHHHHHVHHHHHHHHHHAHGHHD
Hydroxyurea
```



IF II 9 19







		15		
	Q.5			
				•
				•
	•			
	4			
			*	